


Card Reader
Interface Box

Spare Parts Leaflet

10-AAA21795B

August 23, 2017 / Page 1 of 3

**W/O
VINTAGE**



OTIS

This document does not contain any
technical data subject to EAR or ITAR

SERVICE ENGINEERING

Otis Elevator Company

Bloomfield, Connecticut USA

Unpublished Work—© Otis Elevator Co.; 2017

Leaflet Description

This leaflet provides spare parts information for type AAA21795B / AAB21795B card reader interface box.

Leaflet Revisions

Date Revised	Subject Matter Expert	Reason for Revision
September 18, 2003	John Doane	New SPL
March 6, 2013	Ali Bozorgzadeh	Added card reader information on p. 3
August 23, 2017	Cuauhtemoc Castro Inzunza and Anh Pham	Updated p. 3 with new part numbers

Related Drawings

Drawing No.	Title	Drawing No.	Title
AAA21795B	Card Reader Interface Box	---	---
---	---	---	---

Related Documents

Document ID	Title
---	---

Subject Matter Expert

Name	Department
Anh Pham	OSC Service Engineering

About Spare Parts Leaflets...


This document lists the lowest replaceable units (LRUs) for the standard version of the product. The LRUs are chosen by a team of Otis associates representing engineering and manufacturing.

While goal of this document is to make parts identification as easy as possible, the document cannot be all-inclusive. Elevator and escalator contracts classified as “special” or “custom” are not addressed here. For such contracts, please refer to specified information, the contract folder, TIPs, Field Education Articles, Construction Letters, etc. for further information.

If you have any suggestions about this document, please contact the subject matter expert listed on this page.

Card Reader, PC Board, Connector, and Terminals

10-AAA21795B



W/O VINTAGE				
PART No.				
REF. No.	AAA21795B	AAB21795B		DESCRIPTION
		1	2	
1	9693AE2	ABA26800TH1	---	Board, Extender, RSL
	---		DAA26800V1	Board, Extender, CAN
2	AAA447AC3 & AAA447ACA11			Connector, P1
3	AAA447AE9	AAA447AH43	---	Connector and Cover RSL Port
	AAA447AE101	AAA447AH132		
	---		GAA447EY1	Connector, 4 pin, CAN Port
4	---	AAA180FZ2		Holder, Board
5	AAB21795B1		---	Reader, Card, RSL, up to 32 Restricted Openings
	---		AAB21795B2	Reader, Card, CAN
6	AAA303EP1			Terminal, Gray
	AAA303EP19			Terminal, Blue
7	---		AAA232FX105	Resistor, 120OHM, 1% 1/4W