

OEO Power Box


Spare Parts Leaflet 10-AAA23850E

May 20, 2020 / Page 1 of 3

OTIS
POWER SUPPLY
OTIS P/N: AAA23850E1
Input: 115/230VAC, 12A,
50/60Hz, 1PH
Output: 115/230VAC, 7.5A,
50/60Hz, 1PH
24VDC, 12.5A

SERIAL #
10 | A-AAA23850E

 **US** CSA B44.1 / ASME A17.5
NRTL/C 152885 AAA1028DM



OTIS

This document does not contain any
technical data subject to EAR or ITAR

SERVICE ENGINEERING
Otis Elevator Company
Bloomfield, Connecticut USA

Unpublished Work—© Otis Elevator Co.; 2020

Leaflet Description

This SPL provides spare parts information for OEO power box. The auxiliary power box (AAA23850E) is used to grant additional power to the Occupant Evacuation Operation (OEO) hall displays. This assembly consists of either one or two power supplies.

Leaflet Revisions

Date Revised	Subject Matter Expert	Reason for Revision
November 13, 2019	Charles Lowd	New SPL
May 20, 2020	Charles Lowd	Updated illustration on p. 3

Related Drawings

Drawing No.	Title	Drawing No.	Title
AAA25300AT	OEO Comm Adapter Enclosure	AAA23850E	OEO Power Box

Related Documents

Document ID	Title
SPL 10-AAA25300AT	OEO Comm Adapter Assembly

Subject Matter Expert

Name	Department
Charles Lowd	Otis Engineering SIT in Florence, SC

About Spare Parts Leaflets...



This document lists the lowest replaceable units (LRUs) for the standard version of the product. The LRUs are chosen by a team of Otis associates representing engineering and manufacturing.

While goal of this document is to make parts identification as easy as possible, the document cannot be all-inclusive. Elevator and escalator contracts classified as "special" or "custom" are not addressed here. For such contracts, please refer to specified information, the contract folder, TIPs, Field Education Articles, Construction Letters, etc. for further information.

If you have any suggestions about this document, please contact the subject matter expert listed on this page.

Power Box

10-AAA23850E



AAA23850E			
REF. No.	PART No.	DESCRIPTION	REMARKS
1	AAA375BR14	Fuse, 4A	FS1, FS2
2	AAA621AN40	Power Supply, 24VDC	PS1, PS2
3	AAA303EP270	Terminal Block, Gray	24V
4	AAA303EP271	Terminal Block, Blue	24V RET
5	AAA303EP272	Terminal Block, Green/Yellow	PE