

CEILING ASSEMBLY, NSAA


轿顶装配

Spare Parts Leaflet

17-AAA24658T

May 30, 2023 / Page 1 of 4

W/O VINTAGE



OTIS

This document does not contain any technical information subject to the EAR or ITAR

ELEVATOR ENGINEERING
Otis Elevator Company

Leaflet Description

The SPL describe the lowest replaceable parts for the AAA24658T ceiling assembly used on the Skyrise1_NSAA

此 SPL 描述了 Skyrise1_NSAA、AAA24658T 轿顶装配中的最小可替换部件

Leaflet Revisions

No.	CN No.	Owner	Change Description	Approver & Date
1	CNT2300267	Alan Zhang	New SPL	Steven Shen 2023-05-30

Related Drawings

Drawing No.	Title	Drawing No.	Title
AAA24658T	CEILING ASSEMBLY 轿顶组件	AAA26900M	SAFTY SWITCH WITH SEPARATE ACTUATOR 带分离式操纵件的安全开关
AAA24661K	Ceiling, Suspended FC6		

Related Documents

Document ID	Title
NO	Title

Subject Matter Expert

Name	Department
Gary Mendrala	Service Engineering

About Spare Parts Leaflets...

This document lists the lowest replaceable units (LRUs) for the standard version of the product. The LRUs are chosen by a team of Otis associates representing engineering and manufacturing.


While goal of this document is to make parts identification as easy as possible, the document cannot be all-inclusive. Elevator and escalator contracts classified as "special" or "custom" are not addressed here. For such contracts, please refer to specified information, the contract folder, TIPs, Field Education Articles, Construction Letters, etc. for further information.

If you have any suggestions about this document, please contact the subject matter expert listed on this page.


CEILING ASSEMBLY

轿顶装配

17-AAA24658T



AAA24658T		Detail C	Detail B
REF. No. 序号	PART No. 零件号	DESCRIPTION 描述	Key Parameter Info 1 ... 关键参数 1
1	AAA24720S2	FAN 风机	Two-Speed, L =519 mm, Motor Power (W) = 40.0/42.0
2	AAA26900M101	SAFTY SWITCH WITH SEPARATE ACTUATOR 带分离式操纵件的安全开关	RATED INSULATION VOLTAGE U_i /额定电压 250V LATCHING FORCE /锁定力 30N
3	AAA316HQW1	BRACKET LOCK DEVICE 保持装置	/
4	AAA431AM2	LOCK 锁	/
5	AAA332CC1	CHAIN, EMERGENCY EXIT 链条	30 x 12.5 x ϕ 2.95mm Length=295mm
6	DIN316 M6X20 GT_Z	SCREW WING 蝶形螺栓	M6X20, ZINC PLATED 镀锌



AAA24661k			
REF. No. 序号	PART No. 零件号	DESCRIPTION 描述	Key Parameter Info 1 ... 关键参数 1
1	AAA417DG1	CAB LED LIGHT BULB	Ceiling finish=Brushed Steel Finish
	AAA417DG2	CAB LED LIGHT BULB	Ceiling finish=Real White
	AAA417DG3	CAB LED LIGHT BULB	Ceiling finish=Black Pearl