
Top-of-Car Interface Box, Gen2[®] Overslung

Spare Parts Leaflet

17-AAA25580EC

June 23, 2021 / Page 1 of 4



Leaflet Description

This leaflet covers all OSC-supported replacement parts for the AAA25580EC top-of-car interface box.

Leaflet Revisions

Date Revised	Subject Matter Expert	Reason for Revision
March 24, 2021	Jim Harte	New SPL
June 23, 2021	Jim Harte	Added new arrangements

Related Drawings

Drawing No.	Title	Drawing No.	Title
AAA25580EC	G2O Top of Car Interface Box		

Related Documents

Document ID	Title	

Subject Matter Expert

Name	Department	
Jim Harte	New Equipment, Florence	

About Spare Parts Leaflets...


This document lists the lowest replaceable units (LRUs) for the standard version of the product. The LRUs are chosen by a team of Otis associates representing engineering and manufacturing.

While goal of this document is to make parts identification as easy as possible, the document cannot be all-inclusive. Elevator and escalator contracts classified as "special" or "custom" are not addressed here. For such contracts, please refer to specified information, the contract folder, TIPs, Field Education Articles, Construction Letters, etc. for further information.

If you have any suggestions about this document, please contact the subject matter expert listed on this page.

Top-of-Car Interface Box

17-AAA25580EC



AAA25580EC			
PART NUMBER	DESCRIPTION	DOOR PROTECTION SYSTEM	
AAA25580EC1	Box, Interface, FC4 / FC6, Front Only, 4W LED Lights		
AAA25580EC2	Box, Interface, FC4 / FC6, Front & Rear, 4W LED Lights	Optiquard 2D	
AAA25580EC3	Box, Interface, FC10 / FCVEND, Front Only	- Optiguard 2D	
AAA25580EC4	Box, Interface, FC10 / FCVEND, Front & Rear		
AAA25580EC5	Box, Interface, FC4 / FC6, Front Only, 4W LED Lights		
AAA25580EC6	Box, Interface, FC4 / FC6, Front & Rear, 4W LED Lights	CabSafe 3D	
AAA25580EC7	Box, Interface, FC10 / FCVEND, Front Only		
AAA25580EC8	Box, Interface, FC10 / FCVEND, Front & Rear		
AAA25580EC9	Box, Interface, FC4 / FC6, Front Only, 2W LED Lights	Optiquard 2D	
AAA25580EC10	Box, Interface, FC4 / FC6, Front and Rear, 2W LED Lights	Optiguard 2D	
AAA25580EC11	Box, Interface, FC4 / FC6, Front Only, 2W LED Lights	- CabSafe 3D	
AAA25580EC12	Box, Interface, FC4 / FC6, Front & Rear, 2W LED Lights		

NOTE: FC4/FC6 Ceilings (LED Lights) FC10/FCVEND Ceilings (Perimeter Lighting)

Page 3

17-AAA25580EC

Top-of-Car Interface Box

	AAA25580EC	
REF. No.	AAA25580EC PART No.	DESCRIPTION
		DESCRIPTION PCB Interface, w/ Holder, Optiguard 2D Entrance Protection
REF. No. 1	PART No.	
1	PART No. AAA24591AQ1	PCB Interface, w/ Holder, Optiguard 2D Entrance Protection
	PART No. AAA24591AQ1 AAA24591AQ2	PCB Interface, w/ Holder, Optiguard 2D Entrance Protection PCB Interface, w/ Holder, CabSafe 3D Entrance Protection
1	PART No. AAA24591AQ1 AAA24591AQ2 AAA24591AQ2 AAA621AT25	PCB Interface, w/ Holder, Optiguard 2D Entrance ProtectionPCB Interface, w/ Holder, CabSafe 3D Entrance ProtectionPower Supply, 24VDC, 2.5A, Use with 4W LED Lights
1	PART No. AAA24591AQ1 AAA24591AQ2 AAA621AT25 AAA621AT35	PCB Interface, w/ Holder, Optiguard 2D Entrance ProtectionPCB Interface, w/ Holder, CabSafe 3D Entrance ProtectionPower Supply, 24VDC, 2.5A, Use with 4W LED LightsPower Supply, 24VDC, 1.3A, Use with 2W LED Lights Only
1 2 3	PART No. AAA24591AQ1 AAA24591AQ2 AAA24591AQ2 AAA621AT25 AAA621AT35 AAA303EP273	PCB Interface, w/ Holder, Optiguard 2D Entrance ProtectionPCB Interface, w/ Holder, CabSafe 3D Entrance ProtectionPower Supply, 24VDC, 2.5A, Use with 4W LED LightsPower Supply, 24VDC, 1.3A, Use with 2W LED Lights OnlyRelay, Terminal, Block, 120VAC
1 2 3 4	PART No. AAA24591AQ1 AAA24591AQ2 AAA24591AQ2 AAA621AT25 AAA621AT35 AAA303EP273 AAA303EP270	PCB Interface, w/ Holder, Optiguard 2D Entrance ProtectionPCB Interface, w/ Holder, CabSafe 3D Entrance ProtectionPower Supply, 24VDC, 2.5A, Use with 4W LED LightsPower Supply, 24VDC, 1.3A, Use with 2W LED Lights OnlyRelay, Terminal, Block, 120VACTerminal Block, Gray
1 2 3 4 5	PART No. AAA24591AQ1 AAA24591AQ2 AAA24591AQ2 AAA621AT25 AAA621AT35 AAA303EP273 AAA303EP270 AAA303EP272	PCB Interface, w/ Holder, Optiguard 2D Entrance Protection PCB Interface, w/ Holder, CabSafe 3D Entrance Protection Power Supply, 24VDC, 2.5A, Use with 4W LED Lights Power Supply, 24VDC, 1.3A, Use with 2W LED Lights Only Relay, Terminal, Block, 120VAC Terminal Block, Gray Terminal Block, Ground

NOTE: For Ref. 2

- Qty. 1 with FC4/FC6 Ceilings (LED Lights)
- Qty. 2 with FC10/FCVEND Ceilings (Perimeter Lighting)

Page 4 June 23, 2021	This document does not contain any technical data subject to EAR or ITAR Unpublished Work—Otis Elevator Co., 2021
----------------------	--