


**Handicap Plate  
(ASME A17.1)**

**Spare Parts Leaflet**

**32-AAA102AMS**

**October 21, 2020 / Page 1 of 5**

**W/O  
VINTAGE**



**OTIS**

This document does not contain any  
technical data subject to EAR or ITAR

**SERVICE ENGINEERING  
Otis Elevator Company  
Bloomfield, Connecticut USA**

Unpublished Work—© Otis Elevator Co.; 2020

**Leaflet Description**

This leaflet provides the door jamb entrance handicap plate options compliant with ASME A17.1 for use with all systems except California Code. For California handicap plate options, see SPL 32-AAA102TE.

**NOTE:** These handicap plates are made from Polymer (plastic).

**Leaflet Revisions**

<b>Date Revised</b>	<b>Subject Matter Expert</b>	<b>Reason for Revision</b>
August 21, 2006	Michael A. Bertini	New SPL
November 18, 2015	Joseph Zych	Added material information <b>NOTE</b>
May 31, 2017	Joseph Zych	Added p/n AAA102AMS3 on p.3
May 16, 2018	Joseph Zych	Added p/n AAA102AMS4 on p.3
October 21, 2020	Vadzim Fedarenka	Added p/n AAA102AMS5 on p.4; Added row 8 on p. 5; Fixed row 17 on p. 5 (was 10–46, 52, 66, now 10–99)

**Related Drawings**

<b>Drawing No.</b>	<b>Title</b>	<b>Drawing No.</b>	<b>Title</b>
AAA102AMS	Plate, Handicap (ASME A17.1)	AAA102TE	Plate, Handicap (California)
A102KE	Plate, Handicap	A*A23100*	Entrance Drawings, Various
A*A23100***	Entrance Drawings, Various		

**Related Documents**

<b>Document ID</b>	<b>Title</b>
SPL 32-A102KE	Entrance Frame Braille Plate
SPL 25-AAA23100AAB	Hoistway Entrance, Center-Opening

**Subject Matter Expert**

<b>Name</b>	<b>Department</b>
Joseph Zych	OSC Service Engineering

**About Spare Parts Leaflets...**


This document lists the lowest replaceable units (LRUs) for the standard version of the product. The LRUs are chosen by a team of Otis associates representing engineering and manufacturing.

While goal of this document is to make parts identification as easy as possible, the document cannot be all-inclusive. Elevator and escalator contracts classified as “special” or “custom” are not addressed here. For such contracts, please refer to specified information, the contract folder, TIPs, Field Education Articles, Construction Letters, etc. for further information.

If you have any suggestions about this document, please contact the subject matter expert listed on this page.

# Door Jamb Entrance Handicap Plate

**32-AAA102AMS**



TYPICAL EXAMPLE WITH INTERNATIONAL MAIN LANDING STAR SYMBOL WITH FLOOR DESIGNATION L1

**NOTE:** These handicap plates are made from Polymer (plastic).

REF. No.	PART No.	DESCRIPTION
	<b>W/O VINTAGE</b>	
1	AAA102AMS1-___	Plate, Braille
2	AAA102AMS2	Plate, Handicap (Star of Life), 4 x 4 in.
*	AAA102AMS3-___	Plate, Braille International Star
3	AAA102AMS4	Plate, 2012 IBC Code Requirement for Fire Service Access (Fire Hat), 4 x 4 in.
	AAA102AMS5	Plate, Fire Service Acces (Fire Hat), 4 x 4 in.; FSAE or FFE A17.1-2019 / CSA B44:19-2-27.10.2 Applicable Code (US & Canada)

\* Part not shown.

**NOTE:** ADA code requires Braille under international main landing star and designated floor landing.

Floor Markings			Available Markings	
First Character	Second Character	Third Character	4.00 X 4.00 in.	4.50 X 4.00 in.
*			*	
*	Numeric		*0-*5, *6, *8-*9	
*	Numeric	Letter		*1E-*1F, *1N, *1R, *1U, *2P, *2R, *6F
*	Letter		*A-*H, *L-*N, *P, *S-*U	
*	Letter	Letter	*LL	*BC, *BK, *CH, *CL, *DL, *EL, *ER, *GL, *LC, *LD, *LF, *ML, *MR, *PB, *PL, *RC, *SL, *SS-*ST, *UL
*	Letter	Numeric	*G1, *P1	*A1, *E1, *L1-*M1, *P2, *S1
-	Numeric		-1, -2, -3, -4, -5	
-	Numeric	Letter	-1R, -2R, -3R, -4R, -5R	
Letter			A-Y	
Letter	Letter		AA-AB, AF, AT, BA, BF, BK-BL, BP, BR, CB, CH, CL, CR, CW, DC, DK-DL, DN, DR, EL, EP, ER, FF, FH, FL, FR, GA, GF, GL-GM, GP, GR, GT, GW, HP, LB-LD, LF-LG, LL, LP, LR-LT, ME-MF, ML-MM, MP, MR, MZ, NE, OB, PA-PC, PH, PL, PP, PR, RC-RD, RF, RH, RL, RR, SA-SC, SL, SO, SR-SU, TA-TB, TK-TM, TR, UB-UD, UF-UG, UL-UM, UP, US, VD, WL	
Letter	Letter	Letter		LDR, LLR, PHR, ULR
Letter	Letter	Numeric		LL1, LL2, PG1, PH1-PH4, SS1-SS2
Letter	Numeric		A1-A8, B1-B8, C1-C8, E1-E3, F1-F2, G1-G7, H1-H3, L1-L5, M1-M2, M4, P1-P9, R1-R2, S1-S5, T2	
Letter	Numeric	Numeric		P10
Letter	Numeric	Letter		L1R
Numeric			0-9	
Numeric	Numeric		10-99	
Numeric	Numeric	Numeric		401-402
Numeric	Numeric	Letter		10R-17R, 20R, 40C
Numeric	Letter		0R, 1A-1B, 1E-1G, 1K-1N, 1P, 1R-1U, 1W, 2A-2B, 2E-2G, 2L-2N, 2P, 2R-2S, 2W, 3A-3B, 3E-3F, 3L-3N, 3P-3R, 3W, 4A-4B, 4F, 4R, 4W, 5A, 5I, 5L, 5R, 5U, 5W, 6F, 6R, 7R, 8R, 9R	
Numeric	Letter	Letter		2FR, 3AR, 4MT

## ***Ordering Instructions for Main Landing Symbol and Numeric Plates***

**When ordering main landing star symbol, always use “IM” and not “\*”**  
See Example 1.

**Example 1:** A main entrance with the international star symbol followed by the floor marking “1.”

AAA102AMS3-IM1  
          ↑      ↑↑  
          1      2 3

1. The part number.
2. The international main landing star.
3. The floor designation.

**When ordering single or double numeric designations, specify the number.**  
See Example 2.

**Example 2:** A floor marking of “14.”

AAA102AMS1-14  
          ↑      ↑  
          1      2

1. The part number.
2. The floor designation.

**When ordering negative numbers, always add (-) before the number.**  
See Example 3.

**Example 3:** Negative floor number (-1).

AAA102AMS1--1  
          ↑      ↑↑  
          1      2 3

1. The part number.
2. The extra (-) to indicate negative number.
3. The floor designation.