


**Fixture – Part**  
**Extended Hall Station**  
**Low Profile & Surface Mounted**

**Spare Parts Leaflet**  
**32-AAA23500BS**  
**March 15, 2023 / Page 1 of 5**

32 C - AAA23500BS



**Low Profile  
Extended  
Hall Station**



**Surface Mount  
Extended  
Hall Station**

**OTIS**

This document does not contain any technical data subject to EAR or ITAR

**SERVICE ENGINEERING**  
**Otis Elevator Company**  
**Bloomfield, Connecticut USA**

Unpublished Work—© Otis Elevator Co.; 2023

**Leaflet Description**

This leaflet provides spare part information for the extended Low Profile Extended and Surface-Mounted Extended Hall station assemblies type AAA23500BS.

**Leaflet Revisions**

<b>Date Revised</b>	<b>Subject Matter Expert</b>	<b>Reason for Revision</b>
April 26, 2005	Joseph Zych	New SPL
June 23, 2010	Joseph Zych	Added hardware parts to p. 4
June 16, 2021	Vadzim Fedarenka	Added Terminal / Intermediate Landing Hall Station Fixtures with 1/2 in. Position Indicator on p. 5
March 15, 2023	Vadzim Fedarenka	Corrected mistake in Ref. 1 on. 5

**Related Drawings**

<b>Drawing No.</b>	<b>Title</b>	<b>Drawing No.</b>	<b>Title</b>
AAA23500BS	Assembly, Extended Hall Station		

**Related Documents**

<b>Document ID</b>	<b>Title</b>
SPL 32-AAA147RG	Faceplate, Express Fixtures (for extended low profile and surface mount hall stations)
SPL 31-AAA23500T	Phone Jack Assembly
SPL 31-AAA23500AL	Jewel
SPL 31-AAA23500F	Keyswitch Assemblies Light Ring & Engraved Collar Version
SPL 31-AAA23500AK	Micro-Motion 3 Pushbutton

**Subject Matter Expert**

<b>Name</b>	<b>Department</b>
Vadzim Fedarenka	OSC Service Engineering

**About Spare Parts Leaflets...**


This document lists the lowest replaceable units (LRUs) for the standard version of the product. The LRUs are chosen by a team of Otis associates representing engineering and manufacturing.

While goal of this document is to make parts identification as easy as possible, the document cannot be all-inclusive. Elevator and escalator contracts classified as “special” or “custom” are not addressed here. For such contracts, please refer to specified information, the contract folder, TIPs, Field Education Articles, Construction Letters, etc. for further information.

If you have any suggestions about this document, please contact the subject matter expert listed on this page.

# Hall Station Fixtures

**32-AAA23500BS**



**Front View**

**Side View**


**Low Profile Extended Hall Station (Intermediate Landing) Shown.  
Surface Mount Extended Hall Stations are without lower electrical box.**

<b>AAA23500BS</b>		
<b>REF. No.</b>	<b>PART No.</b>	<b>DESCRIPTION</b>
1	---	Faceplate, Type AAA147RG (for low profile hall station), 👁️ SPL 32-AAA147RG
	---	Faceplate, Type AAA147RH (for surface mount hall station), 👁️ SPL 32-AAA147RG
2	---	Fixture, Fire Service Phone Jack (not shown), 👁️ SPL 31-AAA23500T
	---	Fixture, Jewel (not shown), 👁️ SPL 31-AAA23500AL
	---	Fixture, Keyswitch (shown), 👁️ SPL 31-AAA23500F
3	---	Fixture, Micromotion III (NEL), Standard and Vandal-Resistant, 👁️ SPL 31-AAA23500AK, AC, AM, and BZ
4	GDA25005B10	PC Board, Remote Station (RS14)

# 32-AAA23500BS


# Hall Station Mounting Parts

Low profile extended hall station showing surface mount extended hall stations are without lower electrical box.



REF. No.	PART No.	DESCRIPTION
	<b>AAA23500BS</b>	
1	AAA316GBQ1	Bracket, PC Board Mounting (L Shaped)
2	AAA316GBQ2	Bracket, PC Board Mounting (Z Shaped)
3	AAA308TR1	Box, Wall (lower)
4	AAA308TR2	Box, Wall (upper)
5	AAA00175AAB115	Cable, Ground
6	FAA316SL1 FBA316SL1	Holder, PC Board (Remote Station)
7	ABA386LAQ1	Plate, Mounting
8	AAA141AN2	Rivet, Plastic
9	ISO4027M4X12-45H-B	Screw, Hex Socket w/Cone Point
10	AAA462JS2	Spacer, (for Keyswitch)
	AAA462JR2	Spacer (for phone jack)
11	AAA462JS1	Spacer, (for Keyswitch)
	AAA462JR1	Spacer (for phone jack)

**Station Fixtures w/ 1/2 in. Position Indicator**



AAA23500BS		
REF. No.	PART No.	DESCRIPTION
*	AAA174YL24	Cable, Position Indicator Connection
1	AAA443FP1	Lens, Dark Grey
2	---	PC Board, Type AAA26800BCT; Red, Green, Blue, and White Color Illuminated
3	AAA354DT5	Stand-off (2 pcs.)

\* Part not shown.