NOTE: All 24-volt type AAA23500BY MM-III pushbuttons superseded by the AAA23500CH type pushbutton. Refer to SPL 32-AAA23500CH.

All other voltage type AAA23500BY MM-III pushbuttons superseded by type AAA323DY pushbuttons. Refer to SPL 32-AAA323DY. Temporary exception is AAA23500BY101 pushbutton.

W/O VINTAGE

AAA23500BY Micro-Motion III Pushbuttons

Type 1 [W] → AMP Connector

Type 3 [W] → AMP Connector & White LED

Type 2 [W] → Screw Connector

p/n FAA72N1 Locking Nut

p/n FAA72N1 Locking Nut

OTIS

SERVICE ENGINEERING
Otis Elevator Company
Bloomfield, Connecticut USA

Leaflet Description

This leaflet covers micro-motion III luxury pushbutton type AAA23500BY (standard).

Leaflet Revisions

Date Revised	SME	Reason for Revision
December 20, 2003	Lisa Mitchell	New SPL
December 18, 2007	Joseph Zych	Added new parts.
April 15, 2008	Joseph Zych	Removed type 3 buttons; revised voltage rating; added blue buttons.
May 1, 2008	Joseph Zych	Removed duplicate p/ns on p. 5; removed unavailable p/ns on p. 13.
October 14, 2008	Joseph Zych	Corrected errors on pp. 15–16.
June 10, 2009	Joseph Zych	All 24-volt AAA23500BY MM-III pushbuttons superseded by AAA23500CH MM-III pushbutton. Refer to SPL 32-AAA23500CH.
September 15, 2010	Joseph Zych	Add p/ns AAA23500BZ34–…BZ63 with bronze finish.
December 5, 2012	Joseph Zych	Add p/ns AAA23500BY199 and AAA23500BY200.
January 22, 2014	Joseph Zych	Moved AAA23500BZ buttons to SPL 31-AAA23500AM. Changed to component code 32.
June 1, 2022	Vadzim Fedarenka	Updated information throughout
April 19, 2023	Vadzim Fedarenka	Added AAA323DY button images on pp.3–18
June 21, 2023	Vadzim Fedarenka	Updated button type column name on pp. 4–18 and data in the columns; Updated ordering instructions on p. 3; Changed number of contacts for 120 V max buttons on p. 11

Related Drawings

Drawing No.	Title	Drawing No.	Title
AAA23500BY	Pushbutton, Luxury, Micro-Motion III	AAA23500BZ	Pushbutton, Vandal-Resistant, Micro-Motion III
AAA23500CH	Pushbutton, Luxury, Micro-Motion III	AAA323DY	Pushbutton, Luxury, Micro-Motion III

Related Documents

| Document ID	Title
SPL 32-AAA23500CH	Pushbutton, Luxury Micro Motion III
SPL 32-AAA323DY	Pushbutton, Luxury Micro Motion III

Subject Matter Expert

| Name	Department
Paul Anthony	OSC Service Engineering

About Spare Parts Leaflets...

This document lists the lowest replaceable units (LRUs) for the standard version of the product. The LRUs are chosen by a team of Otis associates representing engineering and manufacturing.

While goal of this document is to make parts identification as easy as possible, the document cannot be all-inclusive. Elevator and escalator contracts classified as "special" or "custom" are not addressed here. For such contracts, please refer to specified information, the contract folder, TIPs, Field Education Articles, Construction Letters, etc. for further information.

If you have any suggestions about this document, please contact the subject matter expert listed on this page.

AAA23500BY Micro-Motion III Pushbuttons

Type 1 W→ AMP Connector | Type 2 W→ Screw Connector

p/n FAA72N1 Locking Nut

(28.4)

(33)

(Ø 30)

(Ø 30)

(Ø 27.5)

8 PIN AMP TERMINAL

SCREW TERMINAL

AAA323DY

p/n FAA72N1 Locking Nut

1. AAA23500BY Micro-Motion III pushbuttons come with two types:

   - Type 1 pushbuttons are used with AMP connector.

   - Type 2 pushbuttons are used with screw connector.

2. AAA323DY Micromotion MM-III pushbuttons come with screw connector & 8-pin AMP connector.

3. Order FAA72N1 locking nut separately because it is not provided with buttons. Locking nut is required for replacement buttons as well.

4. The available five finishes are: FS4/SS4 (brushed ferritic stainless), SS8 (mirror stainless), BR7 (brushed brass), BR8 (mirror brass), and BT (gold satin MF4).

5. Order AAA174YL23 adaptor cable in case of screw connector type pushbutton replaces to AMP connection type pushbutton.

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		

8-Pin AMP Terminal   AAA323DY   Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Flush	6 VDC	AMP	2	Red	Clear	FS4/SS4	~~AAA23500BY1~~ AAA323DY114111*
						SS8	~~AAA23500BY2~~ AAA323DY114121*
						BR7	~~AAA23500BY3~~ AAA323DY114131*
						BR8	~~AAA23500BY4~~ AAA323DY114141*
			2			FS4/SS4	~~AAA23500BY5~~ AAA323DY114111
						SS8	~~AAA23500BY6~~ AAA323DY114121
						BR7	~~AAA23500BY7~~ AAA323DY114131
						BR8	~~AAA23500BY8~~ AAA323DY114141
				Non-Illuminating	Yellow	FS4/SS4	~~AAA23500BY9~~ AAA323DY114712
						SS8	~~AAA23500BY10~~ AAA323DY114722
						BR7	~~AAA23500BY11~~ AAA323DY114732
						BR8	~~AAA23500BY12~~ AAA323DY114742
	12 VDC		2	Red	Clear	FS4/SS4	~~AAA23500BY13~~ AAA323DY124111*
						SS8	~~AAA23500BY14~~ AAA323DY124121*
						BR7	~~AAA23500BY15~~ AAA323DY124131*
						BR8	~~AAA23500BY16~~ AAA323DY124141*

(Continue next page)

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		

8-Pin AMP Terminal   AAA323DY   Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Flush	12 VDC	AMP	2	Red	Clear	FS4/SS4	~~AAA23500BY17~~ AAA323DY124111
						SS8	~~AAA23500BY18~~ AAA323DY124121
						BR7	~~AAA23500BY19~~ AAA323DY124131
						BR8	~~AAA23500BY20~~ AAA323DY124141
				Non-Illuminating	Yellow	FS4/SS4	~~AAA23500BY21~~ AAA323DY124712
						SS8	~~AAA23500BY22~~ AAA323DY124722
						BR7	~~AAA23500BY23~~ AAA323DY124732
						BR8	~~AAA23500BY24~~ AAA323DY124742
	24 VDC	AMP	N/A	Red	Clear	BR7	~~AAA23500BY25~~ AAA23500CH43
						BR8	~~AAA23500BY26~~ AAA23500CH44
				Green		BR7	~~AAA23500BY27~~ AAA23500CH45
						BR8	~~AAA23500BY28~~ AAA23500CH46
				Blue		FS4/SS4	~~AAA23500BY187~~ AAA23500CH82
						SS8	~~AAA23500BY188~~ AAA23500CH83
						BR7	~~AAA23500BY189~~ AAA23500CH84

(Continued on next page)

MM-III Pushbutton: Flat Flush — 32-AAA23500BY

| TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		

8-Pin AMP Terminal (28.4) (Ø30)   AAA323DY   (33) (Ø30) (Ø27.5) Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Flush	24 VDC	AMP	N/A	Blue	Clear	BR8	~~AAA23500BY190~~ AAA23500CH85
				Non-Illuminating	Clear	BR7	~~AAA23500BY29~~ AAA23500CH47
					Clear	BR8	~~AAA23500BY30~~ AAA23500CH48
					White Opaque	BR7	~~AAA23500BY31~~ AAA23500CH49
					White Opaque	BR8	~~AAA23500BY32~~ AAA23500CH50
				White		FS4/SS4	~~AAA23500BY33~~ AAA23500CH31
						SS8	~~AAA23500BY34~~ AAA23500CH32
						BR7	~~AAA23500BY35~~ AAA23500CH33
						BR8	~~AAA23500BY36~~ AAA23500CH34
	30 VDC	Screw	1	Amber	Clear	FS4/SS4	~~AAA23500BY37~~ AAA323DY141211
						SS8	~~AAA23500BY38~~ AAA323DY141221
						BR7	~~AAA23500BY39~~ AAA323DY141231
						BR8	~~AAA23500BY40~~ AAA323DY141241
	120 VAC					FS4/SS4	~~AAA23500BY41~~ AAA323DY151211
						SS8	~~AAA23500BY42~~ AAA323DY151221
						BR7	~~AAA23500BY43~~ AAA323DY151231

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		

8-Pin AMP Terminal   AAA323DY   Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Flush	120 VAC	Screw	1	Amber	Clear	BR8	~~AAA23500BY44~~ AAA323DY151241
	120 VDC					FS4/SS4	~~AAA23500BY45~~ AAA323DY151211
						SS8	~~AAA23500BY46~~ AAA323DY151221
						BR7	~~AAA23500BY47~~ AAA323DY151231
						BR8	~~AAA23500BY48~~ AAA323DY151241
	120 V Max		2	Non-Illuminating		FS4/SS4	~~AAA23500BY49~~ AAA323DY152711
						SS8	~~AAA23500BY50~~ AAA323DY152721
						BR7	~~AAA23500BY51~~ AAA323DY152731
						BR8	~~AAA23500BY52~~ AAA323DY152741
	6 V	AMP	2	White		BT	~~AAA23500BY199~~ AAA323DY114651*

* 6 & 12VDC pushbuttons replaced by 2-contact AAA323DY buttons only; no 1-contact available.

# MM-III Pushbutton: Flat Projecting | 32-AAA23500BY

8-Pin AMP Terminal AAA323DY Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Projecting	6 VDC	AMP	2	Red	Clear	FS4/SS4	~~AAA23500BY53~~ AAA323DY214111*
						SS8	~~AAA23500BY54~~ AAA323DY214121*
						BR7	~~AAA23500BY55~~ AAA323DY214131*
						BR8	~~AAA23500BY56~~ AAA323DY214141*
			2			FS4/SS4	~~AAA23500BY57~~ AAA323DY214111
						SS8	~~AAA23500BY58~~ AAA323DY214121
						BR7	~~AAA23500BY59~~ AAA323DY214131
						BR8	~~AAA23500BY60~~ AAA323DY214141
				Non-Illuminating	Yellow	FS4/SS4	~~AAA23500BY61~~ AAA323DY214712
						SS8	~~AAA23500BY62~~ AAA323DY214722
						BR7	~~AAA23500BY63~~ AAA323DY214732
						BR8	~~AAA23500BY64~~ AAA323DY214742
	12 VDC		2	Red	Clear	FS4/SS4	~~AAA23500BY65~~ AAA323DY224111*
						SS8	~~AAA23500BY66~~ AAA323DY224121*
						BR7	~~AAA23500BY67~~ AAA323DY224131*

(Continued on next page)

This document does not contain any technical data subject to EAR or ITAR
Unpublished Work—Otis Elevator Co., 2023

	TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH			

(28.4) ⌀30 — 8-Pin AMP Terminal

AAA323DY

(33) ⌀30 / ⌀27.5 — Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Projecting	12 VDC	AMP	2	Red	Clear	BR8	~~AAA23500BY68~~ AAA323DY224141*
			2			FS4/SS4	~~AAA23500BY69~~ AAA323DY224111
						SS8	~~AAA23500BY70~~ AAA323DY224121
						BR7	~~AAA23500BY71~~ AAA323DY224131
						BR8	~~AAA23500BY72~~ AAA323DY224141
				Non-Illuminating	Yellow	FS4/SS4	~~AAA23500BY73~~ AAA323DY224712
						SS8	~~AAA23500BY74~~ AAA323DY224722
						BR7	~~AAA23500BY75~~ AAA323DY224732
						BR8	~~AAA23500BY76~~ AAA323DY224742
	24 VDC	AMP	N/A	Red	Clear	BR7	~~AAA23500BY77~~ AAA23500CH51
						BR8	~~AAA23500BY78~~ AAA23500CH52
				Green		BR7	~~AAA23500BY79~~ AAA23500CH53
						BR8	~~AAA23500BY80~~ AAA23500CH54
				Blue		FS4/SS4	~~AAA23500BY191~~ AAA23500CH86
						SS8	~~AAA23500BY192~~ AAA23500CH87

(Continued on next page)

This document does not contain any technical data subject to EAR or ITAR
Unpublished Work—Otis Elevator Co., 2023

8-Pin AMP Terminal   **AAA323DY**   Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Projecting	24 VDC	AMP	N/A	Blue	Clear	BR7	~~AAA23500BY193~~ AAA23500CH88
				Blue	Clear	BR8	~~AAA23500BY194~~ AAA23500CH89
				Non-Illuminating	Clear	BR7	~~AAA23500BY81~~ AAA23500CH55
				Non-Illuminating	Clear	BR8	~~AAA23500BY82~~ AAA23500CH56
				Non-Illuminating	White Opaque	BR7	~~AAA23500BY83~~ AAA23500CH57
				Non-Illuminating	White Opaque	BR8	~~AAA23500BY84~~ AAA23500CH58
				White	Clear	FS4/SS4	~~AAA23500BY85~~ AAA23500CH35
				White	Clear	SS8	~~AAA23500BY86~~ AAA23500CH36
				White	Clear	BR7	~~AAA23500BY87~~ AAA23500CH37
				White	Clear	BR8	~~AAA23500BY88~~ AAA23500CH38
	30 VDC	Screw	1	Amber	Clear	FS4/SS4	~~AAA23500BY89~~ AAA323DY241211
				Amber	Clear	SS8	~~AAA23500BY90~~ AAA323DY241221
				Amber	Clear	BR7	~~AAA23500BY91~~ AAA323DY241231
				Amber	Clear	BR8	~~AAA23500BY92~~ AAA323DY241241
	120 VAC			Amber	Clear	FS4/SS4	~~AAA23500BY93~~ AAA323DY251211

(Continued on next page)

MM-III Pushbutton: Flat Projecting | 32-AAA23500BY

| Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Projecting	120 VAC	Screw	1	Amber	Clear	SS8	~~AAA23500BY94~~ AAA323DY251221
						BR7	~~AAA23500BY95~~ AAA323DY251231
						BR8	~~AAA23500BY96~~ AAA323DY251241
						FS4/SS4	~~AAA23500BY93~~ AAA323DY251211
	120 VDC					SS8	~~AAA23500BY98~~ AAA323DY251221
						BR7	~~AAA23500BY99~~ AAA323DY251231
						BR8	~~AAA23500BY100~~ AAA323DY251241
	120 V Max		1	Non-Illuminating		FS4/SS4	AAA23500BY101 AAA323DY255711**
						SS8	~~AAA23500BY102~~ AAA323DY255721
						BR7	~~AAA23500BY103~~ AAA323DY255731
						BR8	~~AAA23500BY104~~ AAA323DY255741
	6 V	AMP	2	White		BT	~~AAA23500BY200~~ AAA323DY214651*

* 6 & 12VDC pushbuttons replaced by 2-contact AAA323DY buttons only; no 1-contact available.

** available soon; ask Customer Service.

| TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		

8-Pin AMP Terminal (28.4)

AAA323DY

Screw Terminal (33)

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Flush	6 VDC	AMP	2	Red	Clear	FS4/SS4	~~AAA23500BY105~~ AAA323DY314111*
						SS8	~~AAA23500BY106~~ AAA323DY314121*
						BR7	~~AAA23500BY107~~ AAA323DY314131*
						BR8	~~AAA23500BY108~~ AAA323DY314141*
			2			FS4/SS4	~~AAA23500BY109~~ AAA323DY314111
						SS8	~~AAA23500BY110~~ AAA323DY314121
						BR7	~~AAA23500BY111~~ AAA323DY314131
						BR8	~~AAA23500BY112~~ AAA323DY314141
				Non-Illuminating	Yellow	FS4/SS4	~~AAA23500BY113~~ AAA323DY314712
						SS8	~~AAA23500BY114~~ AAA323DY314722
						BR7	~~AAA23500BY115~~ AAA323DY314732
						BR8	~~AAA23500BY116~~ AAA323DY314742
	12 VDC		2	Red	Clear	FS4/SS4	~~AAA23500BY117~~ AAA323DY324111*
						SS8	~~AAA23500BY118~~ AAA323DY324121*
						BR7	~~AAA23500BY119~~ AAA323DY324131*

(Continued on next page)

8-Pin AMP Terminal

AAA323DY

Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Flush	12 VDC	AMP	2	Red	Clear	BR8	~~AAA23500BY120~~ AAA323DY324141*
			2	Red	Clear	FS4/SS4	~~AAA23500BY121~~ AAA323DY324111
				Red	Clear	SS8	~~AAA23500BY122~~ AAA323DY324121
				Red	Clear	BR7	~~AAA23500BY123~~ AAA323DY324131
				Red	Clear	BR8	~~AAA23500BY124~~ AAA323DY324141
				Non-Illuminating	Yellow	FS4/SS4	~~AAA23500BY125~~ AAA323DY324712
				Non-Illuminating	Yellow	SS8	~~AAA23500BY126~~ AAA323DY324722
				Non-Illuminating	Yellow	BR7	~~AAA23500BY127~~ AAA323DY324732
				Non-Illuminating	Yellow	BR8	~~AAA23500BY128~~ AAA323DY324742
	24 VDC	AMP	N/A	Red	Clear	BR7	~~AAA23500BY129~~ AAA23500CH59
				Red	Clear	BR8	~~AAA23500BY130~~ AAA23500CH60
				Green	Clear	BR7	~~AAA23500BY131~~ AAA23500CH61
				Green	Clear	BR8	~~AAA23500BY132~~ AAA23500CH62
				Blue	Clear	FS4/SS4	~~AAA23500BY195~~ AAA23500CH90
				Blue	Clear	SS8	~~AAA23500BY196~~ AAA23500CH91

(Continued on next page)

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector			
FLAT FLUSH					

(28.4) Ø30 — 8-Pin AMP Terminal

AAA323DY

(33) Ø30 Ø27.5 — Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Flush	24 VDC	AMP	N/A	Blue	Clear	BR7	~~AAA23500BY197~~ AAA23500CH92
						BR8	~~AAA23500BY198~~ AAA23500CH93
				Non-Illuminating		BR7	~~AAA23500BY133~~ AAA23500CH63
						BR8	~~AAA23500BY134~~ AAA23500CH64
					White Opaque	BR7	~~AAA23500BY135~~ AAA23500CH65
						BR8	~~AAA23500BY136~~ AAA23500CH66
				White	Clear	FS4/SS4	~~AAA23500BY137~~ AAA23500CH39
						SS8	~~AAA23500BY138~~ AAA23500CH40
						BR7	~~AAA23500BY139~~ AAA23500CH41
						BR8	~~AAA23500BY140~~ AAA23500CH42
	120 VAC	Screw	1	Amber		FS4/SS4	~~AAA23500BY141~~ AAA323DY351211
						SS8	~~AAA23500BY142~~ AAA323DY351221
						BR7	~~AAA23500BY143~~ AAA323DY351231
						BR8	~~AAA23500BY144~~ AAA323DY351241
	120 VDC					FS4/SS4	~~AAA23500BY145~~ AAA323DY351211

(Continued on next page)

8-Pin AMP Terminal

AAA323DY

Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Flush	120 VDC	Screw	1	Amber	Clear	SS8	~~AAA23500BY146~~ AAA323DY351221
						BR7	~~AAA23500BY147~~ AAA323DY351231
						BR8	~~AAA23500BY148~~ AAA323DY351241
	120 V Max		2	Non-Illuminating		FS4/SS4	~~AAA23500BY149~~ AAA323DY352711
						SS8	~~AAA23500BY150~~ AAA323DY352721
						BR7	~~AAA23500BY151~~ AAA323DY352731
						BR8	~~AAA23500BY152~~ AAA323DY352741

* 6 & 12VDC pushbuttons replaced by 2-contact AAA323DY buttons only; no 1-contact available.

| TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		

(28.4) 8-Pin AMP Terminal   **AAA323DY**   (33) Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Projecting	6 VDC	AMP	2	Red	Clear	FS4/SS4	~~AAA23500BY153~~ AAA323DY414111*
						SS8	~~AAA23500BY154~~ AAA323DY414121*
						BR7	~~AAA23500BY155~~ AAA323DY414131*
						BR8	~~AAA23500BY156~~ AAA323DY414141*
			2			FS4/SS4	~~AAA23500BY157~~ AAA323DY414111
						SS8	~~AAA23500BY158~~ AAA323DY414121
						BR7	~~AAA23500BY159~~ AAA323DY414131
						BR8	~~AAA23500BY160~~ AAA323DY414141
			2			FS4/SS4	~~AAA23500BY161~~ AAA323DY424111*
						SS8	~~AAA23500BY162~~ AAA323DY424121*
						BR7	~~AAA23500BY163~~ AAA323DY424131*
						BR8	~~AAA23500BY164~~ AAA323DY424141*
	12 VDC		2			FS4/SS4	~~AAA23500BY165~~ AAA323DY424111
						SS8	~~AAA23500BY166~~ AAA323DY424121
						BR7	~~AAA23500BY167~~ AAA323DY424131

(Continued on next page)

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		

8-Pin AMP Terminal

AAA323DY

Screw Terminal

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Projecting	12 VDC	AMP	2		Clear	BR8	~~AAA23500BY168~~ AAA323DY424141
	24 VDC	AMP	N/A	Red		BR7	~~AAA23500BY169~~ AAA23500CH67
						BR8	~~AAA23500BY170~~ AAA23500CH68
				Green		BR7	~~AAA23500BY171~~ AAA23500CH69
						BR8	~~AAA23500BY172~~ AAA23500CH70
				Non-Illuminating		BR7	~~AAA23500BY173~~ AAA23500CH71
						BR8	~~AAA23500BY174~~ AAA23500CH72
	120 VAC	Screw	1	Amber		FS4/SS4	~~AAA23500BY175~~ AAA323DY451211
						SS8	~~AAA23500BY176~~ AAA323DY451221
						BR7	~~AAA23500BY177~~ AAA323DY451231
						BR8	~~AAA23500BY178~~ AAA323DY451241
	120 VDC					FS4/SS4	~~AAA23500BY179~~ AAA323DY451211
						SS8	~~AAA23500BY180~~ AAA323DY451221
						BR7	~~AAA23500BY181~~ AAA323DY451231
						BR8	~~AAA23500BY182~~ AAA323DY451241

Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Projecting	120 V Max	Screw	2	Non-Illuminating	Clear	FS4/SS4	~~AAA23500BY183~~ AAA323DY452711
						SS8	~~AAA23500BY184~~ AAA323DY452721
	120 V Max					BR7	~~AAA23500BY185~~ AAA323DY452731
						BR8	~~AAA23500BY186~~ AAA323DY452741

* 6 & 12VDC pushbuttons replaced by 2-contact AAA323DY buttons only; no 1-contact available.