



VINTAGE R 01			
REF. No.	PART OR ML	DESCRIPTION	TYPE
1	YXGO457CL65	Shape	600
	YXGO457CL66		800
	YXGO457CL67		1000
2	YYGO457CL92	Shape	600
	YYGO457CL93		800
	YYGO457CL94		1000
3	GO453D6	Comb Length = 197, 994, 23 Teeth, Aluminum	
	GO453D1		Comb Length = 203,184, 24 Teeth, Aluminum
	GO453D5		Comb Length = 206, 390, 24 Teeth, Aluminum
4	2700CBJ1	Fastening Parts, (6) Screws, DIN7991 M6x12, (6) Rivets, RIV CAT0317-3225,	
5	2700CBJ2	Guide and Hardware: (1) GO385BL1, Nylon Guide, (3) DIN84 M6x16 Screw, (5) GO255ES1 Shims	
6	GO102KJ1	Name Plate	




VINTAGE R 01			
REF. No.	PART OR ML	DESCRIPTION	
			TYPE
1	YYGO457CN15	Floor Plate	600
	YYGO457CN16		800
	YYGO457CN17		1000
2	RIVAL3.2x11	Rivet	
3	YYGO457CL41		600
	YYGO457CL42		800
	YYGO457CL43		1000
4	YYGO457CL44	Shape	600
	YYGO457CL45		800
	YYGO457CL46		1000
5	YYGO457CL50		600
	YYGO457CL51		800
	YYGO457CL52		1000


Page 4. - COMB & FLOOR PLATE LOWER LANDING, w/ INLINE NEWELS



VINTAGE R 01			
REF. No.	PART OR ML	DESCRIPTION	
			TYPE
1	YYGO457CN15	Floor Plate	600
	YYGO457CN16		800
	YYGO457CN17		1000
2	RIVAL3.2x11	Rivet	
3	YXGO457CL41	Shape	600
	YXGO457CL42		800
	YXGO457CL43		1000
4	YXGO457CL44	Shape	600
	YXGO457CL45		800
	YXGO457CL46		1000
5	YXGO457CL47	Shape	600
	YXGO457CL48		800
	YXGO457CL49		1000
6	YXGO457CL56	Shape	600
	YXGO457CL57		800
	YXGO457CL58		1000




VINTAGE R 01			
REF. No.	PART OR ML	DESCRIPTION	
			TYPE
	YYGO457CD1	Rubber Coating Length = 1091, W = 610	600
	YYGO457CD2	Rubber Coating Length = 1294, W = 610	800
1	YYGO457CD3	Rubber Coating Length = 1497, W = 610	1000
	YYGO457CD10	Rubber Coating Length = 1091, W = 770	600
	YYGO457CD11	Rubber Coating Length = 1294, W = 770	800
	YYGO457CD12	Rubber Coating Length = 1497, W = 770	1000
Glue On Job Site			



VINTAGE R 01		
REF. No.	PART OR ML	DESCRIPTION
1	GO177AG1	Switch, Combplate Contact (RCSU, LCSU)

SPL 56-YX9703HH - Lower Landing Comb & Floor Plate, Otis 506 Slimline - NAO

Page 7



VINTAGE R 01		
REF. No.	PART OR ML	DESCRIPTION
1	GO9OAE1	Spring