


# SPL 57-GO9704CC - Escalator Balustrade, Glass, 510, Aluminum

Unpublished Work - © Otis Elevator Company. Any unauthorized reproduction, disclosure, or distribution of copies or content by any person of any portion of this work may be a violation of Copyright Law of the United States of America. All rights reserved.

January 1989

Page 1



# SPL 57-GO9704CC - Escalator Balustrade, Glass, 510, Aluminum

## Page 2 - Balustrade Otis 510

When ordering the balustrade parts please give "balustrade finish", as indicated on the type tag.



Ao encomendar elementos da balustrada indicar "acabamento da balustrada" segundo as indicações da placa tipo.

A la commande des pièces de balustrade veuillez spécifier «balustrade finish» comme indique sur la plaque d'identité.

Bei der Bestellung der Balustradenteile den Farb- oder Eloxalton angeben, siehe Typenschild.

Nella ordinazione dei componenti della balastrada precisare la finitura, come indicato sulla targa dat.

Al pedir los elementos de la balastrada indicar «acabado de laluastrada» segun se indica en la placa tipo.




## Page 2 - Balustrade Otis 510

VINTAGE G. 01		
REF. No.	PART No.	DESCRIPTION
---	---	Balustrade, Glass Panel, See SPL 57-GO434A
		Balustrade, Handrail Guide, See SPL 57-GO402ARB
		Balustrade, Skirt Panel, See SPL 57-438ALC
		Balustrade, Supporting Profile, Stainless Steel
		Balustrade, Inner- and Outerdecking Profile
		Balustrade, Fastening Parts for Decking Profile
		Balustrade, Newel

SPL 57-GO9704CC - Escalator Balustrade, Glass, 510, Aluminum


Page 3 - Balustrade Otis 510, Supporting Profile, ALU



Page 3 - Balustrade Otis 510, Supporting Profile, ALU

VINTAGE G. 01							
REF. No.	PART No.	DESCRIPTION					
1	GO402APN5	Supporting Profile	LH	2	510-M	Lower Landing	ALU
2	GO402APN6		RH	Flat Steps	30		
3	GO402APN7		LH	3	Degrees		
4	GO402APN8		RH	Flat Steps			
5	GO402APN9		LH	2	510-S		
6	GO402APN10		RH	Flat Steps	30		
7	GO402APN11		LH	3	Degrees		
8	GO402APN12		RH	Flat Steps			
9	GO402APN13		LH	2	510-S		
10	GO402APN14		RH	Flat Steps	27.3		
11	GO402APN15		LH	3	Degrees		
12	GO402APN16		RH	Flat Steps			
13	GO402APN17		LH	2	510-S		
14	GO402APN18		RH	Flat Steps	35		
15	GO402APN19		LH	3	Degrees		
16	GO402APN20		RH	Flat Steps			


Page 4 - Balustrade Otis 510, Supporting Profile, ALU



Page 4 - Balustrade Otis 510, Supporting Profile, ALU

VINTAGE G. 01							
REF. No.	PART No.	DESCRIPTION					
17	GO402APP5	Supporting Profile	LH	2	510-M	Upper Landing	ALU
18	GO402APP6		RH	Flat Steps	30		
19	GO402APP7		LH	3	Degrees		
20	GO402APP8		RH	Flat Steps			
21	GO402APP9		LH	2	510-S		
22	GO402APP10		RH	Flat Steps	30		
23	GO402APP11		LH	3	Degrees		
24	GO402APP12		RH	Flat Steps			
25	GO402APP13		LH	2	510-S		
26	GO402APP14		RH	Flat Steps	27.3		
27	GO402APP15		LH	3	Degrees		
28	GO402APP16		RH	Flat Steps			
29	GO402APP17		LH	2	510-S		
30	GO402APP18		RH	Flat Steps	35		
31	GO402APP19		LH	3	Degrees		
32	GO402APP20		RH	Flat Steps			


Page 5 - Balustrade Otis 510, Supporting Profile, ALU



Page 5 - Balustrade Otis 510, Supporting Profile, ALU

VINTAGE G. 01				
REF. No.	PART No.	DESCRIPTION		
33	GO402ASB1	Supporting Profile, L = 5800 mm	Inclined Section	ALU
34	GO402ASB-V1	Supporting Profile, L = 1-1000 mm		
35	GO402ASB-V2	Supporting Profile, L = 1001-2000 mm		
36	GO402ASB-V3	Supporting Profile, L = 2001-3000 mm		
37	GO402ASB-V4	Supporting Profile, L = 3001-4000 mm		
38	GO402ASB-V5	Supporting Profile, L = 4001-5000 mm		
39	GO402ASB-V6	Supporting Profile, L = 5001-6001 mm		

Page 6 - Balustrade Otis 510, Outerdecking Profile, ALU




**SPL 57-GO9704CC - Escalator Balustrade, Glass, 510, Aluminum**

Page 6 - Balustrade Otis 510, Outerdecking Profile, ALU

VINTAGE G. 01								
REF. No.	PART No.	DESCRIPTION						
40	GO402ASJ5	Outerdecking Profile	LH	2	510-M 30 Degrees	Lower Landing, Edged Design	ALU	
41	GO402ASJ6		RH	Flat Steps				
42	GO402ASJ7		LH	3				
43	GO402ASJ8		RH	Flat Steps				
44	GO402ASJ9		LH	2	510-S 30 Degrees			
45	GO402ASJ10		RH	Flat Steps				
46	GO402ASJ11		LH	3				
47	GO402ASJ12		RH	Flat Steps				
48	GO402ASJ13		LH	2	510-S 27.3 Degrees			
49	GO402ASJ14		RH	Flat Steps				
50	GO402ASJ15		LH	3				
51	GO402ASJ16		RH	Flat Steps				
52	GO402ASJ17		LH	2	510-S 35 Degrees			
53	GO402ASJ18		RH	Flat Steps				
54	GO402ASJ19		LH	3				
55	GO402ASJ20		RH	Flat Steps				
56	GO402ARJ5		LH	---	510-S 30 Degrees			Lower Landing, Inclined
57	GO402ARJ6		RH					
58	GO402ARJ7		LH		510-S 27.3 Degrees			
59	GO402ARJ8		RH					
60	GO402ARJ9	LH	510-S 35 Degrees					
61	GO402ARJ10	RH						

Page 7 - Balustrade Otis 510, Outerdecking Profile, ALU






**SPL 57-GO9704CC - Escalator Balustrade, Glass, 510, Aluminum**

Page 7 - Balustrade Otis 510, Outerdecking Profile, ALU

VINTAGE G. 01								
REF. No.	PART No.	DESCRIPTION						
62	GO402ASK5	Outerdecking Profile	LH	2	510-M 30 Degrees	Lower Landing, Edged Design	ALU	
63	GO402ASK6		RH	Flat Steps				
64	GO402ASK7		LH	3				
65	GO402ASK8		RH	Flat Steps				
66	GO402ASK9		LH	2	510-S 30 Degrees			
67	GO402ASK10		RH	Flat Steps				
68	GO402ASK11		LH	3				
69	GO402ASK12		RH	Flat Steps				
70	GO402ASK13		LH	2	510-S 27.3 Degrees			
71	GO402ASK14		RH	Flat Steps				
72	GO402ASK15		LH	3				
73	GO402ASK16		RH	Flat Steps				
74	GO402ASK17		LH	2	510-S 35 Degrees			
75	GO402ASK18		RH	Flat Steps				
76	GO402ASK19		LH	3				
77	GO402ASK20		RH	Flat Steps				
78	GO402ARL5		LH	---	510-S			Lower Landing, Inclined
79	GO402ARL6		RH		30 Degrees			
80	GO402ARL7		LH		510-S			
81	GO402ARL8		RH		27.3 Degrees			
82	GO402ARL9	LH	510-S					
83	GO402ARL10	RH	35 Degrees					

Page 8 - Balustrade Otis 510, Innerdecking Profile, ALU




**SPL 57-GO9704CC - Escalator Balustrade, Glass, 510, Aluminum**

Page 8 - Balustrade Otis 510, Innerdecking Profile, ALU

VINTAGE G. 01								
REF. No.	PART No.	DESCRIPTION						
84	GO402ASE5	Innerdecking Profile	LH	2	510-M	Lower Landing, Edged Design	ALU	
85	GO402ASE6		RH	Flat Steps	30			
86	GO402ASE7		LH	3	Degrees			
87	GO402ASE8		RH	Flat Steps				
88	GO402ASE9		LH	2	510-S			
89	GO402ASE10		RH	Flat Steps	30			
90	GO402ASE11		LH	3	Degrees			
91	GO402ASE12		RH	Flat Steps				
92	GO402ASE13		LH	2	510-S			
93	GO402ASE14		RH	Flat Steps	27.3			
94	GO402ASE15		LH	3	Degrees			
95	GO402ASE16		RH	Flat Steps				
96	GO402ASE17		LH	2	510-S			
97	GO402ASE18		RH	Flat Steps	35			
98	GO402ASE19		LH	3	Degrees			
99	GO402ASE20		RH	Flat Steps				
100	GO402ARE5		LH	---	510-S			Lower Landing, Inclined
101	GO402ARE6		RH		30 Degrees			
102	GO402ARE7		LH		510-S			
103	GO402ARE8		RH		27.3 Degrees			
104	GO402ARE9	LH	510-S					
105	GO402ARE10	RH	35 Degrees					

Page 9 - Balustrade Otis 510, Innerdecking Profile, ALU




**SPL 57-GO9704CC - Escalator Balustrade, Glass, 510, Aluminum**

Page 9 - Balustrade Otis 510, Innerdecking Profile, ALU

VINTAGE G. 01							
REF. No.	PART No.	DESCRIPTION					
106	GO402ASF7	Innerdecking Profile	LH	2	510-M 30 Degrees	Upper Landing, Edged Design	ALU
107	GO402ASF8		RH	Flat Steps			
108	GO402ASF9		LH	3			
109	GO402ASF10		RH	Flat Steps			
110	GO402ASF13		LH	2	510-S 30 Degrees		
111	GO402ASF14		RH	Flat Steps			
112	GO402ASF15		LH	3			
113	GO402ASF16		RH	Flat Steps			
114	GO402ASF19		LH	2	510-S 27.3 Degrees		
115	GO402ASF20		RH	Flat Steps			
116	GO402ASF21		LH	3			
117	GO402ASF22		RH	Flat Steps			
118	GO402ASF25		LH	2	510-S 35 Degrees		
119	GO402ASF26		RH	Flat Steps			
120	GO402ASF27		LH	3			
121	GO402ASF28		RH	Flat Steps			
122	GO402ARF5		LH	---	510-S 30 Degrees	Upper Landing, Inclined	
123	GO402ARF6		RH				
124	GO402ARF7		LH		510-S 27.3 Degrees		
125	GO402ARF8		RH				
126	GO402ARF9		LH		510-S 35 Degrees		
127	GO402ARF10	RH					


Page 10 - Balustrade Otis 510, Innerdecking Profile, ALU



Page 10 - Balustrade Otis 510, Innerdecking Profile, ALU

VINTAGE G. 01							
REF. No.	PART No.	DESCRIPTION					
128	GO402ASG5	Innerdecking Profile	LH	2	510-M 30 Degrees	Lower Landing, Curved Design	ALU
129	GO402ASG6		RH	Flat Steps			
130	GO402ASG7		LH	3			
131	GO402ASG8		RH	Flat Steps			
132	GO402ASG9		LH	2	510-S 30 Degrees		
133	GO402ASG10		RH	Flat Steps			
134	GO402ASG11		LH	3	510-S 27.3 Degrees		
135	GO402ASG12		RH	Flat Steps			
136	GO402ASG13		LH	2	510-S 27.3 Degrees		
137	GO402ASG14		RH	Flat Steps			
138	GO402ASG15		LH	3			
139	GO402ASG16		RH	Flat Steps			


Page 11 - Balustrade Otis 510, Innerdecking Profile, ALU



Page 11 - Balustrade Otis 510, Innerdecking Profile, ALU

VINTAGE G. 01							
REF. No.	PART No.	DESCRIPTION					
140	GO402ASH7	Innerdecking Profile	LH	2	510-M	Upper Landing, Curved Design	ALU
141	GO402ASH8		RH	Flat Steps	30		
142	GO402ASH9		LH	3	Degrees		
143	GO402ASH10		RH	Flat Steps			
144	GO402ASH13		LH	2	510-S		
145	GO402ASH14		RH	Flat Steps	30		
146	GO402ASH15		LH	3	Degrees		
147	GO402ASH16		RH	Flat Steps			
148	GO402ASH19		LH	2	510-S		
149	GO402ASH20		RH	Flat Steps	27.3		
150	GO402ASH21		LH	3	Degrees		
151	GO402ASH22		RH	Flat Steps			

Page 12 - Balustrade Otis 510, Innerdecking Profile, ALU




Page 12 - Balustrade Otis 510, Innerdecking Profile, ALU

VINTAGE G. 01						
REF. No.	PART No.	DESCRIPTION				
152	GO402APX5	Innerdecking Profile	LH	L = 5800 mm	Edged and Curved Design, Inclined Section	ALU
153	GO402APX6		RH			
154	GO402APX7		LH	L = 2900 mm		
155	GO402APX8		RH			
156	GO402APX-V13		LH	L = 1-1000 mm		
157	GO402APX-V14		RH			
158	GO402APX-V15		LH	L = 1001-2000 mm		
159	GO402APX-V16		RH			
160	GO402APX-V17		LH	L = 2001-3000 mm		
161	GO402APX-V18		RH			
162	GO402APX-V19		LH	L = 3001-4000 mm		
163	GO402APX-V20		RH			
164	GO402APX-V21		LH	L = 4001-5000 mm		
165	GO402APX-V22		RH			
166	GO402APX-V23		LH	L = 5001-6000 mm		
167	GO402APX-V24		RH			



SPL 57-GO9704CC - Escalator Balustrade, Glass, 510, Aluminum

Page 13 - Balustrade Otis 510, Outerdecking Profile, ALU




Page 13 - Balustrade Otis 510, Outerdecking Profile, ALU

VINTAGE G. 01							
REF. No.	PART No.	DESCRIPTION					
168	GO402ASM5	Outerdecking Profile	LH	2	510-M	Upper Landing, Curved Design	ALU
169	GO402ASM6		RH	Flat Steps	30 Degrees		
170	GO402ASM7		LH	3			
171	GO402ASM8		RH	Flat Steps			
172	GO402ASM9		LH	2	510-S		
173	GO402ASM10		RH	Flat Steps	30 Degrees		
174	GO402ASM11		LH	3			
175	GO402ASM12		RH	Flat Steps			
176	GO402ASM13		LH	2	510-S		
177	GO402ASM14		RH	Flat Steps	27.3 Degrees		
178	GO402ASM15		LH	3			
179	GO402ASM16		RH	Flat Steps			

SPL 57-GO9704CC - Escalator Balustrade, Glass, 510, Aluminum


Page 14 - Balustrade Otis 510, Outerdecking Profile, ALU



Page 14 - Balustrade Otis 510, Outerdecking Profile, ALU

VINTAGE G. 01							
REF. No.	PART No.	DESCRIPTION					
180	GO402ASL5	Outerdecking Profile	LH	2	510-M	Lower Landing, Curved Design	ALU
181	GO402ASL6		RH	Flat Steps	30		
182	GO402ASL7		LH	3	Degrees		
183	GO402ASL8		RH	Flat Steps			
184	GO402ASL9		LH	2	510-S		
185	GO402ASL10		RH	Flat Steps	30		
186	GO402ASL11		LH	3	Degrees		
187	GO402ASL12		RH	Flat Steps			
188	GO402ASL13		LH	2	510-S		
189	GO402ASL14		RH	Flat Steps	27.3		
190	GO402ASL15		LH	3	Degrees		
191	GO402ASL16		RH	Flat Steps			


Page 15 - Balustrade Otis 510, Outerdecking Profile, ALU



Page 15 - Balustrade Otis 510, Outerdecking Profile, ALU

VINTAGE G. 01						
REF. No.	PART No.	DESCRIPTION				
192	GO402ASD3	Outerdecking Profile	LH + RH	L = 5800 mm	Edged and Curved Design, Inclined Section	ALU
193	GO402ASD4			L = 2900 mm		
194	GO402ASD-V7			L = 1-1000 mm		
195	GO402ASD-V8			L = 1001-2000 mm		
196	GO402ASD-V9			L = 2001-3000 mm		
197	GO402ASD-V10			L = 3001-4000 mm		
198	GO402ASD-V11			L = 4001-5000 mm		
199	GO402ASD-V12			L = 5001-6000 mm		

Page 16 - Balustrade Otis 510, Normal Newel, ALU



Page 16 - Balustrade Otis 510, Normal Newel, ALU

VINTAGE G. 01		
REF. No.	PART No.	DESCRIPTION
200	GO402ARA1	Circular Ring Segment, LH
201	GO402ARA2	Circular Ring Segment, RH
202	GO2215P1	Roller Supporting Moulding
203	GO402AEY3	Moulding