
#### **Spare Parts Leaflet**

57-HE0801F

May. 26<sup>th</sup>, 2019 / Page 1 of 30



#### **Leaflet Description**

Balustrade glass panel, glass joints vertical to step nose line, for Link (Common X0508, Link, OTIS\_LINK, Link\_508NCE)

#### **Leaflet Revisions**

Date Revised	Subject Matter Expert	Reason for Revision
May 26, 2019	Li Yongfu	Original document (CN No.: CNT1900819)
Jul 4, 2021	Lv Haijian	Add MAT. SUFFIX (CN No.:CNT2001479)
Feb 1, 2023	Li Ting	Delete P.31 to cancel HAA255EH1. (CN No.: CNT2300145)
Feb. 09 <sup>th</sup> , 2023	LIU LIULIU	Change Date Format, 3Flat Steps Change To 2Flat Steps in Pages 21-28; Add "PERPENDICULAR JOINTS" in Header. (CN NO.: CNT2300145)

#### **Related Drawings**

Drawing No.	Title	Drawing No.	Title
HE0801F	Balustrade glass panel		

#### **Related Documents**

Document ID	Title
HE0801F	ODS - Balustrade glass panel

#### **Subject Matter Expert**

Name	Department
Li Yongfu	SIT

#### About Spare Parts Leaflets...

This document lists the lowest replaceable units (LRUs) for the standard version of the product. The LRUs are chosen by a team of Otis associates representing engineering and manufacturing.

While goal of this document is to make parts identification as easy as possible, the document cannot be allinclusive. Elevator and escalator contracts classified as "special" or "custom" are not addressed here. For such contracts, please refer to specified information, the contract folder, TIPs, Field Education Articles, Construction Letters, etc. for further information.

If you have any suggestions about this document, please contact the subject matter expert listed on this page.

Page 2	May. 26 <sup>th</sup> , 2019	This document does not contain technical data subject to ITAR or EAR.
rage z	Way. 20 , 2019	Unpublished Work—Otis Elevator Co., 2019

#### THE FULL PART NO. INCLUDE MAT. SUFFIX, AS SHOWN BELOW:

HAA434XXX999 TC\_100C

PREFIX MAT. SUFFIX

MAT. SUFFIX	MAT.SUFFIX DESCRIPTION	GLASS MATERIAL	BAL. PANELS THICKNESS	GLASS COLOR	
TC_100C	10 mm TEMPERED GLASS, COLOR CLEAR	TEMPERED GLASS	10 mm	CLEAR	
TC_100B	10 mm TEMPERED GLASS, COLOR BRONZE	TEMPERED GLASS	10 mm	BRONZE	
TC_100S	10 mm TEMPERED GLASS, COLOR SMOKED	TEMPERED GLASS	10 mm	SMOKED	
TC_100G	10 mm TEMPERED GLASS, COLOR GREEN	TEMPERED GLASS	10 mm	GREEN	
TC_100L	10 mm TEMPERED GLASS, LOW IRON	TEMPERED GLASS	10 mm	LOW IRON	
HS_100C	10 mm HEAT SOAKED GLASS, COLOR CLEAR	HEAT SOAKED GLASS	10 mm	CLEAR	
HS_100B	10 mm HEAT SOAKED GLASS, COLOR BRONZE	HEAT SOAKED GLASS	10 mm	BRONZE	
HS_100S	10 mm HEAT SOAKED GLASS, COLOR SMOKED	HEAT SOAKED GLASS	10 mm	SMOKED	
HS_100G	10 mm HEAT SOAKED GLASS, COLOR GREEN	HEAT SOAKED GLASS	10 mm	GREEN	
HS_100L	10 mm HEAT SOAKED GLASS, LOW IRON	HEAT SOAKED GLASS	10 mm	LOW IRON	
AH_100C	10 mm HEAT SOAKED GLASS, COLOR CLEAR (WITH Z97.1 MARK)	HEAT SOAKED GLASS	10 mm	CLEAR	
AH_100B	10 mm HEAT SOAKED GLASS, COLOR BRONZE (WITH Z97.1 MARK)	HEAT SOAKED GLASS	10 mm	BRONZE	
AH_100S	10 mm HEAT SOAKED GLASS, COLOR SMOKED (WITH Z97.1 MARK)	HEAT SOAKED GLASS	10 mm	SMOKED	
AH_100G	10 mm HEAT SOAKED GLASS, COLOR GREEN (WITH Z97.1 MARK)	HEAT SOAKED GLASS	10 mm	GREEN	
AH_100L	10 mm HEAT SOAKED GLASS, LOW IRON (WITH Z97.1 MARK)	HEAT SOAKED GLASS	10 mm	LOW IRON	
MHS_100C	10mm HEAT SOCKED GLASS WITH "HS" MARK, COLOR CLEAR	HEAT SOAKED GLASS	10 mm	CLEAR	
MHS_100B	10mm HEAT SOCKED GLASS WITH "HS" MARK, COLOR BRONZE	HEAT SOAKED GLASS	10 mm	BRONZE	
MHS_100S	10mm HEAT SOCKED GLASS WITH "HS" MARK, COLOR SMOKED	HEAT SOAKED GLASS	10 mm	SMOKED	
MHS_100G	10mm HEAT SOCKED GLASS WITH "HS" MARK, COLOR GREEN	HEAT SOAKED GLASS	10 mm	GREEN	
MHS_100L	10mm HEAT SOCKED GLASS WITH "HS" MARK, LOW IRON	HEAT SOAKED GLASS	10 mm	LOW IRON	
FMH_100C	10mm HEAT SOCKED GLASS WITH "HS" MARK AND PROTECTIVE FILM, COLOR CLEAR	HEAT SOAKED GLASS	10 mm	CLEAR	

This document does not contain technical data subject to ITAR or EAR. Unpublished Work—Otis Elevator Co.,2019

#### 57-HE0801F


MAT. SUFFIX	MAT.SUFFIX DESCRIPTION	GLASS MATERIAL	BAL. PANELS Thickness	GLASS COLOR
FMH _100B	10mm HEAT SOCKED GLASS WITH "HS" MARK AND PROTECTIVE FILM, COLOR BRONZE	HEAT SOAKED GLASS	10 mm	BRONZE
FMH_100S	10mm HEAT SOCKED GLASS WITH "HS" MARK AND PROTECTIVE FILM, COLOR SMOKED	HEAT SOAKED GLASS	10 mm	SMOKED
FMH _100G	10mm HEAT SOCKED GLASS WITH "HS" MARK AND PROTECTIVE FILM, COLOR GREEN	HEAT SOAKED GLASS	10 mm	GREEN
FMH_100L	10mm HEAT SOCKED GLASS WITH "HS" MARK AND PROTECTIVE FILM, LOW IRON	HEAT SOAKED GLASS	10 mm	LOW IRON


						3 Flat Steps
	-	801F	]			I
REF. No.	PREFIX	T No. MAT. SUFFIX	Balustrade height	Inclin ation	Balustrade	
	HAA434AZ2				illumination	DESCRIPTION
	TIAA434A22	ON REQUEST			illumination NONE	DESCRIPTION
	HAA434AZ2	ON REQUEST	-		NONE Checked LED handrail	DESCRIPTION
			-	30°	NONE	DESCRIPTION
	HAA434AZ12	ON REQUEST			NONE Checked LED handrail light Discontinuous Checked	
4	HAA434AZ12 HAA434AZ22	ON REQUEST	020		NONE Checked LED handrail light Discontinuous Checked LED handrail light	GLASS PANEL,
1	HAA434AZ12 HAA434AZ22 HAA434AZ32	ON REQUEST ON REQUEST ON REQUEST	930		NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED	
1	HAA434AZ12 HAA434AZ22 HAA434AZ32 HAA434AZ42	ON REQUEST ON REQUEST ON REQUEST ON REQUEST	930		NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED handrail light	GLASS PANEL, 3Flat Steps,
1	HAA434AZ12 HAA434AZ22 HAA434AZ32 HAA434AZ42 HAA434AZ42	ON REQUEST ON REQUEST ON REQUEST ON REQUEST ON REQUEST	930		NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED handrail light NONE Checked LED handrail	GLASS PANEL, 3Flat Steps,
1	HAA434AZ12 HAA434AZ22 HAA434AZ32 HAA434AZ42 HAA434AZ52 HAA434AZ52	ON REQUEST ON REQUEST ON REQUEST ON REQUEST ON REQUEST ON REQUEST	930	30°	NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED handrail light NONE Checked LED handrail light Discontinuous Checked	GLASS PANEL, 3Flat Steps,


3 Flat Steps						
	HEO	301F	]		-	
REF. No.	PART		Balustrade height	Inclin ation	Balustrade illumination	DESCRIPTION
	PREFIX HAA434AZ102	ON REQUEST		unon	NONE	
	HAA434AZ112	ON REQUEST			Checked LED handrail	
	HAA434AZ122	ON REQUEST		30°	light Discontinuous Checked LED handrail light	
	HAA434AZ132	ON REQUEST			Zonal LED handrail light	
	HAA434AZ142	ON REQUEST			Sand blasting LED handrail light	GLASS PANEL,
1	HAA434AZ152	ON REQUEST	1000		NONE	· 3Flat Steps, Left Side
	HAA434AZ162	ON REQUEST			Checked LED handrail light	
	HAA434AZ172	ON REQUEST		35°	Discontinuous Checked LED handrail light	
	HAA434AZ182	ON REQUEST	1		Zonal LED handrail light	
	HAA434AZ192	ON REQUEST	1		Sand blasting LED	1

3 Flat Steps						
		801F			Γ	
REF. No.	PAR	T No. MAT. SUFFIX	Balustrade height	Inclin ation	Balustrade illumination	DESCRIPTION
	HAA434AZ1	ON REQUEST			NONE	
	HAA434AZ11	ON REQUEST			Checked LED handrail	
	HAA434AZ21	ON REQUEST		30°	light Discontinuous Checked LED handrail light	
	HAA434AZ31	ON REQUEST			Zonal LED handrail light	
c	HAA434AZ41	ON REQUEST			Sand blasting LED handrail light	GLASS PANEL,
2	HAA434AZ51	ON REQUEST	930		NONE	3Flat Steps, Right Side
	HAA434AZ61	ON REQUEST	-		Checked LED handrail light	
	HAA434AZ71	ON REQUEST		35°	Discontinuous Checked LED handrail light	
	HAA434AZ81	ON REQUEST			Zonal LED handrail light	
	HAA434AZ91	ON REQUEST			Sand blasting LED handrail light	


3 Flat Steps						
REF.	HE08 PART		Balustrade	Inclin	Polyofrada	
REF. No.	PREFIX	MAT. SUFFIX	height	ation	Balustrade illumination	DESCRIPTION
	HAA434AZ101	ON REQUEST			NONE	
	HAA434AZ111	ON REQUEST			Checked LED handrail light	
	HAA434AZ121	ON REQUEST		30°	Discontinuous Checked LED handrail light	
	HAA434AZ131	ON REQUEST			Zonal LED handrail light	
6	HAA434AZ141	ON REQUEST	4000		Sand blasting LED handrail light	GLASS PANEL,
2	HAA434AZ151	ON REQUEST	1000		NONE	3Flat Steps, Right Side
	HAA434AZ161	ON REQUEST			Checked LED handrail light	
	HAA434AZ171	ON REQUEST		35°	Discontinuous Checked LED handrail light	
	HAA434AZ181	ON REQUEST			Zonal LED handrail light	
	HAA434AZ191	ON REQUEST			Sand blasting LED handrail light	







This document does not contain technical data subject to ITAR or EAR. Unpublished Work—Otis Elevator Co.,2019



3 Flat Steps						
	HEO					
REF. No.	PAR	MAT. SUFFIX	Balustrade height	Inclin ation	Balustrade illumination	DESCRIPTION
	HAA434BA1	ON REQUEST			NONE	
	HAA434BA11	ON REQUEST			Checked LED handrail light	
	HAA434BA21	ON REQUEST		30°	Discontinuous Checked LED handrail light	
	HAA434BA31	ON REQUEST			Zonal LED handrail light	
-	HAA434BA41	ON REQUEST	000		Sand blasting LED handrail light	GLASS PANEL,
5	HAA434BA51	ON REQUEST	930		NONE	· 3Flat Steps, Left Side
	HAA434BA61	ON REQUEST			Checked LED handrail light	
	HAA434BA71	ON REQUEST		35°	Discontinuous Checked LED handrail light	
	HAA434BA81	ON REQUEST			Zonal LED handrail light	
	HAA434BA91		1		Sand blasting LED	

3 Flat Steps							
REF.	HE08 PART		Balustrade	Inclin	Balustrade		
No.	PREFIX	MAT. SUFFIX	height	ation	illumination	DESCRIPTION	
	HAA434BA101	ON REQUEST			NONE		
	HAA434BA111	ON REQUEST			Checked LED handrai light		
	HAA434BA121	ON REQUEST		30°	Discontinuous Checked LED handrail light		
	HAA434BA131	ON REQUEST			Zonal LED handrail light		
F	HAA434BA141	ON REQUEST	1000		Sand blasting LED handrail light	GLASS PANEL,	
5	HAA434BA151	ON REQUEST	1000		NONE	· 3Flat Steps, Left Side	
	HAA434BA161	ON REQUEST			Checked LED handrail light		
	HAA434BA171	ON REQUEST		35°	Discontinuous Checked LED handrail light		
	HAA434BA181	ON REQUEST			Zonal LED handrail light		
	HAA434BA191	ON REQUEST			Sand blasting LED handrail light		


	3 Flat Steps							
	HEO							
REF. No.	PAR	Γ No. MAT. SUFFIX	Balustrade height	Inclin ation	Balustrade illumination	DESCRIPTION		
	HAA434BA2	ON REQUEST			NONE			
	HAA434BA12	ON REQUEST			Checked LED handrail light			
	HAA434BA22	ON REQUEST		30°	Discontinuous Checked LED handrail light			
	HAA434BA32	ON REQUEST			Zonal LED handrail light			
	HAA434BA42	ON REQUEST	000		Sand blasting LED handrail light	GLASS PANEL,		
6	HAA434BA52	ON REQUEST	930		NONE	· 3Flat Steps, Right Side		
	HAA434BA62	ON REQUEST			Checked LED handrail light			
	HAA434BA72	ON REQUEST		35°	Discontinuous Checked LED handrail light			
	HAA434BA82	ON REQUEST			Zonal LED handrail light			
	HAA434BA92	ON REQUEST			Sand blasting LED handrail light			


3 Flat Steps						
	HEOR				r	r
REF. No.	PAR1 PREFIX	MAT. SUFFIX	Balustrade height	Inclin ation	Balustrade illumination	DESCRIPTION
	HAA434BA102	ON REQUEST			NONE	
	HAA434BA112	ON REQUEST			Checked LED handrail light	
	HAA434BA122	ON REQUEST		30°	Discontinuous Checked LED handrail light	
	HAA434BA132	ON REQUEST			Zonal LED handrail light	
6	HAA434BA142	ON REQUEST	4000		Sand blasting LED handrail light	GLASS PANEL,
6	HAA434BA152	ON REQUEST	1000		NONE	3Flat Steps, Right Side
	HAA434BA162	ON REQUEST			Checked LED handrail light	
	HAA434BA172	ON REQUEST		35°	Discontinuous Checked LED handrail light	
	HAA434BA182	ON REQUEST			Zonal LED handrail light	
	HAA434BA192	ON REQUEST			Sand blasting LED handrail light	

E	BALUSTRA	SCALATOF ADE GLAS DICULAR	S PANE	L	57-HE	0801F
						3 Flat Steps
	7					··
	×					
	HEO	801F	]			
REF.	PAR	T No.	Balustrade	Inclin	Balustrade	DESCRIPTION
REF. No.			Balustrade height	Inclin ation	Balustrade illumination NONE	DESCRIPTION
	PAR PREFIX	T No. MAT. SUFFIX		-	illumination NONE Checked LED handrail	DESCRIPTION
	PAR PREFIX HAA434BB1	T No. MAT. SUFFIX ON REQUEST		-	illumination NONE Checked LED handrail light Discontinuous Checked	DESCRIPTION
	PAR           PREFIX           HAA434BB1           HAA434BB11	No. MAT. SUFFIX ON REQUEST ON REQUEST		ation	illumination NONE Checked LED handrail light	DESCRIPTION
No.	PAR           PREFIX           HAA434BB1           HAA434BB11           HAA434BB11           HAA434BB11	T No. MAT. SUFFIX ON REQUEST ON REQUEST ON REQUEST ON REQUEST	height	ation	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED	GLASS PANEL,
	PAR           PREFIX           HAA434BB1           HAA434BB11           HAA434BB21           HAA434BB31	T No. MAT. SUFFIX ON REQUEST ON REQUEST ON REQUEST ON REQUEST		ation	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light	
No.	PAR           PREFIX           HAA434BB1           HAA434BB11           HAA434BB21           HAA434BB31           HAA434BB31	T No. MAT. SUFFIX ON REQUEST ON REQUEST ON REQUEST ON REQUEST ON REQUEST	height	ation	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED handrail light NONE Checked LED handrail	GLASS PANEL, 3Flat Steps,
No.	PAR           PREFIX           HAA434BB1           HAA434BB11           HAA434BB21           HAA434BB31           HAA434BB31           HAA434BB41           HAA434BB51	T No. MAT. SUFFIX ON REQUEST ON REQUEST ON REQUEST ON REQUEST ON REQUEST ON REQUEST	height	ation	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED handrail light NONE Checked LED handrail light Discontinuous Checked	GLASS PANEL, 3Flat Steps,
No.	PAR           PREFIX           HAA434BB1           HAA434BB1           HAA434BB1           HAA434BB21           HAA434BB31           HAA434BB31           HAA434BB41           HAA434BB51           HAA434BB51	T No. MAT. SUFFIX ON REQUEST ON REQUEST ON REQUEST ON REQUEST ON REQUEST ON REQUEST ON REQUEST	height	ation 30°	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED handrail light NONE Checked LED handrail light	GLASS PANEL, 3Flat Steps,

This document does not contain technical data subject to ITAR or EAR. Unpublished Work—Otis Elevator Co.,2019


E	BALUSTRA	CALATOF ADE GLAS	S PANE	L	57-HE	0801F
						3 Flat Steps
	7			T		
	×					
	HEO	B01F	]			
REF.	PAR	ΓNo.	Balustrade	Inclin	Balustrade	DESCRIPTION
REF. No.			Balustrade height	Inclin ation	Balustrade illumination	DESCRIPTION
	PAR PREFIX	۲ No. MAT. SUFFIX		-	illumination NONE Checked LED handrail	DESCRIPTION
	PART PREFIX HAA434BB101	MAT. SUFFIX       ON REQUEST		-	illumination NONE Checked LED handrail light Discontinuous Checked	DESCRIPTION
	PART           PREFIX           HAA434BB101           HAA434BB111	MAT. SUFFIX         ON REQUEST         ON REQUEST		ation	illumination NONE Checked LED handrail light	DESCRIPTION
No.	PART           PREFIX           HAA434BB101           HAA434BB111           HAA434BB121	MAT. SUFFIX         ON REQUEST         ON REQUEST         ON REQUEST         ON REQUEST	height	ation	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED	GLASS PANEL,
	PART           PREFIX           HAA434BB101           HAA434BB111           HAA434BB121           HAA434BB131	MAT. SUFFIX         ON REQUEST         ON REQUEST         ON REQUEST         ON REQUEST         ON REQUEST		ation	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light	
No.	PART           PREFIX           HAA434BB101           HAA434BB111           HAA434BB121           HAA434BB131           HAA434BB141	MAT. SUFFIX         ON REQUEST         ON REQUEST         ON REQUEST         ON REQUEST         ON REQUEST         ON REQUEST	height	ation	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED handrail light	GLASS PANEL, 3Flat Steps,
No.	PART           PREFIX           HAA434BB101           HAA434BB111           HAA434BB121           HAA434BB131           HAA434BB131           HAA434BB141           HAA434BB151	MAT. SUFFIX         ON REQUEST	height	ation	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED handrail light NONE Checked LED handrail	GLASS PANEL, 3Flat Steps,
No.	PART           PREFIX           HAA434BB101           HAA434BB111           HAA434BB121           HAA434BB131           HAA434BB131           HAA434BB151           HAA434BB151	No.         MAT. SUFFIX         ON REQUEST         ON REQUEST	height	ation 30°	illumination NONE Checked LED handrail light Discontinuous Checked LED handrail light Zonal LED handrail light Sand blasting LED handrail light NONE Checked LED handrail light Discontinuous Checked	GLASS PANEL, 3Flat Steps,








	2 Flat Steps							
	HEO				1			
REF. No.	PAR1 PREFIX	No.	Balustrade height	Inclin ation	Balustrade illumination	DESCRIPTION		
	HAA434BC1	ON REQUEST			NONE			
	HAA434BC11	ON REQUEST			Checked LED handrail			
	HAA434BC21	ON REQUEST		30°	light Discontinuous Checked LED handrail light			
	HAA434BC31	ON REQUEST			Zonal LED handrail light			
0	HAA434BC41	ON REQUEST	020		Sand blasting LED handrail light	GLASS PANEL,		
9	HAA434BC51	ON REQUEST	930		NONE	2 Flat Steps, Left Side		
	HAA434BC61	ON REQUEST			Checked LED handrail light			
	HAA434BC71	ON REQUEST		35°	Discontinuous Checked LED handrail light			
	HAA434BC81	ON REQUEST			Zonal LED handrail light			
	HAA434BC91	ON REQUEST			Sand blasting LED handrail light			


2 Flat Steps						
	HEOS					
REF. No.	PART PREFIX	No. MAT. SUFFIX	Balustrade height	Inclin ation	Balustrade illumination	DESCRIPTION
	HAA434BC101	ON REQUEST			NONE	
	HAA434BC111	ON REQUEST			Checked LED handrail light	
	HAA434BC121	ON REQUEST		30°	Discontinuous Checked LED handrail light	
	HAA434BC131	ON REQUEST			Zonal LED handrail light	
0	HAA434BC141	ON REQUEST	4000		Sand blasting LED handrail light	GLASS PANEL,
9	HAA434BC151	ON REQUEST	1000		NONE	2 Flat Steps, Left Side
	HAA434BC161	ON REQUEST			Checked LED handrail light	
	HAA434BC171	ON REQUEST		35°	Discontinuous Checked LED handrail light	
	HAA434BC181	ON REQUEST			Zonal LED handrail light	
	HAA434BC191	ON REQUEST			Sand blasting LED handrail light	
















For Equal-length type 14							
REF.	HE08 PART						
No.	PREFIX	MAT. SUFFIX	LENGTH	<b>Balustrade illumination</b>	DESCRIPTION		
	HAA434AY1	ON REQUEST	2318mm	NONE			
	HAA434AY11	ON REQUEST	2318mm	Checked LED handrail light			
13	HAA434AY21	ON REQUEST	2318mm	Discontinuous Checked LED handrail light			
	HAA434AY31	ON REQUEST	2318mm	Zonal LED handrail light			
	HAA434AY41	ON REQUEST	2318mm	Sand blasting LED handrail light	GLASS PANEL,		
	HAA434AY999	ON REQUEST	Per Spec.	NONE	2&3Flat Steps, Left Side		
	HAA434AY989	ON REQUEST	Per Spec.	Checked LED handrail light			
14	HAA434AY979	ON REQUEST	Per Spec.	Discontinuous Checked LED handrail light			
	HAA434AY969	ON REQUEST	Per Spec.	Zonal LED handrail light			
	HAA434AY959	ON REQUEST	Per Spec.	Sand blasting LED handrail light			



For Equal-length type 16 For Equal-length type 16								
REF.	HE08 PART							
No.	PREFIX	MAT. SUFFIX	LENGTH	Balustrade illumination	DESCRIPTION			
	HAA434AY1	ON REQUEST	2318mm	NONE				
	HAA434AY12	ON REQUEST	2318mm	Checked LED handrail light				
15	HAA434AY22	ON REQUEST	2318mm	Discontinuous Checked LED handrail light				
	HAA434AY32	ON REQUEST	2318mm	Zonal LED handrail light				
	HAA434AY42	ON REQUEST	2318mm	Sand blasting LED handrail light	GLASS PANEL,			
	HAA434AY999	ON REQUEST	Per Spec.	NONE	2&3Flat Steps, Right Side			
	HAA434AY988	ON REQUEST	Per Spec.	Checked LED handrail light				
16	HAA434AY978	ON REQUEST	Per Spec.	Discontinuous Checked LED handrail light				
	HAA434AY968	ON REQUEST	Per Spec.	Zonal LED handrail light				
	HAA434AY958	ON REQUEST	Per Spec.	Sand blasting LED handrail light				