

VP Subject List

Subject

ADAPTERS	ADHESIVES / SEALANTS	AIR	ANTI-STATIC
ASTRAGALS	BABBITTS	BAGS	BANDS
BARRICADES	BATTERIES / CHARGERS	BATTERY CHARGERS	BATTERY TESTERS
BEARINGS	BELLS	BELTS	BINDERS
BLADES	BLOWERS	BOLTS	BOOTS
BOXES	BRACKETS	BRAILLE FIXTURES	BRAKES
BROOMS	BRUSH HOLDERS	BRUSHES	BUCKETS
BUMPERS	BUSHINGS	BUTTONS	BUZZERS
CABINETS	CABLE BANDS	CABLE TIES	CABLES / CORDS
CAPACITORS	CAPS, BEARING	CAPS, BRUSH	CAPS, FRICTION
CARD CAGES	CARS	CARTONS	CASTINGS
CHAINS	CLAMPS / CLIPS	CLEANERS	CLIPBOARD
CLIPS	CLOSERS	CLOTH	CLOTH, FIBERGLASS
COILS	CONNECTORS	CONTACTS	COUPLINGS
COVERS	CROSS SLIDE	DASHPOTS	DECALS
DEVICES	DIODES	DISKS, COMPUTER	DOOR CHECKS
DOOR LOCKS	DOOR OPERATORS	DOOR SILENCERS	DRILLS
EMERY CLOTH	ENCODERS	EPROMS	FASTENERS
FELT	FILES	FILTERS	FIRST AID
FLAGS	FLASHLIGHT	FUSEHOLDERS	FUSES
GAL	GASKETS	GAUGES	GEAR REDUCT.UNITS
GEARS	GIBS / GUIDES	GLOVES	GREASE GUNS
GRILLS	GROMMETS	GUARDS	HARDWARE CLOTH
HEATERS	HINGES	HOSES	HOUSINGS
INK	INSERTS	INSULATORS	JEWELS
KEYS	KITS	LABELS	LAMPS
LEAFLET MICROFICHE	LEAFLETS	LIGHT FIXTURES	LINERS
LININGS	LINKS	LOCKBOX	LOCKS
LUBRICANTS	LUBRICATORS	MANUALS	MARKERS
MATS	METERS	MICROFICHE	MODULATORS
MODULES	MOPS	MOTORS	MRVF
NEEDLES	NUTS	OIL CANS	ORANGE STICKS
P.C. BOARDS	PACKING	PADS	PAILS

Subject

PAINTS	PANELS	PANS	PAPER
PINS	PIPE PLUGS	PLANKS	PLASTIC SHEETS
PLATES	PLIERS	PLUGS	PLUNGERS
POWER SUPPLIES	PULL STRAPS	PUMPS	RECTIFIERS
REELS	REGULATORS	RELAYS	RESISTORS
RESPIRATORS	RESPIRATORS, FILTERS	RINGS	RODS
ROLLERS	ROPES	SAFETY NETTING	SAFETY SUPPLIES
SAFETY SUPPLIES, FIRE	SAFETY SUPPLIES, LABELS	SAFETY SUPPLIES, SIGNS	SAFETY SUPPLIES, SPILL
SAFETY SUPPLIES, UNIFORM	SCREWS	SEALS	SES
SHAFTS	SHAPES	SHIMS	SHOES
SIGNS	SLATS	SLEEVING	SOCKETS
SOLDERS	SPACERS	SPLICERS	SPRAYERS
SPRINGS	SPROCKETS	STANDOFFS	STAPLE REMOVER
STARTERS	STATORS	STEP PIN LIFTER	STONES
STRAPS	STRIKERS	SUPPRESSORS	SWITCHES
TAGS	TAPES	TAPS	TARGETS
TERMINAL STRIPS	TERMINALS	TESTERS	THERMISTORS
THERMOSTATS	TIGHTENERS	TIMERS	TOOL BOXES
TORQUE MULTIPLIERS	TRANSFORMERS	TUBES	TUBING
TY-RAPS	VALVES	VANES	WASHERS
WEDGE GUARDS	WEDGE GUARDS	WHEELS	WICKS
WIPERS	WIRES	WIRING DIAGRAMS	WORMS
WRENCHES			

Subject	VP#	Description
ADHESIVES / SEALANTS		
ADHESIVES / SEALANTS		
	VP-420455	Primer N 7649. In a 4.5 ounce aerosol can. Use to speed the cure of Loctite Threadlocker products (242, 262, etc.) and to ensure proper cure on inactive metals.
	VP-700100	Adhesive & sealant kit containing following: VP-700105, VP-700110, VP-700115, VP-700121, VP-700130, VP-700135, VP-700140, VP-420455. SEE TIP 41.1-4.
	VP-700105	RTV Silicone Gasket Maker: Loctite 587 in 70 ml tubes. SEE TIP 41.1-4; 28.2-17
	VP-700110	Threadlocker: Loctite 242 in 0.34 fl.oz. Bottle. Medium strength threadlocker for parts between 1/4" and 3/4" diameter. Removable with hand tools. SEE TIP 41.1-4; 22.6-1; 1.1.4.3-26; 3.5.1-8; 6.2.7-1; 22.5-57660A; 28.2-6
	VP-700112	Threadlocker: Loctite Threadlocker 222. In 10ml Bottle, for locking all fasteners 1/4" dia. or smaller. Removable with hand tools.
	VP-700115	Threadlocker: Loctite 262 Thread Lock, in 0.34 fl.oz. bottle. High-strength threadlocking for parts with less than 3/4 inch diameter. SEE TIP 41.1-4; 30.2.4-2/-3; 1.1.4.3-26; 6.1.0-16; 6.1.0-16; 6.2.7-2.
	VP-700117	Threadlocker: Loctite 271 in 10ml (0.34 fl.oz) bottle. High-strength threadlocking for parts up to 1 inch diameter. Also used in Hollister Whitney Disc Brake Upgrade kit - SEE TIP 6.2.0-14.
	VP-700120	Retaining Compound: Loctite 609 Sleeve & Bearing Mount, in 10ml bottle. Secures bearings, bushings. Restores fit to bearings, etc. SEE TIP 41.1-4.
	VP-700121	Retaining Compound: Loctite 660 Quick Metal® Retaining Compound Press Fit Repair, in 6ml bottle. Fills gap to 0.02" diameter clearance. Restores correct fit to matching assemblies.
	VP-700122	Retaining Compound 648 high strength/rapid cure, 10ml bottle. Fills gaps up to 0.006" diameter clearance. Fixtures in 5 min.
	VP-700123	Retaining Compound: Loctite 638, in 10 ml bottle. High strength/quick fixturing retaining compound for loose fitting parts. Fills gaps up to .015" diameter clearance. Fixtures in 5 min.

Subject	VP#	Description
ADHESIVES / SEALANTS		
	VP-700125	Casting Sealant: Loctite 290, in 0.34 fl.oz bottle. Seals porosities in castings & welds. SEE TIP 41.1-4.
	VP-700130	Gasket Eliminator Sealant: Loctite 518, in 50 ml tube. A form-in-place gasketing compound, flexes w/movement. SEE TIP 41.1-4; 6.2.2-9; 6.2.0-3.
	VP-700135	Pipe Thread Sealant: Loctite 565 PST® Pipe Sealant in 50ml tube. Seals threaded metal pipe fittings, prevents leakage. SEE TIP 41.1-4; 30.2.4-1.
	VP-700139	Instant Adhesive: Loctite 416, in 1oz. tube. Bonds rough/irregular surfaces. Align times less than 15 sec. For use in adhering tension frame gibs. SEE SPL 15-6481AD. SEE TIP 23.4-3.
	VP-700140	Instant Adhesive: Loctite PRISM® 454, in 3-gram tube. General purpose, no-run clear gel. Ideal for porous substrates/rough/acidic surfaces. SEE TIP 1.1.4.2-19; 22.9-8; 23.4-3; 41.1-4.
	VP-700145	Epoxy: Fixmaster® Fast cure Epoxy Mixing Cups. One can containing ten 4-gram handy mixing cups. 5 minute working time. Full cure in 12 hrs. SEE TIP 41.1-4; 30.4.0-13; 28.2-6.
	VP-700150	Otis/Loctite adhesives & sealant application guide slide rule. SEE TIP 41.1-28.
	VP-700155	Silicone Sealant: USE P/N: VP-865861. Sealant, black, in 3 oz tube. GE RTV 103. Used in kit AAA6971AK1 (Enhanced Lambda, Humid environment sealing kit).
	VP-700160	High Strength Acrylic Adhesive Kit: Kit of Loctite Speedbonder #324 (VP-700161) and Activator #7075 (VP-700162).
	VP-700161	High Strength Acrylic Adhesive: Loctite Speedbonder #324, in 50 ml. bottle. For use with VP-700162 and contained in kit VP-700160.
	VP-700162	Adhesive Activator: Loctite Activator 7075, in 4.5 fl. oz. Spray Can. For use with VP-700161 and contained in kit VP-700160.
	VP-700165	Epoxy Kit: 3M-DP420 EPX® Kit. Includes (1) reusable applicator, (1) 1.25 fl. oz. tube , and (1) disposable mixing nozzle. SEE TIP 6.0-1
	VP-700166	Epoxy Refill: 3M EPX Epoxy refill. Includes (1) 1.25 fl. oz. tube 3M DP420 Scotchweld™ epoxy, and (1) disposable EPX mixing nozzle. SEE TIP 6.0-1

Subject	VP#	Description
ADHESIVES / SEALANTS		
	VP-700167	3M EPX disposable mixing nozzle. For use with VP-700165. SEE TIP 6.0-1
	VP-700170	Tamper evident sealant. In 2 ounce bottle with applicator brush in cap, white liquid. Used to seal adjustments on 7063 governor after calibration. See SWP OMM 17.0.1-A. See TIP 28.3-3/41.1-77
	VP-700175	Epoxy: Plastic Steel® 5-Minute Epoxy Putty (SF) 10240. (Devcon) in 1lb box. Dependable emergency repairs in less than one hour. Cures above 40 degrees F.
	VP-700180	Epoxy: Rapid-Set Marine-Tex, 2oz. Tube. Gray waterproof epoxy paste, 1:1 mix cures in 1hr at 72F.
	VP-700185	Epoxy: Loctite® Epoxy 1-Minute Instant Mix. Includes one 0.47 fl. oz. dual syringe applicator with self-mixing nozzle. Translucent yellow color. 1 minute gel time, 10 minute fixture (handling) time.
	VP-700400	Scotch grip adhesive, 3M Co.#2141, in 1-qt.can. Used to glue brake linings of 155 machines per TA-111-5-14 & to hold coupling bushings of 22 & 29CT machines.
	VP-700410	Bonding adhesive for sheave inserts 215BT & 215BV. In 1/2-oz. tubes w/6 month shelf life. Humidity sensitive, 4 to 5 splices per tube. SEE TIP 10.7-8.
	VP-700420	Pevicol PVC Cement in 8 oz. tubes for the Hydraulic Cylinder Replacement Program. SEE TIPS 12.2-2, -5, -6, -7, -11.
	VP-700421	Tootsietoy Bubbles in 16 oz. Bottle "Mr. Bubbles" used to check for leaks after sealing PVC with VP-700420. SEE TIPS 12.2-2, -5, -6, -7, -11.
	VP-734500	Rubber and Gasket Adhesive. 3M EC-847 in 5-oz. tubes. SEE TIP 28.2-6
	VP-796000	Jewel resin epoxy kit. Contains (2) 50ml cartridges of Loctite E-20HP plus dispenser kit to use in standard caulking gun. For engraved faceplates with poured jewels. Translucent White epoxy.
	VP-796010	Urethane Adhesive: 3M Scotchweld DP-604NS in 3ml syringe applicator. Used for Coated Steel Belt jacket repair. SEE TIP 11.4-7.

Subject	VP#	Description
ADHESIVES / SEALANTS		
	VP-804165	Joint sealant in 1.3 oz. tubes. Highside Chemicals "LEAKLOCK". Seals oil leaks on hydro pump units & also gear case leaks. Apply to bolt, fitting threads, or to gaskets on cover plates.
	VP-865861	Silicone sealant: GE 108 RTV in 2.5 oz. tubes. SEE TIP 6.2.8-5
AIR		
	VP-700300	Canned air, 10-oz. can. Micro Blast™ Used in MRVF Maintenance Tool Kit, VP-789700.
ANTI-STATIC		
	VP-700800	Anti-static kit. Velostat portable field service grounding kit. 3M part #8012.
	VP-700801	Speidel adjustable wrist strap. Comes complete with 6 ft. coiled cord with built-in 1M ohm resistor, 4mm banana plug & alligator clip. U.L. listed.
	VP-798901	Antistatic bag, opaque, heat sealable, moisture/vapor proof. SEE FECL 1.1.0-1.
ASTRAGALS		
	VP-702420	Astragal, Dahlstrom Part #SPOSP924, 86" long.
	VP-702430	Astragal, ESI P/N 2L1075248000, 84" long.
	VP-702435	Astragal, ESI P/N 2L1075249001, 96" long.
BABBITTS		
<i>NO LONGER AVAILABLE</i>	VP-702600	USE P/N: VP-702610. Cadtex babbitt, white metal(Hercules Genuine) Cadtex 30,per Otis Spec 9. Heavy duty babbitt to be used for service-modernization where shaft load has been increased.
	VP-702610	Lead-free babbitt, ASTM B23 Alloy #3. Tin based, lead-free alloy used for machine armature, governor and sheave bushing applications. Superior performance to leaded babbitts in all applications including highly loaded bearings.
	VP-702650	Common babbitt #3, cable shackle babbitt.
<i>NO LONGER AVAILABLE</i>	VP-702900	USE P/N: VP-702610. Babbitt, tuftex, Rollite #77 nickel alloy. Otis Spec 2. Used for babbitted bearings on machines,governors, and sheaves. Medium load. Suitable for "geared" sheave shaft bearings.

Subject	VP#	Description
BAGS		
BAGS	VP-798901	SEE ANTI-STATIC.
	VP-798903	Roll of 125 natural color, 33 Gal. plastic bags. 33" x 40" heavy grade, 0.624 mil. thickness.
BANDS		
	VP-703170	SEE CABLE BANDS.
	VP-703175	SEE CABLE BANDS.
	VP-703180	SEE CABLE BANDS.
	VP-703185	SEE CABLE BANDS.
BARRICADES		
	VP-703555	Collapsible rail barricade for 'J' escalator. SEE FOCL 0.1.18-3.
	VP-774900	SEE FLAGS.
BATTERIES / CHARGERS		
	VP-703900	Brush on battery terminal compound. Used to prevent corrosion of terminals on MRVF batteries. NCP-2 brush-on compound.
	VP-703990	Battery for EPCO surface mounted emergency light fixtures, VP-810220 & VP-810225. 6V gell cell battery. Power Sonic PS-626. SEE FOCL 0.1.18-1.
	VP-704050	Dry cell battery, 1-1/2V, Eveready #1F6.
	VP-704060	3.6V VersaPak battery and charger for use with VP-800207 Black & Decker Snakelight flashlight. Drop Ship item.
	VP-704120	Battery charger, Renewal Power Station1. Four position charger for AA and AAA Renewal batteries. Drop Ship item.
	VP-704130	Battery charger, Renewal Power Station2. Eight position charger for AA, AAA, C, D Renewal batteries. Drop Ship item.
	VP-704140	Battery/Charger Kit. Includes: (1) Renewal Power Station2; (4) D size, (2) C size, (4) AA size, (4) AAA size Renewal batteries. Drop Ship item.
	VP-704150	1.5 volt, button cell battery. Rayovac type 357. Used in Circuit Alert Voltage Probe, p/n MT-122099-1.

Subject	VP#	Description
BATTERIES / CHARGERS		
	VP-704174	AA size, Renewal Alkaline rechargeable battery 1.5V. Drop Ship item.
	VP-704175	AA size battery.
	VP-704179	AAA size, Renewal Alkaline rechargeable battery. 1.5V. Drop Ship item.
	VP-704180	AAA size battery.
	VP-704185	9 Volt battery.
	VP-704189	C size, Renewal Alkaline rechargeable battery. 1.5V. Drop Ship item.
	VP-704190	C size battery.
	VP-704199	D size, Renewal Alkaline rechargeable battery. 1.5V. Drop Ship item.
	VP-704200	D size battery. Eveready Alkaline.
BEARINGS		
	VP-704375	Bearing, Torrington # B1616.
	VP-704378	Bearing, Torrington # B1812.
	VP-704380	Needle bearing, Torrington # B1816.
	VP-704400	Cam follower, 5/8" O.D. Made by McGill, Torrington Bearing, Smith Bearing Division, & RBC.
	VP-704840	Ball bearing. SKF #23821OBD-2LS.
	VP-704845	Pillowblock bearing. Consolidated # SY505D. SKF # SY50FM (was # SY50FJ)
	VP-840750	SEE RINGS.
BELLS		
	VP-705700	Bell, Edwards Adaptabell #340-4E5. 4", 12 volt, 60 Hz, .62 amp., UL-Listed 116E.
	VP-706050	Bell, 6-inch, 125 volts. W.L.Jenkins #2005.
	VP-706100	Bell, 6-inch, 250 volts.
	VP-810226	Emergency Bell, CSA. Nylube part # ELB-6INT.
BINDERS		
	VP-706400	Expandable binder for OSC price book. May also be used for OSC Spare Parts Leaflets. Expands from 3" to 6". UTC blue.

Subject	VP#	Description
BINDERS	VP-817000	Notebook for Elevonic 401 upgrade kits, college ruled, 9-12 x 6", 80 sheets Business Products, #D4-33-560
BLADES	VP-706500	Hacksaw blade, general purpose. 18 teeth per inch, 10 inches long.
	VP-706505	Hacksaw blade, Bi-Metal high speed steel. 18 teeth per inch, 10 inches long.
	VP-706550	Hacksaw blade, general purpose. 18 teeth per inch, 12 inches long.
	VP-706555	Hacksaw blade, Bi-Metal high speed steel. 18 teeth per inch, 12 inches long.
	VP-706600	Hacksaw blade, general purpose. 24 teeth per inch, 10 inches long.
	VP-706605	Hacksaw blade, Bi-Metal high speed steel. 24 teeth per inch, 10 inches long.
	VP-706650	Hacksaw blade, general purpose. 24 teeth per inch, 12 inches long.
	VP-706655	Hacksaw blade, Bi-Metal high speed steel. 24 teeth per inch, 12 inches long.
	VP-706700	Hand hacksaw blade, general purpose. 32 teeth per inch, 10 inches long.
	VP-706705	Hacksaw blade, Bi-Metal high speed steel. 32 teeth per inch, 10 inches long.
	VP-706750	Hacksaw blade, general purpose. 32 teeth per inch, 12 inches long.
	VP-706755	Hacksaw blade, Bi-Metal high speed steel. 32 teeth per inch, 12 inches long.
BLOWERS	VP-708000	SEE MOTORS.
BOLTS	VP-709740	Hex head cap bolt, fully threaded. Din 933 M6 x 15.
	VP-709750	Hex head cap bolt, fully threaded. Din 933 M6 x 40.
	VP-709770	Hex head cap bolt, fully threaded. Din 933 M8 x 16.

Subject	VP#	Description
BOLTS		
	VP-709773	Hex head cap bolt, fully threaded. Din 933 M8 x 25.
	VP-709775	Hex head cap bolt, fully threaded. Din 933 M8 x 28.
	VP-709782	Hex head cap bolt, fully threaded. Din 933 M8 x 35.
	VP-709794	Hex head cap bolt, fully threaded. Din 933 M10 x 30.
	VP-709795	Hex head cap bolt, fully threaded. Din 933 M10 x 35.
	VP-709800	Hex head cap bolt, not fully threaded. Din 931 M12 x 45.
	VP-709820	Hex head cap bolt, fully threaded. Din 933 M12 x 60.
	VP-709827	Hex head cap bolt, fully threaded. Din 933 M12 x 25.
	VP-709829	Hex head cap bolt, fully threaded. Din 933 M12 x 35.
	VP-709830	Hex head cap bolt, fully threaded. Din 933 M12 x 40.
	VP-709832	Hex head cap bolt, fully threaded. Din 933 M12 x 45.
	VP-709833	Hex head cap bolt, fully threaded. Din 933 M12 x 50.
	VP-709845	Hex head cap bolt, fully threaded. Din 933 M16 x 35.
	VP-710650	Bolt J-10C. Weld screw w/butterfly nut; made from Ohio Screw # HW2132 with a slot and a wing nut of size 1/4-20.
	VP-711270	5/8" x 2" bolt, full thread; for 1/2 rail at World Trade Center.
	VP-711275	5/8" x 2-1/2" bolt, full thread; for 1/2 rail at World Trade Center.
	VP-711285	Finished hex head bolt, coarse thread. 3/8" x 1".
	VP-711287	3/8"-16 X 1-1/4" flanged, serrated hex head bolt, full thread, zinc plated. For door track mounting on track/hanger kits.

Subject

VP#

Description

BOLTS

VP-711290	3/8-16 x 1-1/2 hex bolt, full thread for door hanger bolts.
VP-711295	1/2-13 x 1-1/2 hex bolt, full thread for door hanger bolts.
VP-711300	Finished hex head bolt, NC 2A thread, brass. 5/8" x 2-1/2".
VP-711315	3/4" x 2-1/2" bolt, full thread; for World Trade Center.
VP-711320	3/4" x 2" bolt, full thread; for 1/2 rail at World Trade Center.
VP-711325	Finished hex head bolt, NC 2A thread, brass. 3/4" x 3".
VP-711326	Zinc plated hex head bolt, 3/4"-10 X 3-1/2". Full thread, Grade 5. Used in MT-102050 pipe stands.
VP-711330	Finished hex head bolt. 3/8" x 4".
VP-711340	Square head machine bolt. 4-1/2" x 3/8".
VP-712550	Machine bolt, 1/2" x 2-1/2".
VP-713350	Machine bolt, 5/8" x 1-1/2".
VP-713550	Hex head finish bolt 5/8" X 2-1/4". Grade 2.
VP-713555	Bolt for A288LJ lever. Modified 2" x 3/8" 16-cap screw. SEE TIP 18.1-1 and spare parts leaflet C-3033.
VP-713650	Hex head machine bolt, 5/8" x 3".
VP-713700	Socket Flat Cap Screw 5/16-18 x 1/2 Zinc Plate used to secure door-relating aircord with 386AKS1 plates.
VP-713705	Socket Flat Cap Screw 5/16-18 x 1/2 Black Oxide used to secure door-relating aircord with 386AKS1 plates.
VP-804611	Steel spade bolts, zinc plated. Wenco # A-24A14-1913. Part of VP-804615, Top-of-Car Insp. Light.

BOOTS

VP-719360	Stainless steel boot, undrilled, for B6218A1 safety shoe.
VP-719361	Stainless steel boot, undrilled, for B6218A2 safety shoe.

Subject	VP#	Description
BOXES		
BOXES	VP-719470	Static protection box for shipping eproms and IC's. Size: 3-3/4" x 3-3/4" x 1". Conductive Containers Inc. P/N: IC5040.
	VP-719480	SEE COVERS.
	VP-719485	Electric box used in Otis #1F-6971AF1 Lambda detector assembly. Appleton #4SSL-1/2".
	VP-719525	SEE SES.
	VP-719526	SEE SES.
	VP-719535	SEE SES.
	VP-719536	SEE SES.
	VP-798300/COVER	Blank cover for VP-798300/BOX utility box used in Light Ray Mounting Kit, VP-798300.
	VP-898701	SEE TOOL BOXES.
BRACKETS		
	VP-721050	Lobby CRT and EMS mounting bracket slides. Length= 28". Intecolor P/N: 105550. W/O Hardware.
	VP-721051	Lobby CRT and EMS mounting bracket slides. Length= 26". Intecolor P/N: 105551. W/O hardware.
	VP-721052	Lobby CRT and EMS mounting bracket slides. Length= 24". Intecolor P/N: 105552. W/O hardware.
	VP-721053	Lobby CRT and EMS mounting bracket slides. Length= 22". Intecolor P/N: 105553. W/O hardware.
	VP-721054	Lobby CRT and EMS mounting bracket slides. Length= 20". Intecolor P/N: 105554. W/O hardware.
	VP-721055	Lobby CRT and EMS mounting bracket slides. Length= 18". Intecolor P/N: 105555. W/O hardware.
	VP-721056	Lobby CRT and EMS mounting bracket slides. Length= 30". Intecolor P/N: 105556. W/O hardware.
	VP-721550	Modified 316AHJ1 bracket for "F" Operator door shoes. SEE SS-49-75.

Subject	VP#	Description
BRACKETS		
	VP-721755	Mounting bracket for wiring diagrams. Used for mounting panel boards # VP-830255. SEE TIP 41.1-4, page 4.
	VP-918810	Bracket kit used for mounting wiring diagram boards; lock NOT supplied with kit. SEE Circular Letter SS-6-76.
BRAKES		
	VP-722400	Brake equalizer for # 74, 74A, 74B gearless machines. SEE TIP 6.1.0-7.
	VP-722510	SEE TIP 6.2.0-2. Order per drawing AAA20036A. Brake conversion kit for 1/2 Micro machine brake to direct current.
BROOMS		
	VP-722800	Corn broom for sweeping floor.
BRUSH HOLDERS		
	VP-723467	Brush holder for 6333CG1 & 6333CG2 door motors. Indiana General Motor Prod.# BHO-436. SEE parts leaflet C-3049.
BRUSHES		
	VP-723464	SEE CAPS, BRUSH.
	VP-723466	Electro-graphitic brush for MRVF door motors. Harder grade N1 motor brushes for screw type operators. SEE TIPS 1.1.4.3-29(pg.6) & 22.9-4 & parts leaflet C-3049.
	VP-723468	SEE CAPS, BRUSH.
	VP-723516	Generator brush. GE #36A164452AAP6. Originally used for generators (pre 1980) at Standard Oil in Chicago.
	VP-723525	Carbon brush, morganite grade PM805 Used for the 'O' operator, 1/3 HP, 115VDC with VP-814551 motor. Two brushes required
	VP-724200	Radiator brush for dusting equipment.
	VP-724210	Brush, Coated Steel Belt cleaning. Non-metallic, firm bristle. Use per TIP 11.0-11
	VP-732310	SEE CAPS, BRUSH.
	VP-732311	SEE CAPS, BRUSH.

BUCKETS

Subject	VP#	Description
BUCKETS		
	VP-829130	SEE PAILS.
BUMPERS		
	VP-724810	Rubber bumper for Otis type 7040 interlock. SEE TIP 22.9-4.
	VP-725350	Rubber bumper. Hoyt 3053, 1-1/8 D.F. 1-1/8" diameter x 1/4" pad, 1/2" diameter x 1/2" long thd shank.
BUSHINGS		
	VP-725730	Steel bushing, fixed roller, 5/8" O.D.
	VP-725770	Bushing, Thompson catalog #10L10-F.
	VP-725775	Bushing, Thompson catalog #8L3-1/2-F.
	VP-725812	Bushing, Rulon part #0609-6. 3/8" x 9/16" x 3/4". For use in A7063E governor. SEE SPL 15-C7063E.
BUTTONS		
	VP-728200	Aluminum Otis # A323AF1 button, unmarked.
	VP-728210	Bullet nose aluminum button, vandal proof, unmarked.
	VP-728250	Brass Otis # A323AF1 button.
CABINETS		
	VP-729001	Maintenance cabinet. 42"H x 36"W x 18"D. Grey. Grainger #4W280.
	VP-729011	Maintenance cabinet. 72"H x 36"W x 18"D. Grey. Grainger #4W278.
	VP-729012	Hasp, for cabinets VP-729001 and VP-729011. Grainger #6X700.
	VP-729015	Cabinet, wall mounted. 30" long x 24" high x 13" deep when closed. 60" long x 24" high x 6" deep when open. Grainger #2W178.
	VP-729020	Cabinet, stand-up. 2.5 sq. ft. footprint. Unassembled. Grainger #1W814.
	VP-729021	Cabinet, stand-up. Assembled version of VP-729020
	VP-846402	Cabinet, Flammable Liquid Safety Cabinet, 4 Gal., Yellow.
	VP-846403	Cabinet, Flammable Liquid Safety Cabinet, 12 Gal., Yellow.

Subject	VP#	Description
CABINETS		
	VP-846404	Cabinet, Flammable Liquid Safety Cabinet, 24 Gal., Yellow.
	VP-846405	Safety storage cabinet (for gasoline and other flammables & combustibles) 45 gal. capacity. Has 2 removable shelves. Cabinet external dimensions are 65" x 43" x 18".
CABLE BANDS		
	VP-703170	3/8" cable band, Morse Starrett. Used as seizing.
	VP-703175	5/8" cable band, Morse Starrett. Used for seizing.
	VP-703180	1/2" cable band, Morse Starrett. Used for seizing.
	VP-703185	3/4" cable band, Morse Starrett. Used for seizing.
CABLE TIES		
	VP-897955	Cable tie with "Test & Verify" printed on tag. Yellow, nylon, 5" long. SEE T.I.P. 0.1.5-28.
	VP-897956	Bulk package of VP-897955 cable tie with "Test & Verify" printed on tag. Yellow, nylon, 5" long. SEE T.I.P. 0.1.5-28. Bulk quantity equals 1000 pieces.
CABLES / CORDS		
	VP-728900	Four-conductor cable #20. Alpha Wire Corp #2256-4. SEE PCAS 1065 Color coded black, white, red, green.
	VP-728950	Two-conductor annunciator cable. Otis Cable Spec #2. BWI part #1262E002.
	VP-729300	Cable, Belden 8333, 24 guage.
	VP-729330	Two-conductor shielded cable, 20 gauge. Belden part #8412.
	VP-729500	Cable, 6971AH Enhanced Lambda. Supplied by the reel. Used to make P/N's 174GG3 and 174GG4. 5 conductor, 300V, 90° C, 18 AWG. UL/CSA labeling. Vendor: CAROL or AIW.
	VP-729560	Six-conductor stranded cable, 20 gauge. Manhattan part # M1006. See PCAS 1065
	VP-729580	Eight-conductor, 18GA. wire, traveling cable, type E insulation. Otis Cable Spec #7.
	VP-729850	30-conductor, 18GA. wire, traveling cable, type E insulation. Otis Cable Spec #7.

Subject	VP#	Description
CABLES / CORDS		
	VP-730000	45-conductor, 18GA. wire, controller cable, type E insulation. Otis Cable Spec #7.
	VP-730550	Ten-conductor selector cable. Otis Cable Spec. #5.
	VP-752900	1/4" belt cord, Mahog Bell.
	VP-753365	Four-conductor type `SO' cable, 18 gauge.
	VP-753430	Linen lacing cord. #9-6 holdfast waxed linen cord.
	VP-753500	Two-conductor, type `SO' cable, 14 gauge.
	VP-753550	Four-conductor, 12 AWG cable. Multi-conductor, variable frequency drive cable for use on 5 to 15 hp motors.
	VP-753555	Four-conductor, 8 AWG cable. Multi-conductor, variable frequency drive cable for use on 20 to 25 hp motors.
	VP-753560	Four-conductor, 6 AWG cable. Multi-conductor, variable frequency drive cable for use on 40 to 50 hp GEM motors.
	VP-753565	Four-conductor, 4 AWG cable. Multi-conductor, variable frequency drive cable for use on 50 hp, 900 rpm GEM motors.
	VP-753570	Four-conductor, 10 AWG cable. Multi-conductor, variable frequency drive cable.
	VP-753650	Two-conductor, type `S' cable. 16 gauge.
	VP-753750	Two-conductor, type `SJO' cable, 16 gauge.
	VP-753850	Two-conductor, type `SJ' cable, 18 gauge.
	VP-753856	Four-conductor, type `SJO' cable, 18 gauge. SEE C-3055, PCAS 1065
	VP-753865	Two-conductor, type `SJO' cable, 18 gauge.
	VP-753950	Two-conductor, type `SO' cable, 18 gauge.
	VP-754150	Four-conductor, shielded communication cable, 20 gauge. Belden part #8424.
	VP-754155	Electrical cable, 22 gauge, 4 conductor, twisted.
	VP-754175	Booster Cables, 4 gauge, 16 ft length. For jumping dead car batteries. Drop Ship Item.
	VP-901700	Twine, #36 cable cord, 1/2-lb. balls.

Subject	VP#	Description
CABLES / CORDS		
	VP-917500	Communication cable, 2/C, 22 AWG (7/32) TC, 500 ft. reel, (.81 mm) PVC jacket, 75 C type CM or AWM use: internal/external interconnection of elec.equip.
CAPS, BRUSH		
	VP-723468	Brush cap for 6333CG1 & 6333CG2 door motors. Indiana General Motor Prod. # BHC-249. SEE parts leaflet C-3049.
	VP-732311	Orange brush holder protective cap. Caplug #7/8, SC-7/8. SEE spare parts leaflet C-3005.
CAPS, FRICTION		
	VP-804612	Red friction cap. Molded Devices #24-1250. Part of VP-804615, Top-of-Car Insp. Light.
CARD CAGES		
	VP-732410	SEE SES.
	VP-732415	SEE SES.
CARS		
	VP-836230	SEE DEVICES.
CARTONS		
	VP-798902	Special shipping cartons for Elevonic & solid state p.c. boards. SEE FECL 1.1.0-1 & TIP 1.1.3.0-32.
CASTINGS		
	VP-733350	Aluminum casting, pattern #50WJ8.
CHAINS		
	VP-735850	Elwell twist chain; machine chain-twist link; trade size #4. SEE TIP 2.5-2.
	VP-736100	#6 steel cable chain. Rexnord Inc. #6H5.
	VP-736150	2 x 2 leaf chain, 3/8" pitch. Chain Engineering part # AL-322.
	VP-736300	#35 chain, 3/8" pitch, rollerless.
	VP-736450	#40 2x2 steel cable chain, 1/2" pitch, 5.5 feet long. Used on Otis 6146B cam operating device.
	VP-736500	#40 roller chain.

Subject	VP#	Description
CHAINS		
	VP-736700	#41 roller chain, 1/4" wide, 1/2" pitch. Used on 6806A vertical lifting car gate; 40A, 42A, 43A door closers; vertical bi-parting doors.
	VP-736800	#80 roller chain, 1" pitch, consisting of: chain 187 riveted links with roller at each end, (3) connecting links, (2) roller links and (1) offset link. For 'O' escalator handrail drive or handrail counter shaft.
	VP-736975	#148 diamond chain, 1/4" wide, 5/8" pitch.
CLAMPS / CLIPS		
	VP-737850	Spring Clamp, 1-inch max opening, constructed of high-tech resin material making clamp strong, lightweight and rust resistant. Clamp features soft, durable pads to protect fine finishes.
	VP-738325	1-1/4" muffler clamp. SEE TIP 22.9-14.
	VP-738330	Clamp, Time Mark Co. part # MB-CLAMP.
	VP-741175	C-10 pull strap clip. 16-gauge galvanized steel.
	VP-741965	Splice clips for damaged selector tape. SEE TIP 2.6-1.
	VP-741980	Mueller Electric #45 clip with screws.
	VP-804614	Beam clamp. Part of VP-804615, Top-of-Car Insp. Light.
CLEANERS		
	VP-420400	Polish, Lemon trigger, 16 oz.
	VP-420410	Stainless steel cleaner and polish. In 1 quart bottle w/ pump nozzle. Water based, environmentally safe. SEE TIP 0.1.6-6
	VP-420420	Cleaner for plastic, glass and metal. In 16 oz. spray can, Non-ozone depleting. Used for e*Display.
	VP-420422	Presaturated alcohol wipe. 6in x 6in packed individually. 50 per carton. For final cleaning of small surface areas before applying adhesives or coatings. Limited use material must be used per TIP 25.1-1.
	VP-420478	Cleaner # 10, in 12 ounce net wt. aerosol can. Replaces cleaner #9. See TIP 25.0-4.

Subject	VP#	Description	
CLEANERS	VP-420481	Crystal Simple Green. Premixed 3-1/2:1 in 1 gallon containers. SEE TIPs: 0.1.10-4; 3.4.4-11; 6.0-1; 6.3.0-31; 7.0-21; 25.0-4; 25.0-20; 30.3.1-6.	
	VP-420482	Crystal Simple Green. Premixed 3-1/2:1 in 55 gallon drum. For TIPs SEE VP-420481.	
	VP-420535	Cleaning Compound #2 in 1 quart containers. SEE TIPs 6.0-2; 30.2.1.0-1; 22.9-14; 2.6-1; 1.1.14.0-9; 1.1.14.0-4.	
	VP-420540	Cleaning Compound #2 in 1-gallon containers. SEE TIPs 6.0-2; 30.2.1.0-1; 22.9-14; 2.6-1; 1.1.14.0-9; 1.1.14.0-4; 0.1.5-18; 0.1.10-4.	
	VP-420545	Cleaning Compound #2 in 5-gallon drums. SEE TIP 0.1.5-18 for usage TIPs see VP-420535.	
	VP-420550	Belt Treatment-GBW in 1 quart containers. Special treatment for Gen2 belts. Replaces temporary part number VP-420535-GBW. See NEB S.W.P N-1.1.18.0-9.	
	VP-740001	Dust mop treatment solution, water-based. In 1 quart bottle.	
	VP-740549	Towlette type hand cleaner, pre-moistened. "Waterless Hand Wipes" Used to remove grease, adhesives, ink, lubricants, and more.	
	VP-740550	Hand cleaner with pumice. In 4.5 pound cartridge for use in VP-740550, 6 per carton. Waterless, lemon scented. SEE TIP 28.0-5	
	VP-740551	Dispenser for waterless hand cleaner, VP-740550. SEE TIP 28.0-5	
	VP-740552	Hand cleaner with pumice. In 18 ounce container, 12 per carton. Waterless, lemon scented. SEE TIP 28.0-5	
	VP-765900	PC board edge cleaner. In 11oz. container. 12/case. Used in MRVF Maintenance Tool Kit, VP-798700.	
	CLIPBOARD	VP-741100	Saunders metal "snapack" clipboard with Otis logo.
		CLIPS	VP-738500

Subject	VP#	Description
CLIPS		
	VP-738550	Glove clip. To clip and hold one pair of work gloves. Used in VP-754201 and VP-754202 safety bags.
CLOTH		
	VP-702000	Abrasive pad, 6" x 9.5" - nylon cleaning pad, green
	VP-702001	Abrasive pad, Scotch Brite type, Light Duty: White
	VP-702002	Abrasive pad, Scotch Brite type, Heavy Duty: Tan
	VP-742700	Fine emery cloth in 9" x 11" sheets.
	VP-742800	Medium emery cloth in 9" x 11" sheets.
	VP-742900	Emery cloth, coarse.
CLOTH, FIBERGLASS		
	VP-702350	Fiberglass cloth, 1/8" x 4-1/2". Used for 1" rubber astragal of bi-parting doors. SEE FOCL 0.1.18-2.
	VP-702355	Fiberglass cloth, 1/8" x 6-5/8". Used for 2" rubber astragal of bi-parting doors. SEE FOCL 0.1.18-2. Order per foot.
COILS		
	VP-743785	EECO coil # S-463/401.
	VP-743790	Coil kit for BDC relay. Prestolite Electric part number JBA-501FS.
	VP-743813	EECO coil # S-752L, 110 volts DC.
CONNECTORS		
	VP-749810	Connector, Buchannan part # PCB3A-36A.
	VP-749820	Connector, Buchannan part # SSB4-B08SNN.
	VP-749830	Connector, Buchannan part # SSB5-B06SNN.
	VP-916450	SEE SPLICERS.
CONTACTS		
	VP-752300	Contact kit per M.L. 2185C2 with contact 153F1 for mounting on floor bar per drawing 7565D.
	VP-752302	Contact kit per M.L. 2185C4 with contact 153E1 for mounting on floor bar per drawing 6575D.

Subject	VP#	Description
CONTACTS		
	VP-752303	Contact kit for BDC relay. Prestolite Electric part # JAS-3001S.
COUPLINGS		
	VP-725820	Coupling, Tek-Kaman bearing, Oilite bronze sleeve # AA-304-11.
	VP-755000	DIN 2353 ST CL 6 coupling.
	VP-755150	Flexible motor coupling, 5/8" x 3/4", for AC 'O' operators without brake, and DC 'O' operators. Lovejoy Coupling # L 075.
	VP-755800	Coupling for 7770R door motor encoder kit, Renbrandt # C31F25R. SEE TIP 22.6-15. USED IN KIT: VP-798605
	VP-755810	'Buna-N' coupling disk. Boston Gear # XFCR12. SEE TIP 22.9-14 & TIP 22.9-16.
	VP-798540	Wood's Sure-Flex coupling. SEE TIP 22.9-16.
COVERS		
	VP-719480	Cover for VP-719485 electric box used in Otis 1F-6971AF1 Lambda detector assembly. Appleton #2594.
	VP-756450	Cover for emergency stop switch on J escalator.
CROSS SLIDE		
	VP-757500	Ideal cross slide # K26. Tool post head for Ideal lathe. Used on Otis # MT-114012.
DASPOTS		
	VP-760750	Plunger & dashpot assembly for Otis 6315D overload relays. Allen-Bradley #40188.8002. SEE TIP 1.2.0-8.
	VP-760800	Dashpot, Allen Bradley # X401-88-800-01. Dashpot assembly without plunger or cap.
DECALS		
	VP-760820	Decal strips, "480 VOLTS". Four decals per strip. Brady part #44215.
	VP-760850	Decal, "PLEASE HOLD HANDRAIL". Red lettering on white background.
	VP-760860	Otis logo, white decal, 13" x 3".
	VP-760861	Otis logo, blue decal, 13" x 3".

Subject	VP#	Description
DECALS		
	VP-760862	Otis logo, white decal, 26" x 6".
	VP-760863	Otis logo, blue decal, 26" x 6".
	VP-760864	Otis logo, white decal, 52" x 12".
	VP-760865	Otis logo, blue letters, 52" x 12".
	VP-760866	Otis logo, blue decal, 13" x 26".
	VP-760867	3" x 13" Otis/UTC decal. Thermal printed in two colors, black and UTC blue on pressure white sensitive, 3M Quantum base material. Trimmed to size.
	VP-760868	5.25" x 26" Otis/UTC decal. Thermal printed in two colors, black and UTC blue on white pressure sensitive, 3M Quantum base material. Trimmed to size.
DEVICES		
	VP-761040	9" monomass device.
	VP-761104	SEE LUBRICATORS.
	VP-810200	SEE LOCKS.
	VP-877600	SEE STAPLE REMOVER.
DIODES		
	VP-761125	Diode, RCA part # A14P, Or Motorola Semi Conductor Prod., Inc. part # 1N4007.
DISKS, COMPUTER		
	VP-822150	OTISCHEK programmed disks. Kit includes eight 5.25" and six 3.5" programmed floppy disks.
DOOR LOCKS		
	VP-843580	Hoistway door lock/roller device.
DOOR OPERATORS		
	VP-820750	Rebuild of `O' operator gear box without a gear ratio change. SEE Circular Letter SS-24-77.
	VP-820751	Rebuild of `O' operator gear box with a gear ratio change. SEE Circular Letter SS-24-77.
DOOR SILENCERS		
	VP-461480	Rubber door silencer. McMaster Carr #1432A11.
DRILLS		

Subject	VP#	Description
DRILLS		
	VP-762300	Fractional twist drills in waterproof case, sizes 1/16 through ½ inch (by 1/64)
	VP-762410	3/16" Carbide-Tipped Masonry Drill Bit, 3" long with a 3/16" Shank.
	VP-762500	1/4" masonry drill, 4" regular spiral.
	VP-762550	1/2" high helix masonry drill, 6" long, with 3/8" shank.
	VP-762725	`F' size drill bit, 12" long. SEE Circular Letter SS-39A-75.
	VP-762726	Drill bit 'F' size. For use with assembly CAA24350C1, 7300 D.C. operator conversion assembly.
	VP-762800	`Q' size drill bit, standard length. SEE Circular Letter SS-39A-75.
	VP-763200	Drill bit #7, standard length.
	VP-763400	Drill bit #11, standard length.
	VP-763700	Drill bit #21, standard length.
	VP-763750	Drill bit # 25, standard length.
	VP-763800	Drill bit #26, standard length.
	VP-763950	Drill bit #29, standard length.
	VP-764152	#47 drill bit.
	VP-764350	1/16" drill bit, standard length.
	VP-764400	5/64" drill bit, standard length.
	VP-764450	3/32" drill bit, standard length.
	VP-764500	7/64" drill bit, standard length.
	VP-764550	1/8" drill bit, standard length.
	VP-764600	9/64" drill bit, standard length.
	VP-764650	5/32" drill bit, standard length.
	VP-764700	11/64" drill bit, standard length.
	VP-764750	3/16" drill bit, standard length.
	VP-764800	13/64" drill bit, standard length.
	VP-764850	7/32" drill bit, standard length.
	VP-764859	Drill Bit #1 (.228), standard length.

Subject

VP#

Description

DRILLS

VP-764860	Drill Bit # 2 (.221), standard length.
VP-764950	15/64" drill bit, standard length.
VP-765000	1/4" drill bit, standard length.
VP-765025	1/4" drill bit, high speed steel, extended reach. 12" long.
VP-765100	17/64" drill bit, standard length.
VP-765150	9/32" drill bit, standard length.
VP-765250	5/16" drill bit, standard length.
VP-765300	21/64" drill bit, standard length.
VP-765350	11/32" drill bit, standard length.
VP-765400	23/64" drill bit, standard length.
VP-765450	3/8" drill bit, standard length.
VP-765500	25/64" drill bit, standard length.
VP-765550	13/32" drill bit, standard length.
VP-765600	27/64" drill bit, standard length.
VP-765602	27/64" drill bit, short length. 27/64" drill bit has a 2" flute with an overall length of 3-3/8".
VP-765650	7/16" drill bit, standard length.
VP-765700	29/64" drill bit, standard length.
VP-765800	1/2" drill bit, standard length.
VP-765802	1/2" drill bit, short length. 1/2" drill bit has a 2-1/4" flute with an overall length of 3-3/4".
VP-765805	17/32" drill bit, high speed steel, standard length. Refer to T.I.P. 6.2.0-4.
VP-765815	21/32" drill bit, high speed steel, standard length. Refer to T.I.P. 6.2.0-4.
VP-765818	11/16" drill bit, high speed steel, standard length.
VP-765820	25/32" drill bit, high speed steel, standard length. Refer to T.I.P. 6.2.0-4.
VP-765830	Solid type drill guide, 15/32" O.D. x 1-3/16" long. For 3/16" drill. Snap-On P/N E1521. Application: 17CT gear installation, Ref. T.I.P. 6.2.2-9

Subject	VP#	Description
DRILLS		
	VP-765840	Step drill bit; 1/8" to 1/2" in 1/32" increments; 13 hole sizes; 1/4" shank; 1/8" step thickness; self-starting tip. Was P/N REP-UNIBIT1
	VP-765841	STEP drill bit; 3/16" to 1/2" in 1/16" increments; 6 hole sizes; 1/4" shank; 3/8" step thickness; self-starting tip. WAS P/N REP-UNIBIT5
	VP-765842	Step drill bit; 3/16 to 7/8" in 1/16" increments; 12 hole sizes; 3/8" shank; 1/8" step thickness; self-starting tip. Was P/N REP-UNIBIT14
	VP-765843	Step drill bit; 1/4" to 3/4" in 1/16" increments; 9 hole sizes; 3/8" shank; 1/8" step thickness; self-starting tip. Was P/N REP-UNIBIT3.
	VP-770050	Carbide bur, A-41D 3/32 x 3/8 x 1-1/4.
EMERY CLOTH		
	VP-742700	SEE CLOTH.
	VP-742800	SEE CLOTH.
ENCODERS		
	VP-798605	SEE KITS.
EPROMS		
	VP-444444-E-PROM	OSC charge for programming EPROMS.
	VP-766100	SEE KITS.
	VP-766110	Smart Socket, Semiconductor, vendor P/N DS1213. Use on processor p.c. board on the EVS product, limited release. Note: contact OSC Svc. Eng. before shipping, ordering, purchasing this part
FASTENERS		
	VP-769000	Intermediate pawl fastener. South Co. catalog #44-10-18-0.
	VP-769200	Faceplate fastener consisting of 1 retainer, 1 receptacle, 1 screw; South Co. #09-49-101-12, #09-43-101-11, #09-99-107-26, respectively.
FILES		
	VP-770160	8" half round mill bastard file.
	VP-770200	10" half round mill bastard file.
	VP-770250	12" half round mill bastard file.
	VP-770300	14" half round mill bastard file.

Subject	VP#	Description
FILES		
	VP-770400	6" mill bastard file.
	VP-770450	8" mill bastard file.
	VP-770500	10" mill bastard file.
	VP-770550	12" mill bastard file.
	VP-770750	File Board Industrial Supplies Co.
	VP-770800	6" round mill bastard file.
	VP-770950	12" round mill bastard file.
	VP-771850	6" half round bastard file.
	VP-772350	14" flexible vixon rail file.
	VP-772700	8" round machinist file, 2nd cut.
	VP-772750	8" taper file.
FILTERS		
	VP-772930	Door operator filter. Consists of: one A234E1 choke; one P303CG8 terminal block; and two P226FC1 capacitors.
	VP-772951	Filter, Glassfloss hi-pack material, 8-3/4" x 8-3/4" x 1/2" Vendor P/N 8-3/4x8-3/4x1/2
FIRST AID		
	VP-773000	First aid kit, Swift 34-600H One-person kit.
	VP-773001	First aid kit, Swift 34-0025. 25-person kit.
	VP-773002	Non-aspirin pain reliever. 250 packs per box, 2 tables per pack. One box equals one piece.
	VP-773003	3/4" x 3" plastic bandaids, in box of 100.
	VP-846400	First Aid Kit, 50 person
FLAGS		
	VP-774900	Safety flag for pole barricades outlined in Circular Letter 2565 in `G' Manual.
FLASHLIGHT		
	VP-800205-2	Streamlight ENDURO® LED 2AAA Headlamp. .5 watt, 100,000 hour life, Up to 6 hrs, runtime on high; up to 24 hrs on low. Impact-resistant, Waterproof, 2.75oz w/battery and head strap. (batteries included).

Subject	VP#	Description
FLASHLIGHT		
	VP-800206	Replacement Bulb for Headlamp, VP-800205. Package of 2 bulbs. Drop Ship item.
	VP-800207	Black & Decker 3.6V Snakelight Flexible Flashlight. Battery and charger not included. For battery and charger use VP-704060. Drop Ship item.
	VP-800208	Replacement Xenon bulb for Snakelight flashlight, VP-800207. Drop Ship item.
	VP-800216	PolyStinger w/out Charger - Yellow - This is the Poly-Stinger Flashlight & battery stick only. It does not come with any chargers/holders. You would only buy this if you already have your charger/holder.
	VP-800217	Polystinger Yellow with AC/DC fast piggyback charger - Comes complete with both AC (home) cord, DC 12-volt (car lighter) cord & a FAST (2.5 hour) piggyback charger/holder with spare battery.
	VP-800218	Polystinger Yellow with DC fast piggyback charger - This YELLOW Poly-Stinger Rechargeable flashlight system comes with 12-volt DC (car) cord, 1 FAST (2.5 hour) Piggyback charger and 1 extra battery.
	VP-800219	Stinger Battery Stick - Replacement battery stick for the Streamlight Stinger, Stinger HP, Stinger XT, Stinger XT HP, PolyStinger.
	VP-800220	Stinger Bulb (Stinger, Stinger XT, PolyStinger)
	VP-800221	Stinger Piggyback charger holder. Includes an extra battery for your stinger flashlight and will charge a flashlight and extra battery at the same time. AC 120v & DC 12v cords sold separately.
	VP-800222	This 120 volt AC (home)Charge Cord fits all Streamlight rechargeable cradles, holders & sleeves.
	VP-800223	This 12 volt DC (car)Charge Cord fits all Streamlight rechargeable cradles, holders & sleeves.
	VP-800224	Portable LED headlight work light, attaches to brim of hardhat or ball cap.
	VP-800232	Flashlight, mechanic's standard non-conductive, yellow, dual LED. Without Logo. Requires 3 AA batteries included. 14.5 hr runtime.

Subject	VP#	Description
FUSEHOLDERS		
	VP-779790	Fuseholder, Bussman.
FUSES		
	VP-775000	Kit of 115 glass fuses in plastic case. Within case fuses come in packs of five. Fuses range in size from 1/8 Amp to 10 Amps. Types ABC, AGC, & MDL (glass) 250V, 1-1/4" long.
	VP-776500	Fuse, AGC 6-1/4 amp.
	VP-776600	Fuse, Bussman # AGX, 8 amp.
	VP-778400	Fuse, Littlefuse #512001, normal-blo, 1 amp.
	VP-778410	Fuse, Littlefuse #523003, slo-blo, 3 amp.
	VP-778420	Fuse, Littlefuse #523005, slo-blo, 5 amp.
	VP-778500	Fuse, Littlefuse, #3AG, slo-blo, 1/4 amp. Lower level component of Lambda detector assembly, Otis part #1F-6971AF1.
GAL		
	VP-782003	L.H. safety shoe, complete assembly. _GAL # RAL-LH., retractable_Pin centerline dim. = 55.5"
	VP-782004	R.H. safety shoe, complete assembly. _GAL # RAL-RH., retractable_Pin centerline dim. = 55.5"
	VP-782005	`T' power pack for GAL light ray. SEE parts leaflet C-3080.
	VP-782008	Door operator motor, GAL # MOD, 1/6 HP, 4 leads, 220 volts DC with brushes and shaft key. SEE parts leaflet C-3077.
	VP-782012	Interlock assembly complete, right-hand door. GAL # MOH-RH, horizontal release SEE parts leaflet C-3078.
	VP-782015	GAL motor, 25 HP, 230 volts.
	VP-782018	Keyswitch marked "ELECTRIC EYE" with GAL type STD1601 key, 2-position. SEE parts leaflet C-3079.
	VP-782019	Keyswitch marked "INSPECTION" with GAL type HA1612 key. SEE parts leaflet C-3079.
	VP-782020	Keyswitch marked "OFF-ON-FIRE SERVICE" with GAL type FSS1617 key. SEE parts leaflet C-3079.
	VP-782021	Keyswitch marked "LIGHT-FAN" with GAL type STD1601 key, 3-position. SEE parts leaflet C-3079.

Subject	VP#	Description
GAL		
	VP-782023	Keeper release assembly, GAL # MO-IO Keeper Release Assy., RH per Otis dwg. 6940BB. SEE parts leaflet C-1009F.
	VP-782024	Keeper release mounting plate; GAL # MO-IO Keeper Release Mounting Plate Only w/Roller, RH; per Otis dwg 6940BB. SEE leaflet C-1009F.
	VP-782025	Keeper release assembly w/mounting plate; GAL # MO-IO Kpr. Rel. Assy. w/Mounting Plate; per Otis dwg. 6940BB. SEE leaflet C-1009F.
	VP-782026	GAL-EL eye cell for `T' electric eye. GAL # CL-603-AL, dwg. EE-1. SEE parts leaflet C-3080.
	VP-782027	GAL hall button; GAL type RRB hall button for Otis LRV program. SEE parts leaflet C-3079. GAL part # 86-02297-D.
	VP-782028	Hall button keyswitch, round, for Otis LRV program. GAL type 1613, 2-position, double pole make, spring return. SEE parts leaflet C-3079.
	VP-782029	Keyswitch, hoistway access; GAL type HA1612, spring return. Marked "UP-DOWN-ACCESS". SEE parts leaflet C-3079.
	VP-782030	Chicago Code keyswitch; GAL type FSS1617, 3-position. Marked "ON-OFF-FIRE SVC BYPASS".
	VP-782031	New York City Code keyswitch. Marked "ON-OFF-FIRE SVC BYPASS", w/2642 Yale cylinder key. SEE parts leaflet C-3079.
	VP-782032	ANSI Code keyswitch; GAL type FSS 1617, 3-position. Marked "ON-OFF-FIRE-SVC BYPASS". White letters on red background.
	VP-782033	Key for GAL type HA1612 keyswitch used on Otis program. SEE parts leaflet C-3079.
	VP-782034	Key for GAL type 1613 keyswitch used on Otis LRV program. SEE parts leaflet C-3079.
	VP-782035	Key for GAL type FSS1617 keyswitch used on Otis LRV program. SEE parts leaflet C-3079.
	VP-782036	Key for GAL type STD1601 keyswitch used on Otis LRV program. SEE parts leaflet C-3079.
	VP-782037	Jewel, GAL type FSS. Fireman Service round jewel for Otis LRV program. SEE parts leaflet C-3079.

Subject

VP#

Description

GAL

VP-782038-1	Floor button assy. GAL type RRB button marked `1' for Otis LRV program; uses 120V bulb. SEE parts leaflet C-3079.
VP-782038-2	Floor button assy. GAL type RRB button marked `2' for Otis LRV program; uses 120V bulb. SEE parts leaflet C-3079.
VP-782038-3	Floor button assy. GAL type RRB button marked `3' for Otis LRV program; uses 120V bulb. SEE parts leaflet C-3079.
VP-782038-4	Floor button assy. GAL type RRB button marked `4' for Otis LRV program; uses 120V bulb. SEE parts leaflet C-3079.
VP-782038-DOOR CLOSE	Button assembly. GAL type RRB button marked "DOOR CLOSE" for Otis LRV program. SEE part parts leaflet C-3079.
VP-782038-DOOR OPEN	Button assembly. GAL type RRB button marked "DOOR OPEN" for Otis LRV program. SEE parts leaflet C-3079.
VP-782039	Button assembly. Gal round button marked "ALARM" for Otis LRV program. SEE parts leaflet C-3079.
VP-782040	Switch. GAL car operating panel Emergency Stop switch for Otis LRV program. SEE parts leaflet C-3079.
VP-782041	NYC Code Phase II Keyswitch. GAL car phase II Fireman Service Keyswitch, NYC Code, marked "ON-OFF-FIRE SVC". SEE parts leaflet C-3079.
VP-782200	Nylon pivot pin, for MODP GAL campack cams. 1/8" diam x 5/8" long. For units mftd prior to 11/1970
VP-782201	Nylon pivot pin, for MODP GAL campack cams. 5/32" diam x 5/8" long. For units mftd after 11/1970
VP-796450	KMO key for GAL type "M" interlock.

GASKETS

VP-782900	Leather gasket, 2-3/4" outside diameter x 1-3/4" inside diameter x 1/8" thickness.
VP-783500	Gasket cutting tool set. (Spearhead 748 E-25). For use with hydraulics Texacone #Spearhead 748E-25

Subject	VP#	Description
GASKETS		
	VP-865755	SEE SEALS.
	VP-865760	SEE SEALS.
GAUGES		
	VP-769150	Feeler gauge stick, .03". Starrett #667-30. Used in MRVF Maintenance Tool Kit, VP-789700.
GEAR REDUCT.UNITS		
	VP-902050	Requires engineering specification. Winsmith gear reduction unit; 225-to-1 ratio. SEE Circular Letter SS-39-62. Same as Otis #6049A1.
	VP-902100	Requires engineering specification. Winsmith gear reduction unit; 170-to-1 ratio. SEE Circular Letter SS-39-62. Same as Otis #6049A2.
	VP-902150	Requires engineering specification. Winsmith gear reduction unit; 127-to-1 ratio. SEE Circular Letter SS-39-62. Same as Otis #6049A3.
	VP-902200	Requires engineering specification. Winsmith gear reduction unit; 300-to-1 ratio. SEE Circular Letter SS-39-62. Same as Otis #6049A6.
GEARS		
	VP-783850	Pinion gear, steel 55.
	VP-783860	Gear unit for gear end only. Used on Otis motors 6333CC1, 6333CC2, & 6333CC3. Paterson Gear part #7GS112JX3UA14AO1.
	VP-784000	Fiber gear, Winsmith part #3993. Intermediate shaft gear for Winsmith unit 127:1, used on 'O' operator. SEE Circular Letter SS-24-77.
GIBS / GUIDES		
	VP-784480	EPCO 'C' door gib. White, 15/32" wide, with hardware.
	VP-784500	EPCO H-D3 door gib assembly. Includes 1" wide, 'D3' chassis with 17/32" wide, green 'H' gib and hardware.
	VP-785000	EPCO CG-D4 door gib assembly. Includes 1-1/8" wide, 'D4' chassis with 15/32" wide, black 'CG' gib and hardware.
	VP-785100	EPCO 'R' rail guide shoe gib, nylon.
	VP-785150	EPCO 'RH' rail guide shoe gib, nylon.

Subject	VP#	Description
GIBS / GUIDES		
	VP-785200	EPCO `W' rail guide shoe gib, nylon.
	VP-789400	EPCO T-D3 door gib assembly. Includes 1" wide, `D3' chassis with 1/2" wide, blue 'T' gib and hardware.
	VP-789450	EPCO T-D5 door gib assembly. Includes 1-1/4" wide, `D5' chassis with 1/2" wide, blue 'T' gib and hardware.
	VP-789950	Nylon chain guide assembly for lower end of `R' escalator. SEE Circular Letter SS-44-75.
	VP-789955	Nylon guide used on VP-789950 assembly. SEE Circular Letter SS-44-75.
	VP-790110	EPCO C-D378 door gib assembly. Includes 7/8" wide, `D378' chassis with 15/32" wide, white 'C' gib and hardware.
	VP-790153	EPCO C-D3 door gib assembly. Includes 1" wide, `D3' chassis with 15/32" wide, white 'C' gib and hardware.
	VP-790154	EPCO CD-4 door gib assembly. Includes 1-1/8" wide - 10 gib adjustments "D-4" chassis with 15/32" wide, white "C" gib and hardware.
	VP-790741	SEE KITS.
	VP-790745	Selector tape guide; USE P/N: CAA22400A1. Complete assembly, including insert. SEE TIP 2.6-5.
	VP-793737	SEE KITS.
	VP-793738	SEE RODS.
	VP-793739	SEE PLATES.
GLOVES		
	VP-846001	Stretch fit glove, Size 6, lightweight. ANSI Cut Level 4, Abrasion Level 6 protection. Palm dipped polyurethane coating for enhanced grip in dry and light oil environments. 1 Pair.
	VP-846002	Stretch fit glove, Size 7, lightweight. ANSI Cut Level 4, Abrasion Level 6 protection. Palm dipped polyurethane coating for enhanced grip in dry and light oil environments. 1 Pair.
	VP-846003	Stretch fit glove, Size 8, lightweight. ANSI Cut Level 4, Abrasion Level 6 protection. Palm dipped polyurethane coating for enhanced grip in dry and light oil environments. 1 Pair.

Subject	VP#	Description
GLOVES		
	VP-846004	Stretch fit glove, Size 9, lightweight. ANSI Cut Level 4, Abrasion Level 6 protection. Palm dipped polyurethane coating for enhanced grip in dry and light oil environments. 1 Pair.
	VP-846005	Stretch fit glove, Size 10, lightweight. ANSI Cut Level 4, Abrasion Level 6 protection. Palm dipped polyurethane coating for enhanced grip in dry and light oil environments. 1 Pair.
	VP-846006	Stretch fit glove, Size 11, lightweight. ANSI Cut Level 4, Abrasion Level 6 protection. Palm dipped polyurethane coating for enhanced grip in dry and light oil environments. 1 Pair.
	VP-846011	Cold conditions work glove, Size 8. Breathable 3/4 sandy nitrile dip for protection from the elements with a secure grip, soft inner layer. 1 Pair.
	VP-846012	Cold conditions work glove, Size 9. Breathable 3/4 sandy nitrile dip for protection from the elements with a secure grip, soft inner layer. 1 Pair.
	VP-846013	Cold conditions work glove, Size 10. Breathable 3/4 sandy nitrile dip for protection from the elements with a secure grip, soft inner layer. 1 Pair.
	VP-846014	Cold conditions work glove, Size 11. Breathable 3/4 sandy nitrile dip for protection from the elements with a secure grip, soft inner layer. 1 Pair.
	VP-846031	Kevlar knit glove, Size 8, ANSI Cut level 4 protection. Durable premium leather palm that protects up to the fingertips. Protection from intermittent heat contact up to 200 degrees F. 1 Pair.
	VP-846032	Kevlar knit glove, Size 9, ANSI Cut level 4 protection. Durable premium leather palm that protects up to the fingertips. Protection from intermittent heat contact up to 200 degrees F. 1 Pair.
	VP-846033	Kevlar knit glove, Size 10, ANSI Cut level 4 protection. Durable premium leather palm that protects up to the fingertips. Protection from intermittent heat contact up to 200 degrees F. 1 Pair.

Subject	VP#	Description
GLOVES		
	VP-846034	Kevlar knit glove, Size 11, ANSI Cut level 4 protection. Durable premium leather palm that protects up to the fingertips. Protection from intermittent heat contact up to 200 degrees F. 1 Pair.
	VP-846041	Cut resistant gloves for use where sheet metal and knife blade hazards exist. Size 6. Polyurethane palm coated. 1 Pair.
	VP-846042	Cut resistant gloves for use where sheet metal and knife blade hazards exist. Size 7. Polyurethane palm coated. 1 Pair.
	VP-846043	Cut resistant gloves for use where sheet metal and knife blade hazards exist. Size 8. Polyurethane palm coated. 1 Pair.
	VP-846044	Cut resistant gloves for use where sheet metal and knife blade hazards exist. Size 9. Polyurethane palm coated. 1 Pair.
	VP-846045	Cut resistant gloves for use where sheet metal and knife blade hazards exist. Size 10. Polyurethane palm coated. 1 Pair.
	VP-846046	Cut resistant gloves for use where sheet metal and knife blade hazards exist. Size 11. Polyurethane palm coated. 1 Pair.
<i>NO LONGER AVAILABLE</i>	VP-846101	USE P/N: VP-846001. Dyneema stretch fit glove with rubber coating. Size XXS. Cut resistant with increased dexterity. Coated palm and fingers for gripping any surface. 1 Pair
<i>NO LONGER AVAILABLE</i>	VP-846102	USE P/N: VP-846001. Dyneema stretch fit glove with rubber coating. Size XS. Cut resistant with increased dexterity. Coated palm and fingers for gripping any surface. 1 pair
<i>NO LONGER AVAILABLE</i>	VP-846103	USE P/N: VP-846002. Dyneema stretch fit glove with rubber coating. Size S. Cut resistant with increased dexterity. Coated palm and fingers for gripping any surface. 1 PAIR
<i>NO LONGER AVAILABLE</i>	VP-846104	USE P/N: VP-846003. Dyneema stretch fit glove with rubber coating. Size M. Cut resistant with increased dexterity. Coated palm and fingers for gripping any surface. 1 PAIR

Subject	VP#	Description
GLOVES		
<i>NO LONGER AVAILABLE</i>	VP-846105	USE P/N: VP-846004. Dyneema stretch fit glove with rubber coating. Size 8.5. Cut resistant with increased dexterity. Coated palm and fingers for gripping any surface. 1 PAIR
<i>NO LONGER AVAILABLE</i>	VP-846106	USE P/N: VP-846004. Dyneema stretch fit glove with rubber coating. Size L. Cut resistant with increased dexterity. Coated palm and fingers for gripping any surface. 1 PAIR
<i>NO LONGER AVAILABLE</i>	VP-846107	USE P/N: VP-846005. Dyneema stretch fit glove with rubber coating. Size XL. Cut resistant with increased dexterity. Coated palm and fingers for gripping any surface. 1 PAIR
<i>NO LONGER AVAILABLE</i>	VP-846108	USE P/N: VP-846006. Dyneema stretch fit glove with rubber coating. Size XXL. Cut resistant with increased dexterity. Coated palm and fingers for gripping any surface. 1 PAIR
<i>NO LONGER AVAILABLE</i>	VP-846109	USE P/N: VP-846006. Dyneema stretch fit glove with rubber coating. Size XXXL. Cut resistant with increased dexterity. Coated palm and fingers for gripping any surface. 1 PAIR
	VP-846225	Gloves, Nitrile dipped Predator work gloves. 1 dozen pair. Size: Large.
<i>NO LONGER AVAILABLE</i>	VP-846230	USE P/N: VP-846033. Heavy duty leather palm work glove. Size jumbo. 1 pair. With seamless kevlar lining providing cut and slash protection, green cuff. Drop Ship item.
<i>NO LONGER AVAILABLE</i>	VP-846231	USE P/N: VP-846032. Heavy duty leather palm work glove. Size men. 1 pair. With seamless kevlar lining providing cut and slash protection, red cuff. Drop Ship item.
<i>NO LONGER AVAILABLE</i>	VP-846232	USE P/N: VP-846031. Heavy duty leather palm work glove. Size Ladies. 1 pair. With seamless kevlar lining providing cut and slash protection, blue cuff. Drop Ship item.
	VP-846233-1-10	Leather work gloves, size 10. For use with Arc Flash PPE.
	vp-846233-1-11	Leather work gloves, size 11. For use with Arc Flash PPE.
	VP-846233-1-9	Leather work gloves, size 9. For use with Arc Flash PPE.

Subject	VP#	Description
GLOVES		
<i>NO LONGER AVAILABLE</i>	VP-846235	USE P/N: VP-846033. Kevlar seamless knit glove with sewn in leather palm. Size jumbo. 1 pair. Heat, cut and slash resistant, blue cuff. Drop Ship item.
<i>NO LONGER AVAILABLE</i>	VP-846236	USE P/N: VP-846032. Kevlar seamless knit glove with sewn in leather palm. Size men. 1 pair. Heat, cut and slash resistant, brown cuff. Drop Ship item.
<i>NO LONGER AVAILABLE</i>	VP-846237	USE P/N: VP-846031. Kevlar seamless knit glove with sewn in leather palm. Size ladies. 1 pair. Heat, cut and slash resistant, red cuff. Drop Ship item.
<i>NO LONGER AVAILABLE</i>	VP-846257-1-10	USE P/N: VP-846557-1-10. Rubber Insulating Gloves, 11" class 00, size 10. ASTM D120.
<i>NO LONGER AVAILABLE</i>	VP-846257-1-11	USE P/N: VP-846557-1-11. Rubber Insulating Gloves, 11" class 00, size 11. ASTM D120.
<i>NO LONGER AVAILABLE</i>	VP-846257-1-8	USE P/N: VP-846557-1-8. Rubber Insulating Gloves, 11" class 00, size 8. ASTM D120.
<i>NO LONGER AVAILABLE</i>	VP-846257-1-9	USE P/N: VP-846557-1-9. Rubber Insulating Gloves, 11" class 00, size 9. ASTM D120.
<i>NO LONGER AVAILABLE</i>	VP-846257-2-10	USE P/N: VP-846557-2-10. Leather Protectors, BSL GPL V, size 10. For use with VP-846257-1-10.
<i>NO LONGER AVAILABLE</i>	VP-846257-2-11	USE P/N: VP-846557-2-11. Leather Protectors, BSL GPL V, size 11. For use with VP-846257-1-11.
<i>NO LONGER AVAILABLE</i>	VP-846257-2-8	USE P/N: VP-846557-2-8. Leather Protectors, BSL GPL V, size 8. For use with VP-846257-1-8.
<i>NO LONGER AVAILABLE</i>	VP-846257-2-9	USE P/N: VP-846557-2-9. Leather Protectors, BSL GPL V, size 9. For use with VP-846257-1-9.
	VP-846260	High durability, heat resistant mechanics gloves with double layered palm. Three fingertips cut out for increased dexterity. Washable. Size small. 1 pair. Drop Ship item.
	VP-846261	High durability, heat resistant mechanics gloves with double layered palm. Three fingertips cut out for increased dexterity. Washable. Size medium. 1 pair. Drop Ship item.
	VP-846262	High durability, heat resistant mechanics gloves with double layered palm. Three fingertips cut out for increased dexterity. Washable. Size large. 1 pair. Drop Ship item.

Subject	VP#	Description
GLOVES		
	VP-846263	High durability, heat resistant mechanics gloves with double layered palm. Three fingertips cut out for increased dexterity. Washable. Size X-large. 1 pair. Drop Ship item.
	VP-846264	High durability, heat resistant mechanics gloves with double layered palm. Three fingertips cut out for increased dexterity. Washable. Size XX-large. 1 pair. Drop Ship item.
	VP-846270	High durability, heat resistant mechanics gloves with double layered palm. Full fingertips. Washable. Size small. 1 pair. Drop Ship item.
	VP-846271	High durability, heat resistant mechanics gloves with double layered palm. Full fingertips. Washable. Size medium. 1 pair. Drop Ship item.
	VP-846272	High durability, heat resistant mechanics gloves with double layered palm. Full fingertips. Washable. Size large. 1 pair. Drop Ship item.
	VP-846273	High durability, heat resistant mechanics gloves with double layered palm. Full fingertips. Washable. Size X-large. 1 pair. Drop Ship item.
	VP-846274	High durability, heat resistant mechanics gloves with double layered palm. Full fingertips. Washable. Size XX-large. 1 pair. Drop Ship item.
	VP-846284	Arc Flash Protection Gloves, Size XSM (7). 12 Pair. HRC Category 2. Drop Ship Item.
	VP-846285	Arc Flash Protection Gloves, Size SM (8). 12 Pair. HRC Category 2. Drop Ship Item.
	VP-846286	Arc Flash Protection Gloves, Size MED (9). 12 Pair. HRC Category 2. Drop Ship Item.
	VP-846287	Arc Flash Protection Gloves, Size LRG (10). 12 Pair. HRC Category 2. Drop Ship Item.
	VP-846288	Arc Flash Protection Gloves, Size XLRG (11). 12 Pair. HRC Category 2. Drop Ship Item.
<i>NO LONGER AVAILABLE</i>	VP-846293	USE P/N: VP-846041. Seamless, machine knit glove with grey polyurethane palm coating. ANSI cut resistant level 4, ANSI abrasion level 5. Size 5. 1 pair.
<i>NO LONGER AVAILABLE</i>	VP-846294	USE P/N: VP-846041. Seamless, machine knit glove with grey polyurethane palm coating. ANSI cut resistant level 4, ANSI abrasion level 5. Size 6. 1 pair.

Subject	VP#	Description
GLOVES		
<i>NO LONGER AVAILABLE</i>	VP-846295	USE P/N: VP-846042. Seamless, machine knit glove with grey polyurethane palm coating. ANSI cut resistant level 4, ANSI abrasion level 5. Size 7. 1 pair.
<i>NO LONGER AVAILABLE</i>	VP-846296	USE P/N: VP-846043. Seamless, machine knit glove with grey polyurethane palm coating. ANSI cut resistant level 4, ANSI abrasion level 5. Size 8. 1 pair.
<i>NO LONGER AVAILABLE</i>	VP-846297	USE P/N: VP-846044. Seamless, machine knit glove with grey polyurethane palm coating. ANSI cut resistant level 4, ANSI abrasion level 5. Size 9. 1 pair.
<i>NO LONGER AVAILABLE</i>	VP-846298	USE P/N: VP-846045. Seamless, machine knit glove with grey polyurethane palm coating. ANSI cut resistant level 4, ANSI abrasion level 5. Size 10. 1 pair.
<i>NO LONGER AVAILABLE</i>	VP-846299	USE P/N: VP-846046. Seamless, machine knit glove with grey polyurethane palm coating. ANSI cut resistant level 4, ANSI abrasion level 5. Size 11. 1 pair.
<i>NO LONGER AVAILABLE</i>	VP-846391	USE P/N: VP-846391-10. Gloves, nitrile (size 10), 15 mil, solvent-resistant. One Pair. SEE TIP 0.1.5-26.
	VP-846391-10	Gloves, 13", 15 mil nitrile, size 10. One Pair. SEE TIP 0.1.5-26.
	VP-846391-11	Gloves, 13", 15 mil nitrile, size 11. One Pair. SEE TIP 0.1.5-26.
	VP-846391-6	Gloves, 13", 15 mil nitrile, size 6. One Pair. SEE TIP 0.1.5-26.
	VP-846391-7	Gloves, 13", 15 mil nitrile, size 7. One Pair. SEE TIP 0.1.5-26.
	VP-846391-8	Gloves, 13", 15 mil nitrile, size 8. One Pair. SEE TIP 0.1.5-26.
	VP-846391-9	Gloves, 13", 15 mil nitrile, size 9. One Pair. SEE TIP 0.1.5-26.
	VP-846392	Gloves, welding, box of 12
<i>NO LONGER AVAILABLE</i>	VP-846393	USE P/N: VP-846031 (Size 8), VP-846032 (Size 9), VP-846033 (Size 10) or VP-846034 (Size 11). Gloves, work with leather palm, box of 12

Subject	VP#	Description
GLOVES		
	VP-846394	Latex gloves, disposable, 50 pair per dispenser, non-sterile, ambidextrous, size medium.
	VP-846395	Latex gloves, disposable, 50 pair per dispenser, non-sterile, ambidextrous, size large.
	VP-846396	Latex gloves, disposable, 50 pair per dispenser, non-sterile, ambidextrous, size X-large.
	VP-846557-1-10	Rubber Insulating Gloves, 11" Class 0, red, size 10. ASTM D120.
	VP-846557-1-10.5	Rubber Insulating Gloves, 11" Class 0, red, size 10-1/2. ASTM D120.
	VP-846557-1-11	Rubber Insulating Gloves, 11" Class 0, red, size 11. ASTM D120.
	VP-846557-1-12	Rubber Insulating Gloves, 11" Class 0, red, size 12. ASTM D120.
	VP-846557-1-7	Rubber Insulating Gloves, 11" Class 0, red, size 7. ASTM D120.
	VP-846557-1-8	Rubber Insulating Gloves, 11" Class 0, red, size 8. ASTM D120.
	VP-846557-1-8.5	Rubber Insulating Gloves, 11" Class 0, red, size 8-1/2. ASTM D120.
	VP-846557-1-9	Rubber Insulating Gloves, 11" Class 0, red, size 9. ASTM D120.
	VP-846557-1-9.5	Rubber Insulating Gloves, 11" Class 0, red, size 9-1/2. ASTM D120.
	VP-846557-2-10	Leather Protectors, low voltage, 10", size 10. For use with VP-846557-1-10.
	VP-846557-2-11	Leather Protectors, low voltage, 10", size 11. For use with VP-846557-1-11.
	VP-846557-2-12	Leather Protectors, low voltage, 10", size 12. For use with VP-846557-1-12.
	VP-846557-2-7	Leather Protectors, low voltage, 10", size 7. For use with VP-846557-1-7.
	VP-846557-2-8	Leather Protectors, low voltage, 10", size 8. For use with VP-846577-1-8.
	VP-846557-2-9	Leather Protectors, low voltage, 10", size 9. For use with VP-846557-1-9.
	VP-912315	SEE WIPERS.

Subject	VP#	Description
GREASE GUNS		
GREASE GUNS	VP-791200	SEE LUBRICATORS.
GRILLS		
	VP-788100	Plastic grill for E311/411M controller door. Rittal #3161.
GROMMETS		
	VP-788275	Rubber grommet, 1-1/4". SEE TIP 22.9-14.
GUARDS		
	VP-788475	Channel shaped guard for 7003C Inspection Control Box. SEE TIP 4.2.3-1.
	VP-788480	Traveling cable scuff guard. SEE TIP 5.1-4.
	VP-788649	Hard plastic sleeve used on VP-788650 Adisco-Berlin, CT, #SK-637
	VP-788650	Escal-aire rubber sleeve guard, right hand, Nacelles, ESC-SK-637.
	VP-788651	Escal-aire rubber sleeve guard, left hand, Nacelles, ESC-SK-637.
	VP-911650	SEE WEDGE GUARDS.
	VP-911655	SEE WEDGE GUARDS.
	VP-911700	Triangle Corner Protector. Red Triangle, Size - .125. For 11 GA. Material.
	VP-911701	Triangle Corner Protector. Yellow Triangle, Size - .062. For 16 GA. Material.
HARDWARE CLOTH		
	VP-743250	SEE CLOTH.
HEATERS		
	VP-792553	Heater, plug type, fits 1/4" pipe plug hold, 25W, 110V, for use in door operators. Hotwatt #13E0031-1. Use with VP-896660 thermostat.
	VP-792557	Strip heater, 240V, 500W. Chromalex # OT-1205.
HINGES		
	VP-792800	Hinge, Rixson 25, RH. Rebuilt unit.
	VP-792810	Hinge, SOSS type 314 with dull brass finish.
HOSES		

Subject	VP#	Description
HOSES		
	VP-793500	Hose, DIN 40621.
	VP-793900	Hose, 3/4" inside diameter, 3-braid Goodyear ortac red neoprene.
HOUSINGS		
	VP-874550	Spiral housing, Loher GMBH #5.54. Used on MRV fan. SEE parts leaflets 08-6333CE & C-3069.
INK		
	VP-708651	Dykem Steel Blue Layout Fluid. 8 oz. bottle with applicator brush in cap.
INSERTS		
	VP-795050	Insert for SES box, Southco # F1-10-106-12.
INSULATORS		
	VP-795080	Red insulator, Mueller Electric #47. Used to assemble VP-796075 jumper clips.
JEWELS		
	VP-796000	SEE ADHESIVES / SEALANTS.
KEYS		
	VP-796300	Key, Eagle #A36A4, for car operating panels and telephone cabinets.
	VP-796345	Key for Otis type 431Y lock. Corbin key # BGM30 used with lock #219K09-5.
	VP-796350	Key for Otis type 6410R switch assy. Used for light switches and independent service in COP. Arrow Hart #1561-488.
	VP-796400	Gamma 'D' cabinet key
	VP-796595	Key for over-the-door lockboxes. For use with VP-811720, VP-811725 and VP-811730 lockboxes. SEE Circular Letter SS-13A-75.
	VP-796596	Key for over-the-door lockboxes, California JX219 Key. For use with VP-811721 and VP-811726 lockboxes.
	VP-796800	Key #19 for intermediate & fast shaft Winsmith units used with 'O' operators. SEE Circular Letter SS-24-77.
	VP-796810	Key Eagle # A36A123 used for car operating panels and telephone cabinets.

Subject	VP#	Description
KEYS		
	VP-796840	Key, Corbin #4T74635. For lock P/N 431T1
	VP-796850	Key, Yale & Towne #47, for starter panels.
	VP-796905	Key # GA27248 for Otis lock #s 431C3, 431C6, and 179379.
	VP-797050	Key, Yale & Towne #14398GB, primarily for car top access.
	VP-797100	Key, Yale & Towne #18549E, primarily used for generator starting switches on older units.
	VP-797110	Key, Yale & Towne #5957 for Otis type 6410T keyswitch. Chicago & ANSI SES
	VP-797120	Key, Yale #2642 for New York SES.
	VP-797125	Key, Northeast Lock #1620 for New York SES. Fits type AAA431AK and AAA431AQ locks.
	VP-797130	Key, Yale #3502. Used on AAA7069BH keyswitch assemblies. Mass. SES
	VP-797135	Key, Yale #1254. Used on AAA431AM1 5-pin cab top exit lock.
	VP-797140	Key, Chicago #BFD1 for Ace type lock. Used for AAA7069BH keyswitch assemblies.
	VP-810385	Key, Chicago #7306. Used with VP-810380.
KITS		
	VP-700800	SEE ANTI-STATIC.
	VP-700801	SEE ANTI-STATIC.
	VP-752300	SEE CONTACTS.
	VP-752301	SEE CONTACTS.
	VP-752302	SEE CONTACTS.
	VP-766100	Kit for inserting and extracting eproms. 5 pieces. For eproms with 14 - 40 pins. Vendor: Contact East. P/N: WK-7.
	VP-773000	SEE FIRST AID.
	VP-773001	SEE FIRST AID.
	VP-775000	SEE FUSES.
	VP-789700	SEE MRVF.

Subject

VP#

Description

KITS

VP-798000	Kit OF 3/4" pipe fittings for 17CT gear box standpipe kit. SEE M.S.L. 6.2.2-10 & TIP 6.2.2-10
VP-798001	Kit OF 1/2" pipe fittings for 17CT gear box standpipe kit. SEE M.S.L. 6.2.2-10 & TIP 6.2.2-10
VP-798260	Package kits with necessary material to service HVPs 2000/2500/3000/3500 during NIS. SEE Circular Letters SS-19-76 & SS-23-75.
VP-798270	Package kits with necessary material to service HVPs 1500/4000 during NIS. SEE Circular Letters SS-19-76 & SS-23-75.
VP-798460	Piping kit for hydraulic elevators; pressure switch to comply with ANSI & CSA Safety Codes. SEE TIP 6.3.0-17.
VP-798500	7777/A7777 D.O. retrofit kit. Has: A456FC1; 2213R1-SILENT; VP-724810;VP-738325;VP-788275; VP-798540; VP-908910; 301G1. SEE TIP 22.9-14.
VP-798510	SEE MRVF.
VP-798520	SEE MRVF.
VP-798605	7770R door motor encoder kit. SEE TIP 22.6-15. Uses encoder VP-766000.
VP-798606	Kit, Encoder Upgrade for 525/527 gearless machines. Used with encoder AAA633W1. SEE TIP 6.1.14-5.
VP-804608	Kit, Hardware for top-of-car inspection light, VP-804615.
VP-912450	Kit of emergency power installation manual and 50' of blue Kynar wire.

LABELS

VP-420485	Hazard Information label for Simple Green cleaner. To be used on any secondary container of Simple Green.
VP-420486	Hazard Information label for Crystal Simple Green cleaner. To be used on any secondary container of Simple Green.
VP-865000	Otis Maintenance Seal Plaque used for the Otis maintenance seal award program. For data used to purchase this seal, please contact Field Service Dept. at OSC

Subject	VP#	Description
LABELS	VP-865050	MSDS access information card. Includes toll free telephone numbers and other contact information for 3E Company. Also includes list of information to have available when requesting an MSDS.
LAMPS	VP-800015	Readout lamp, IEE part # MP-123.
	VP-800470	Lamp, Dialco #507-4538.
	VP-800475	Lamp, Dialco #507.
	VP-800485	Incandescent lighting fixture, Crouse-Hinds # EVA-110.
	VP-800650	Bayonet base miniature lamp, GE #88, S-8, 15W, 1.91 amp. SEE parts leaflet C-3055.
	VP-800670	Lamp, GE #238. SEE parts leaflet C-3055.
	VP-800700	Bayonet base miniature lamp, double contact. Sylvania #1004.
	VP-800753	Lamp, GE #1383. RUHL; Rear Up Hall Lamp SEE TIP 31.5-5
	VP-800800	Indicator lamp, miniature screw base. Sylvania #1487, T 3-1/4, 14V, .20 amp.
	VP-800850	Lamp, GE #1476.
	VP-800900	Lamp, Sylvania #1477, 24V.
	VP-800995	Bulb and Socket Assembly .19" tip diameter, for GAL Light Ray Lamp Assembly.
	VP-801660	Gold service lamp. Sol-Rex T4, 150V, 4W, candelabra base, clear finish.
	VP-801740	Lamp, subminiature. T-1-3/4 type bulb, wedge type base. 5 Volt, 0.115 Amp. 0.8" tall.
	VP-801750	Clear lamp, 6S6, 6W, 155V.
	VP-802100	Lamp, type S14. Drop Ship Item.
	VP-802625	Lamp, 30V, 6W, Screw type base. Drop Ship Item.
	VP-803860	Lamp, Sylvania #381, T 1-3/4, 6.3V, .55C.
LEAFLETS	VP-812255	Spare Parts Leaflets Index, for hard copy sets. Leaflet No. 002. Replaces index - leaflet No. C-607M dated September 1, 1964.

Subject	VP#	Description
LIGHT FIXTURES		
LIGHT FIXTURES	VP-804550	Comblite, 3" diameter, bronze. Complete assembly of lens & frame.
	VP-804555	Comblite, 3" diameter, stainless steel. Complete assembly of lens & frame.
	VP-804600-1	Pivotlite type droplight
	VP-804600-2	Ericson Pivot Light. Base magnet, NEMA 5-15 power outlet in handle, 13 watt fluorescent bulb provides same light output as 60 watt incandescent without the intense heat, Scratch and shatter resistant lens, Oil and water resistant power cord, Yellow.
	VP-804608	SEE KITS.
	VP-804616	20-foot drop light, 100 watt incandescent. Without outlet, with switch. Plastic body and cage.
	VP-810220	EPCO surface mounted emergency light fixture, stainless steel finish. SEE FOCL 0.1.18-1.
	VP-810221	Nylube surface mounted emergency light fixture, stainless steel finish; with 6V battery and 120VAC wiring terminals.
	VP-810222	Nylube surface mounted emergency light fixture for mounting above translucent ceiling; with 6V battery and 120VAC wiring terminals.
	VP-810223	SEE BELLS.
	VP-810224	Nylube CSA approved car-top power supply w/ remote, surface mounted, slimline emergency light fixture; with 6V battery and 120VAC wiring terminals.
	VP-810225	EPCO surface mounted emergency light fixture, bronze finish. SEE FOCL 0.1.18-1.
LINERS	VP-804702	Liner, Rulon/Dixon #5207; complete liner & outer bushing. Also, one-piece dry bushing, U.S. Gasket #14DU12. SEE TIP 6.1.0-3/41.1-15.
LININGS	VP-804787	Brake lining. 1/4" x 8" Spec. 1. Order by foot.
	VP-804788	Brake lining. 1/4" x 10" Spec. 1. Order by the foot.

Subject	VP#	Description
LININGS		
	VP-804950	Brake lining, Spec. 1, 1/4" x 3-1/4". Order by the foot.
LOCKBOX		
	VP-811720	Lockbox, over-the-door, without key. Use key VP-796595. SEE Circular Letter SS-13A-75.
	VP-811721	Lockbox, over-the-door, without key. Use California JX219 key, VP-796596.
	VP-811725	Lockbox, knob type, without key. Use key VP-796595.
	VP-811726	Lockbox, knob type, without key. Use California JX219 key, VP-796596.
	VP-811730	Lockbox, credit card style, over-the-door type, without key. Can hold a credit card, or approximately 10 keys. Use key VP-796595.
LOCKS		
	VP-729013	Master super security hasp 6X700, and decal with the following text: "PROPERTY OF OTIS ELEVATOR CO."
	VP-810380	Lock, Chicago Lock #41531W90 with circular key #7306, one-way, 90 degrees.
	VP-810400	Combination padlock, 5/16" O.D. Hardened Hasp
	VP-810410	Keyed padlock for Lockout/Tagout. 1/4" hasp. Includes identification labels.
	VP-810415	Two keyed padlocks matched to same key (4 identical keys included). For Lockout/Tagout. 1/4" hasp. Includes identification labels.
	VP-810435	Cam lock, Chicago Lock #3205 with key #2001.
LUBRICANTS		
	VP-418785	Oil #2 in 1 quart containers. Used for sleeve type bearings on motor generators, etc. See TIP 6.0-2. SEE OMM 99.0-C for table of approve sources.
	VP-418790	Oil #2 in 1 gallon cans. Used for sleeve type bearings on motor generators, lubrication of escalator chains, etc. SEE TIP 30.0-1 SEE OMM 99.0-C for table of approved sources.

Subject	VP#	Description
LUBRICANTS		
	VP-418840	Oil #2, 5 gallon container. Bearing oil for sleeve type bearings on motor generators, etc. SEE TIP 30.0-1. SEE OMM 99.0-C for table of approved sources.
	VP-418935	Oil #10 in 1 gallon cans. Refer to SS-22-76 & FOCL 0.1.18-8 for usage. SEE TIP 1.1.13.0-1 and 1.1.12-1. SEE OMM 99.0-C for table of approved sources.
	VP-418940	Oil #10 in 5 gallon cans. Refer to SS-22-76 & FOCL 0.1.18-8 for usage. SEE OMM 99.0-C for table of approved sources.
	VP-418980	Oil #48 in 5 gallon can. Centrifugal pump oil for San Francisco Design Plunger Electric Elevators. Replaces Oil #37. SEE TIP 6.3.3-8. See OMM 99.0-C for table of approved sources.
	VP-418990	Oil #16 in 1 gallon can. Otis water hydraulic lube. Emulsifying oil for use in water hydraulic elevators. SEE TIP 6.3.3-8. SEE OMM 99.0-C for table of approved sources.
	VP-419150	Oil #47 in 1 quart pour spout bottles. Replaces Oil #26, VP-419140. SEE M.S.L. 25.0-9. Replaces Oil #5, VP-418890. See TIP 6.0-2. SEE OMM 99.0-C for table of approved sources.
	VP-419240	Oil #31(previously #31A) in 1 gallon cans. Guide rail lube. SEE TIP 25.0-18 and 0.1.5-18. SEE OMM 99.0-C for table of approved sources.
	VP-419241	Oil #31(previously #31A) in 1 quart containers. Guide rail lube. SEE TIP 25.0-18 and 0.1.5-18. SEE OMM 99.0-C for table of approved sources.
	VP-419330	Oil #33 in 1 gallon cans. Worm gear oil. SEE TIP 0.1.5-18; 6.2.2-9; 6.2.2-7; 6.2.7-5; 6.2.9-3; 6.2.9-3. SEE OMM 99.0-C for table of approved sources.
	VP-419390	Oil #33 in 5 gallon cans. Worm gear oil. SEE TIP 0.1.5-18; 6.2.2-9; 6.2.2-7; 6.2.7-5; 6.2.9-3; 6.2.9-3. SEE OMM 99.0-C for table of approved sources.
	VP-419400	Oil #LO33A & #46. In 5 gallon can. Synthetic oil for escalator machines. See TIP 30.0-5 SEE OMM 99.0-C for table of approved sources.
	VP-419405	Oil #53, synthetic gear oil for 'EC' escalator machines. In 5 gallon container. SEE OMM 99.0-C for table of approved sources.

Subject	VP#	Description
LUBRICANTS		
VP-419410	Oil #54, hypoid gear oil for 'H3' escalator machines. In 5 gallon container. SEE OMM 99.0-C for table of approved sources.	
VP-419540	Oil #35 in 10 ounce resealable plastic bottle. Dow Corning silicone fluid type 200 (100 centistokes). For relay dashpots-silicone base. SEE TIP 25.0-4 SEE OMM 99.0-C for table of approved sources.	
VP-419590	Oil #38 in 1 gallon cans for gearless machines and secondary sheave bearings. SEE OMM 99.0-C for table of approved sources.	
VP-419690	Oil #39, In 1 gallon container. Escalator chain lubricant. SEE TIP 30.0-10; 30.0-11; 30.2.1.0-1; 30.0-1; 2.6-1. SEE OMM 99.0-C for table of approved sources.	
VP-419745	Oil #45, synthetic gear oil 460, in 5 gallon can. See TIP 6.2.2-7; 6.2.2-9; 6.2.11-1; 6.2.11-3. Consider applying label AAA00102AAH001. SEE OMM 99.0-C for table of approved sources.	
VP-419746	Grease #17in 1lb container. Synthetic grease compatible with Otis Oil #45 and #46. Must be used in bearings of gearboxes using oil #45. SEE TIP 6.2.11-1 or -3 SEE OMM 99.0-C for table of approved sources.	
VP-419747	Oil #45, synthetic gear oil 460. In 1 gallon container. SEE TIP 6.2.2-7; 6.2.2-9; 6.2.11-1; 6.2.11-3. SEE OMM 99.0-C for table of approved sources.	
VP-419748	Grease #17 in 14 oz. (400g.) grease gun tubes. Synthetic grease compatible with Otis Oil #45 and #46. Must be used in bearings of gearboxes using oil #45. SEE TIP 6.2.11-1 or -3. SEE OMM 99.0-C for table of approved sources.	
VP-419750	Oil #60 in 1 gallon cans. Wire Rope Lubricant. SEE TIP 11.0-1; 11.0-7; 11.1-1; 0.1.5-18. SEE OMM 99.0-C for table of approved sources.	
VP-419755	Oil #60 in 1 quart containers w/pour spout. Wire rope lubricant. SEE TIP 0.1.5-18; 11.0-1; 11.0-7; 11.1-1. SEE OMM 99.0-C for table of approved sources.	

Subject	VP#	Description
LUBRICANTS		
	VP-419760	Oil #60A, (synthetic). In 1 gal container. Synthetic wire rope lubricant for use on Elevators and shuttle installations. SEE TIP 11.0-7 and 0.1.5-18. SEE OMM 99.0-C for table of approved sources.
	VP-419775	Oil #41 in plastic one quart bottles with pour spouts. Door operator oil. SEE TIP 22.0-2. SEE OMM 99.0-C for table of approved sources.
	VP-419780	Synthetic oil in 1 quart bottles of 5W-30 Mobil 1 for cold weather use in door operators and checks. SEE TIP 22.0-2
	VP-419800	Air compressor oil, Mobil Rarus 427 in 1 quart bottles. For use on MT-113001 and other single and multi-stage reciprocating air compressors. SEE TIP 1.2.0-32 and 41.1-66
	VP-419805	Oil #42 in 5 gallon cans. Hydraulic buffer Oil. Refer to SS-22-76 for usage. SEE TIP 14.2-4 SEE OMM 99.0-C for table of approved sources.
	VP-419806	Oil #42 in 1 gallon cans. Hydraulic buffer Oil. Refer to SS-22-76 for usage. SEE TIP 14.2-4 SEE OMM 99.0-C for table of approved sources.
	VP-419820	Oil #43 in 1 gallon plastic jugs. Helical gear Oil. SEE TIPs 6.2.7-5; 6.2.7-7; 6.2.7-13; 6.2.10-2. SEE OMM 99.0-C for table of approved sources.
	VP-419830	Oil #59 in 1 gal. Containers. Used for maintenance of non-Otis equipment. Helical Gear Oil, ISO 320. SEE OMM 99.0-C for table of approved sources.
	VP-419835	Oil #59 in 5 gal. Containers. Used for maintenance of non-Otis equipment. Helical Gear Oil, ISO 320. SEE OMM 99.0-C for table of approved sources.
	VP-420040	Grease #14 in 10 ounce squeeze tube. Open gear lubricating grease for external gears of machines and selector bevel gears. SEE TIP 25.0-3 SEE OMM 99.0-C for table of approved sources.
	VP-420240	Grease #12 in 14 oz. grease gun tubes. For use on ball/roller bearings & general greasing. SEE TIP 1.1.12.0-3; 28.2-7; 41.1-60; 81.6.0-1; 6.2.2-9 SEE OMM 99.0-C for table of approved sources.
	VP-420241	Grease #15, lithium, 14 oz. tube. SEE TIP 28.2-7 & 41.1-60 & 41.1-79. SEE OMM 99.0-C for table of approved sources.

Subject	VP#	Description
LUBRICANTS		
	VP-420242	Grease #15, lithium, 14 ounce can. SEE TIP 41.1-79. SEE OMM 99.0-C for table of approved sources.
	VP-420243	Grease # 15, lithium, in 8 ounce squeeze tube. Used for lubricating brake cores, bushings & sliding parts. SEE TIP 41.1-79. SEE OMM 99.0-C for table of approved sources.
	VP-420245	Grease #12 in 5 gallon cans. For use on ball & roller bearings & for general greasing. See also VP-420240 For TIPS. SEE OMM 99.0-C for table of approved sources.
	VP-420255	Otis Grease # 16 in 400 gram (14 oz) grease gun cartridge. Special grease, first used for NCT travolator lubrication and certain bearings subject to low frequency oscillation or vibratory motion. . See TSPL 53-GAA26340H.
	VP-420260	Otis Grease # 19 in 50 gram (1.76 oz. net wt.) squeeze tube. Special barium soap grease first used for NCT travolator lubrication. See SPL 53-GAA26340H.
	VP-740553	Spray lubricant, LPS2 in 11oz. Aerosal spray bottle. Replaces WD-40 type lubricant. SEE T.I.P. 25.0-16.
	VP-740557	Derma shield hand protector in 6 oz. can. Sold by case. 12, 6 oz. cans per case. SEE TIP 25.0-17
	VP-740558	Derma shield hand protector in 17 oz. can. Sold by case. 6, 17 oz. cans per case. SEE TIP 25.0-17
	VP-740559	Derma shield hand protector dispenser used for only the 17 oz. can size. SEE TIP 25.0-17
	VP-740565	#207 Fluid Film® NAS in 12oz. Non-aerosol pump spray can (refillable). Rust and corrosion preventative and lubricant. SEE TIP 25.0-18
	VP-740566	#207 Fluid Film®, In 1 gallon refill can. Rust/corrosion preventative and lubricant. SEE TIP 25.0-18
	VP-740575	Hole tapping lubricant, Tapfree 2, in 4 ounce bottles. Good for Low and Med. Carbon steels, Cast Iron, Mild Stainless Steel, and Alloy Steels. Minimum order of 6. SEE TIP 0.1.6-6 and 6.1.0-16

Subject	VP#	Description
LUBRICANTS		
VP-740600	Copper Based Anti-seize lubricant,Loctite 51001 C5-A® in 1 oz. tube. Protects metal parts from rust, corrosion, galling and seizing at temps to 1800 deg. F. SEE TIP 28.3-3 & 28.2-6	
VP-740650	Gasket lubricant: Victaulic Lubricant, 4.5 oz. Tube. To lubricate Victaulic fittings. (Refer to SWP N-1.1.14-9)	
VP-747000	Anti-Oxidation compound, Noalox® in 4 ounce tube. Used in MRVF retrofit kit: Battery Temperature Sensor. Improves surface life of aluminum electrical applications. SEE TIP 8.1-19	
VP-794060	Silicone lubricant, LPS Heavy Duty Silicone, in 13 oz aerosol can. Colorless and Odorless, eliminates squeaks, binds and sticking. SEE TIP 10.7-18	
VP-820410	Nyebar Type Q, 0.2% solution in two-oz. bottle; stops oil creepage on motor & generator shafts. SEE TIP 6.3.0-2. Replaces Type K from 2002 on.	
VP-821600	Oil #36, in 5 gallon cans. Oil for hydraulic elevators. SEE TIP 6.3.0-14; 6.3.3-8; 6.3.0-14; 6.3.3-5. SEE OMM 99.0-C for table of approved sources.	
VP-821610	Oil #36, in 55 gallon drum. Oil for hydraulic elevators. SEE TIP 6.3.0-14; 6.3.3-8; 6.3.0-14; 6.3.3-5. SEE OMM 99.0-C for table of approved sources.	
VP-821620	Hydraulic elevator oil additive,1 quart. Comes with one label AAA102AJG1. Used to eliminate "stiction". See T.I.P. 12.0-8.	
VP-821625	Oil # 52, in 1 gal. Containers. Used for maintenance of non-Otis equipment. Hydraulic Oil, ISO 68. SEE OMM 99.0-C for table of approved sources.	
VP-821630	Oil # 52, in 5 gal. Containers. Used for maintenance of non-Otis equipment. Hydraulic Oil, ISO 68. SEE OMM 99.0-C for table of approved sources.	
VP-821635	Oil # 52, in 55 gal. Containers. Used for maintenance of non-Otis equipment. Hydraulic Oil, ISO 68. SEE OMM 99.0-C for table of approved sources.	

Subject	VP#	Description
LUBRICANTS		
	VP-821640	Oil #51 in 5 Gal. Containers. Used for maintenance of non-Otis equipment. Hydraulic Oil, ISO 46. SEE OMM 99.0-C for table of approved sources.
	VP-821645	Oil #51 in 55 Gal. Containers. Used for maintenance of non-Otis equipment. Hydraulic Oil, ISO 46. SEE OMM 99.0-C for table of approved sources.
	VP-821650	Hydraulic oil (Tractor Hydraulic Fluid) in 5 gallon containers. Used in Schindler inverted hydraulic elevators. See TIPS 25.0-21 and 76.12.3-1.
	VP-821655	Hydraulic oil (Tractor Hydraulic Fluid) in 55 gallon containers. Used in Schindler inverted hydraulic elevators. See TIPS 25.0-21 and 76.12.3-1.
	VP-821670	ISO 320 R & O Oil in 1 quart container. For maintenance of non-Otis equipment, including rail lubrication of Kone units with SGB type safeties. Rust and oxidation inhibited oil. See TIPS 25.0-21, 67.0.1.7-1.
	VP-821680	Exxon Polyrex EP2 Grease in 14 oz. grease gun tube. For maintenance of non-Otis equipment, including Hollister-Whitney geared machines. Special Polurea grease NGLI 2. SEE TIP 6.2.9-1
	VP-821685	Mobil SHC 636 in 5 gallon container. For maintenance of non-Otis equipment, including Hollister-Whitney geared machines. PAO synthetic gear lubricant, ISO680. SEE TIP 6.2.9-1.
	VP-822001	Oil #58 in 5 gal. Containers. Used for maintenance of non-Otis equipment. Gear Oil. SEE TIP 6.2.0-3. SEE OMM 99.0-C for table of approved sources.
	VP-822005	Oil #58 in 1 gal. Containers. Used for maintenance of non-Otis equipment. Gear Oil. SEE TIP 6.2.0-3. SEE OMM 99.0-C for table of approved sources.
	VP-822008	Mobiltac 375 NC in 1 gallon container. Used for maintenance of non-Otis equipment. Diluent-type lubricant with asphaltic residue. Recommended by Montgomery for traction on 207, 208, 210 machines. See TIP 25.0-22.
	VP-822010	Synthetic Hydraulic Fluid, Mobil SHC 524 in 1 gallon containers. Used in Hollister Whitney Rope Gripper. SEE OMM 6.0-A.

Subject	VP#	Description
LUBRICANTS		
	VP-822020	Envirolift Soy Hydraulic Fluid, 16oz. Used in Brugg Rope Load Equalizer, MT-131024-1. See TIP 11.0-10.
	VP-822100	Oil; silicone fluid, General Electric # SF-1154 in 2 oz. tubes. Used on Louis Allis drives. SEE TIP 8.1-12.
	VP-822105	Aerosol Molybdenum Disulfide Dispersion Spray Lube. For manufacturing use only. Not available for sale to field offices.
	VP-871800	Slipit in 1 quart can. Replaces Nylube compound. SEE TIP 12.4-1; 12.4-2.
LUBRICATORS		
	VP-820100	SEE OIL CANS.
	VP-912030	SEE WICKS.
	VP-912033	SEE WICKS.
MANUALS		
	VP-812000	Elevator Management System Manual. Contains: Installation & Operation guide, T.I.P. 27.5-1 and EMS wiring diagrams, Drawings ABA7155BL Version 2.0 dated 9/92
	VP-812005	User's manual for Motion Measuring Device.
	VP-812007	OTISCHEK User Guide. Contains OTISCHEK instructions and software.
	VP-812008	OTISCHEK Quick Guide. Contains Quick Guide and Hall Call Version.
	VP-812014	Lobby CRT Troubleshooting manual
	VP-812015	Elevonic Upgrade Installation manual
	VP-812016	Elevator Management System Manual. Version 2.1.8 dated 1/2/97. Contains: Installation & Operation guide T.I.P. 27.5-9 with EMS wiring diagrams on drawings ABA7155BL, A7155AS.
	VP-812017	Elevator Management System User's Guide. Win V1.0
	VP-812020	Otis Maintenance Seal Award Brochure use to explain the program.
	VP-812033	Call Closeout Codes. For use with web-ready phones. Publication date 9/5/2001.
	VP-812100	OSC's Warehouse Procedure Manual.

Subject	VP#	Description
MANUALS		
	VP-812255	SEE LEAFLETS.
	VP-812256	Manual, bound, 8-1/2 x 11", EMS Panorama Installation Guide.
MARKERS		
	VP-811900	Marker, Permanent, black, sold individually
	VP-811910	Red, fine point, paint pen. Water based, non-toxic for marking of parts, components. Sold in package of 12.
	VP-811911	White, fine point, paint pen for marking of parts, components. Water based, non-toxic. Sold in package of 12.
	VP-811912	"Real White", fine point, paint pen for touch-up. Water based, non-toxic. Sold in package of 12 and in Owner Key Kits AAA23800D1 and 2.
	VP-811920	Marker, Temperature indicating crayon, 169 degree F. See T.I.P. 11.4-10.
MATS		
	VP-702100	Adhesive floor mats. 18" X 36" "Clean-Walk" mats. Removes dirt and contaminants from shoe soles on contact. 30 sheets per mat.
	VP-702101	Adhesive floor mats. 36" X 46" "Clean-Walk" mats. Removes dirt and contaminants from shoe soles on contact. 30 sheets per mat.
	VP-702105	Protective corrugated black vinyl mat. Conforms to ASTM D178-93 Type I, Class 2. For use near controllers. 24" wide X 1/4" thick X 12 feet long.
MODULES		
	VP-812350	Module, Interface Products #2040.
MOPS		
	VP-740002	Mop - 3" Wide, 18" long mopheads with 54" hardwood handle. McMaster Carr P/N: 7321T14
	VP-740003	Mop - 3" wide, 24" long mophead with 54" hardwood handle
	VP-740004	Mophead refill - 3" wide, for 18" long mophead
	VP-740005	Mophead refill - 3" wide, for 24" long mophead
MOTORS		

Subject	VP#	Description
MOTORS		
	VP-708020	Cooling blower minus motor Dayton, P/N 1C792 Used with cooling blower kit: 2700ACB1
	VP-708021	Cooling blower minus motor Dayton, P/N 1C791 Used with cooling blower kit: 2700ADD3
	VP-782006	Submergible motor for Otis type 7070AH hydraulic machine. AFD part #S20230, 20 HP, 230/460 volts.
	VP-814360	Motor, Universal #362 w/one capacitor; used with Jenn-Air RD-123 blowers.
	VP-814375	Motor, Morrison Products #06-0105-0; 1/20 H.P.; for Otis part #6091T1 blower.
	VP-814379	Motor, for 6091P7 blower.
	VP-814380	Motor. 208/220/460 V. Suitable for 6091P3, 6091P4, and 6091P8 blowers.
	VP-814551	Motor, GE #5BCC56EB4B, 1/3 H.P., 115V DC; used for 'O' operator.
	VP-814810	Motor, GE #8001581GE, model #5KS39HG4342S, 1/6 H.P., 1050 RPM, 6.2 amps, 115V, 60 Hz, single phase.
	VP-814820	Motor, single phase, open drip-proof, 1/2 HP 1725 RPM, 115/208-230V , NEMA 48Y frame.
	VP-814821	Motor, single phase, open drip-proof, 1/3 HP 1725 RPM, 115/208-230V , NEMA 48Y frame for cooling blower kit 2700ADD3
	VP-814822	Motor, three-phase, open drip-proof, 1/3 HP, 1725 RPM, 208-230/460V, NEMA 48 frame for cooling blower kit 2700ACB1.
MRVF		
	VP-789700	MRVF Maintenance Tool Kit. Contains: MT-115030, MT-122014, MT-124027-1, VP-700300, VP-765900, VP-769150, VP-814900, VP-835100.
	VP-798510	MRVF Control System Update. Kit of material required for TIP 1.1.4.3-26, Section VIII, sub-section I. Kit= (1) 600AD1, (1) B174DT1, & (1) 7416F1.
	VP-798520	MRVF Control System Update. Kit of material required for TIP 1.1.4.3-26, Section VIII, sub-section II.

NEEDLES

Subject	VP#	Description
NEEDLES		
	VP-815710	Needle orifice, EECO #2131.
NUTS		
	VP-816535	Bearhug locknut #7 used in place of spanner nut & lock washer. For locking bearings on to shafts. Whittet-Higgins # BH-07.
	VP-816537	Bearhug locknut #8 used in place of spanner nut & lock washer. For locking bearings on to shafts. Whittet-Higgins # BH-08.
	VP-816540	Bearhug locknut #9 used in place of spanner nut & lock washer. For locking bearings on to shafts. Whittet-Higgins # BH-09.
	VP-816543	Bearhug locknut #10 used in place of spanner nut & lock washer. For locking bearings on to shafts. Whittet-Higgins # BH-10.
	VP-816545	Bearhug locknut #11 used in place of spanner nut & lock washer. For locking bearings on to shafts. Whittet-Higgins # BH-11.
	VP-816550	Bearhug locknut #13 used in place of spanner nut & lock washer. For locking bearings on to shafts. Whittet-Higgins # BH-13.
	VP-816880	Metric hex nut used on A6164BP type switches of European manufacture. Cadmium plated, red iridited. DIN 934 M4 x 7.
	VP-816893	Nut, DIN 934 M8.
	VP-816895	Nut, hex, DIN 934 M12
	VP-816949	Steel locknut, DIN 985 M10 x 1.5, nylon insert.
	VP-817250	Standard hex jam nut, 1/2", brass. Same as Otis #69P5.
	VP-817285	Standard hex nut, 5/8", steel.
	VP-817295	American Standard hex light jam nut, 1", steel, zinc plated, fine thread.
	VP-817340	Standard hex nut, 1/4", steel.
	VP-817390	Hex machine screw nut, 10-32, brass. Double chamfered, thread class 2B. Same as Otis #74E3.
	VP-817400	Hex machine screw nut, 5-40, cadmium plated. Double chamfered, thread class 2B. Same as Otis #74E2.

Subject	VP#	Description
NUTS		
	VP-818150	Hex nut, 3/4"-10, Zinc plated steel Grade 5. Used in MT-102050 pipe stands.
	VP-818400	SAE hex full nut, 3/4", steel, coarse thread, class two. Same as Otis #68B6.
	VP-818410	Twirl nut.
	VP-818420	Hex machine screw nut, 3/8", brass.
	VP-818435	American Standard hex machine screw nut, 8-32, brass. 11/32" across face x 1/8" thick, double chamfer.
	VP-818510	American Standard CPR hex nut, 8-32, steel, coarse thread, class two.
	VP-818600	American Standard hex light jam nut, 3/8", steel, fine thread, class two. Same as Otis #85D3.
	VP-818725	Hex pal nut, 8-32, steel.
	VP-819800	Hex nut, 10-32, steel, cadmium plated.
OIL CANS		
	VP-820100	8 oz plastic oil can with 5 inch flexible metal nozzle and hand grip pump.
P.C. BOARDS		
	VP-765900	SEE CLEANERS.
	VP-798350	SEE KITS.
	VP-814900	MRVF extender board. Part of "MRVF Maintenance Tool Kit", VP-798700.
PADS		
	VP-740100	Liquid absorbent pads. Absorbs most liquids; oils, coolants, solvents and water. 16" X 20" mats. 50 pads / bag.
	VP-740101	Liquid absorbent rolled mat pads. 3 rolls / bag, each 4" wide X 150' long.
	VP-740102	Liquid absorbent pads. Absorbs most liquids; oils, coolants, solvents and water. 16" X 20" mats. 100 pads / bag.
	VP-740103	Oil absorbent pads. Absorbs petroleum-based liquids, but not water. 16" X 20" mats. 100 pads / bag.

PAILS

Subject	VP#	Description
PAILS		
	VP-829130	Pail, 6 gallon galvanized with cover.
PAINTS		
	VP-829001	Zinc. Rust-oleum 20 ounce aerosol spray paint.
	VP-829002	Rust Doctor, water based rust converter for steel surfaces. Converts rust into a protective coating that inhibits further rusting. Also acts as a primer. 1 quart. Drop Ship item.
	VP-830175	SEE PANS.
	VP-902705	Capri Blue. Sherwin Williams Polyurethane Enamel. 11 ounce spray can. Drop Ship item.
	VP-902706	Capri Blue. Sherwin Williams Polyurethane Enamel. 1 quart container. Drop Ship item.
	VP-902707	Capri Blue. Sherwin Williams Polyurethane Enamel. 1 gallon container. Drop Ship item.
	VP-902710	Aluminum. Sherwin Williams Enamel. 11 ounce spray can. Drop Ship item.
	VP-902712	Aluminum. Sherwin Williams Enamel. 1 gallon container. Drop Ship item.
	VP-902720	Beige / Flax. Sherwin Williams Polyurethane Enamel. 11 ounce spray can. Drop Ship item.
	VP-902721	Beige / Flax. Sherwin Williams Polyurethane Enamel. 1 quart container. Drop Ship item.
	VP-902722	Beige / Flax. Sherwin Williams Polyurethane Enamel. 1 gallon container. Drop Ship item.
	VP-902730	Yellow. Sherwin Williams Polyurethane Enamel. 11 ounce spray can. Drop Ship item.
	VP-902731	Yellow. Sherwin Williams Polyurethane Enamel. 1 quart container. Drop Ship item.
	VP-902732	Yellow. Sherwin Williams Polyurethane Enamel. 1 gallon container. Drop Ship item.
	VP-902740	Clear. Sherwin Williams Polyurethane. 11 ounce spray can. Drop Ship item.
	VP-902741	Clear. Sherwin Williams Polyurethane. 1 quart container. Drop Ship item.
	VP-902742	Clear. Sherwin Williams Polyurethane. 1 gallon container. Drop Ship item.
	VP-902751	Paint odor eliminator. 8 ounce can.

Subject

VP#

Description

PAINTS

VP-902760	Black. Sherwin Williams Polyurethane Enamel. 11 ounce spray can. Drop Ship item.
VP-902761	Black. Sherwin Williams Polyurethane Enamel. 1 quart container. Drop Ship item.
VP-902762	Black. Sherwin Williams Polyurethane Enamel. 1 gallon container. Drop Ship item.
VP-902770	Medium Gray. Sherwin Williams Polyurethane Enamel. 11 ounce spray can. Drop Ship item.
VP-902771	Medium Gray. Sherwin Williams Polyurethane Enamel. 1 quart container. Drop Ship item.
VP-902772	Medium Gray. Sherwin Williams Polyurethane Enamel. 1 gallon container. Drop Ship item.
VP-902780	Cedar Green. Sherwin Williams Polyurethane Enamel. 11 ounce spray can. Drop Ship item.
VP-902781	Cedar Green. Sherwin Williams Polyurethane Enamel. 1 quart container. Drop Ship item.
VP-902782	Cedar Green. Sherwin Williams Polyurethane Enamel. 1 gallon container. Drop Ship item.
VP-902790	Arctic Blue. Sherwin Williams Polyurethane Enamel. 11 ounce spray can. Drop Ship item.
VP-902791	Arctic Blue. Sherwin Williams Polyurethane Enamel. 1 quart container. Drop Ship item.
VP-902792	Arctic Blue. Sherwin Williams Polyurethane Enamel. 1 gallon container. Drop Ship item.
VP-902800	Clam Chowder. Sherwin Williams Polyurethane Enamel. 11 ounce spray can. Drop Ship item.
VP-902801	Clam Chowder. Sherwin Williams Polyurethane Enamel. 1 quart container. Drop Ship item.
VP-902802	Clam Chowder. Sherwin Williams Polyurethane Enamel. 1 gallon container. Drop Ship item.
VP-902900	Silver. Sherwin Williams Enamel. 1 quart container. For use as touch-up for hydro tanks with galvanized controller cabinets. Drop Ship item.

PANS

VP-830145	Drip pan, 9.5" x 14.75 x 2" deep. Used under rope shackles on top of car.
VP-830150	Dust pan, Rubbermaid #2006.

Subject	VP#	Description
PANS		
	VP-830175	9" paint roller (w/handle) and tray set. SEE FOCL 0.1.18-6.
	VP-830210	Drip pan & small bracket for 22CT machine worm shaft.
	VP-830211	Drip pan & large bracket for 29CT machine worm shaft.
PAPER		
	VP-830350	Fish paper by the sheet. Ideal for protecting motor fields/armatures. Insulating material. Dupont Nomex #410, 24" x 36" x 20 mil thick.
	VP-830400	Red building paper, 500 sq. ft. roll, 3' wide, 20-lb. paper. Ideal for repair jobs to protect walls and floors.
	VP-830410	Waterproof paper, blond laminant, non-staining. 600 sq. ft. roll, 4 ft. wide, approximately 24 lbs. Ideal for floor and wall protection.
	VP-831000	Very fine flint paper (220 grit) in 9" x 10" sheets. Generally used for maintenance and clean-up operations.
	VP-831050	Fine flint paper (120 grit) in 9" x 10" sheets. Generally used for maintenance and clean-up operations.
	VP-831150	Medium flint paper (80 grit) in 9" x 10" sheets. Generally used for maintenance and clean-up operations. 3M #10791 or equiv.
	VP-831200	Coarse flint paper (50 grit) in 9" x 10" sheets. Generally used for maintenance and clean-up operations. 3M #10792 or equiv.
	VP-831201	Garnet paper, medium (100) grit, 9"X11" sheet. 'A' weight. Specifically used for seating carbon brushes. Do not substitute with product which is electrically conductive.
	VP-831202	Garnet paper, medium (150) grit, 9"X11" sheet. 'A' weight. Specifically used for seating carbon brushes. Do not substitute with product which is electrically conductive.
PINS		
	VP-833145	Cotter pin, 1/16" x 1/2", steel with zinc coating packaged 1,000 pieces/box

Subject	VP#	Description
PINS		
	VP-833146	Cotter pin 1/16" x 3/4" steel, with zinc coating.
	VP-833150	Cotter pin, 3/16" x 1".
	VP-833200	Cotter pin, 3/16" x 1-1/2".
	VP-833225	Cotter pin, 3/16" x 2".
	VP-833300	Cotter pin, 3/16" x 3".
	VP-834200	Stop pin for A6993F safety shoe. Also, replacement pin for 6218 safety shoe per Circular Letter SS-7-76.
	VP-834600	Pin with bushing, E.C.S. #100.
	VP-834700	Roll pin, DIN 7346 16 x 36.
	VP-834715	Cotter pin, DIN 94 3.2 mm diameter x 20 mm long.
PIPE PLUGS		
	VP-836251	EECO #2121 adjustment plug.
	VP-836495	1/4" pipe plug, square head. McMaster-Carr #4468K12. SEE parts leaflet 06-7119W.
	VP-836496	Pipe plug, solid, 7/8" O.D.
	VP-836497	Pipe plug, cupped, 7/8" O.D.
PLASTIC SHEETS		
	VP-830420	Floor mask. 24" X 50' roll of hard surface floor protection. Non-adhesive, non-skid backing. Highly absorbant. Protects from dirt and greases.
	VP-830425	Stretch wrap, clear. 15" wide, 1000' roll. Handles included on both sides of the roll for easy handling. For use on 2:1 top-to-bottom re-roping jobs. SEE TIP 0.1.7-6.
	VP-830430	Carpet mask. 24" X 200' roll of self-adhesive carpet protection. Protects from dirt and greases.
	VP-835100	.125 plastic sheet stock. Used in MRVF Maintenance Tool Kit, VP-789700.
PLATES		
	VP-836100	Safety, brass, maintenance plate.
	VP-836101	Safety, chrome, maintenance plate.
PLUGS		

Subject	VP#	Description
PLUGS		
	VP-836500	Electrical plug, miniature solder type banana plug Fits miniature 2.64 mm (0.104) dia. banana jack color: black
	VP-836501	Electrical plug, miniature solder type banana plug Fits miniature 2.64 mm (0.104) dia. banana jack color: red
PLUNGERS		
	VP-836710	Plunger assembly, EECO #2125A.
PULL STRAPS		
	VP-703200	Pull strap 18" long, used for vertical hoistway doors.
	VP-881500	Pull strap, 36" long, used for vertical hoistway doors. Reference Otis dwg. #297C.
	VP-881600	Pull strap, 72" long, used for vertical hoistway doors. Reference Otis dwg. #297C.
PUMPS		
	VP-782007	Pump for Otis type 7070AH hydraulic machine. Allweiler part #210R-35-24MM.
RECTIFIERS		
	VP-761125	SEE DIODES.
	VP-838800	Rectifier transformer C100S1BA3S11G.
	VP-838805	Rectifier transformer C133S1BA3S11G.
	VP-839200	Rectifier J58B8.
	VP-839250	Rectifier J58B17.
	VP-839300	SEE DIODES.
REELS		
	VP-839600	Selector tape reel without tape, plywood. 2600-ft. capacity, reel size 24 x 12 x 12.
RELAYS		
	VP-721610	Relay, Allen-Bradley #700P220A24.
	VP-840000	Relay # RX120VAC-1.
	VP-840001	Relay for Keyless Entry System. Omron #MK3P-UA- AC-120.Essex-Tec #KE-1275PCB. SEE parts leaflet C- 3073.

Subject	VP#	Description
RELAYS		
	VP-840005	Relay, plug-in. Used w/Otis 6971Y light ray unit. Potter & Brumfield # KRP5AG-24 VAC or # KRPA5AG-24 VAC. SEE parts leaflet C-3055.
	VP-840010	Relay, Potter & Brumfield # KRP5D 12 volts.
	VP-840012	Relay, Aromat # K2F-24V. SEE parts leaflet C-3055.
	VP-840015	Relay, Artisan # RB120BAC-1. Used in Otis #4Y-6840CK1 assembly.
	VP-840020	Relay, 115C180.
	VP-840050	Relay, Line Electric # MK4227.
	VP-840200	Relay, HOZ-03462-/33-1316-2XR/XA (22G)53 is vendor P/N. Use for safety chain interface PCB on EVS product, limited release. Note: contact OSC Svc. Eng. before ship/order/purchasing this part.
	VP-840280	Relay, Guardian #1330-2C-120A. SEE parts leaflet C-3055.
	VP-840325	Relay, Potter & Brumfield # KUB23A11.
RESISTORS		
	VP-840480	Resistor, Ohmite #1744, B12J-2K5, 2500 ohms.
RESPIRATORS		
	VP-840472	Respirator 6000 series low maintenance type small size. Mfr. P/N 6100
	VP-840473	Respirator 6000 series low maintenance type medium size. Mfr. P/N 6200
	VP-840474	Respirator 6000 series low maintenance type large size. Mfr. P/N 6300
	VP-840485	Respirator cleaning wipes. Box of 100. Individually packaged. For use with VP-840472, VP-840473, VP-840474. Drop Ship Item.
	VP-840487	Respirator storage pouch. High visibility, water repellent, easy to clean and wear resistant. For use with VP-840472, VP-440473, VP-840474. Drop Ship Item.
RESPIRATORS, FILTERS		
	VP-840482	Adapters, prefilter. For use with VP-840472, VP-840473, VP-840474.

Subject	VP#	Description
RESPIRATORS, FILTERS		
	VP-840490	Filters, respirator. Bag of 2 filters. For all dust, minerals, organic vapors and acid gas. Use with VP-840472, VP-840473 and VP-840474.
	VP-840491	Filters, respirator. Case of 30 bags of 2 filters each. Organic vapor, acid gas cartridges. For use with VP-840472, VP-840473, and VP-840474.
	VP-840492	Filters, respirator. Case of 30 bags of 2 filters each. Multi-gas and vapor, diesel particulate cartridges. For use with VP-840472, VP-840473, and VP-840474.
	VP-846309	Dust mask with charcoal overlay. Box of 10. Includes a laminated "Voluntary Respiratory Information Card", AAA102ASX1. See T.I.P. 0.1.5-11.
	VP-846312	SEE RESPIRATORS.
RINGS		
	VP-798445	O Ring kit, for UC-1, UC-1A, UC-2, and UC-2A Valves. Vendor: Maxton. P/N: 140 KIT.
	VP-798446	O Ring kit, for Heavy duty UC-1 Valve. Vendor: Maxton. P/N: 142 KIT.
	VP-798448	O Ring kit, for UC-4 and UC-4M Valves. Vendor: Maxton Valve. P/N: 146KIT.
	VP-798449	O Ring kit, for Maxton Overspeed Valve, Vendor: Maxton Valve. P/N: 148KIT.
	VP-840528	SEE WIPERS.
	VP-840529	SEE WIPERS.
	VP-840530	SEE WIPERS.
	VP-840531	SEE WIPERS.
	VP-840532	SEE WIPERS.
	VP-840535	SEE WIPERS.
	VP-840585	SEE SPACERS.
	VP-840650	'O' ring kit for UV5A valve, EECO #5131.
	VP-840709	Axel retaining ring used on UB escalators. 10 DIN 6799. SEE Circular Letter SS-12-75.
	VP-840712	SEE SEALS.
	VP-840713	SEE SEALS.

Subject	VP#	Description
RINGS		
	VP-840717	SEE SEALS.
	VP-840795	Retaining ring for step wheels on UB escalators. DIN 471 17 x 1. Same as Otis #172PN6.
	VP-873870	SEE SPACERS.
	VP-873875	SEE SPACERS.
	VP-873880	SEE SPACERS.
	VP-873885	SEE SPACERS.
	VP-873890	SEE SPACERS.
	VP-873895	SEE SPACERS.
	VP-873900	SEE SPACERS.
	VP-873905	SEE SPACERS.
	VP-873910	SEE SPACERS.
	VP-873915	SEE SPACERS.
	VP-873920	SEE SPACERS.
	VP-873925	SEE SPACERS.
	VP-912300	SEE WIPERS.
	VP-912305	SEE WIPERS.
	VP-912310	SEE WIPERS.
RODS		
	VP-793100	Threaded rod. 3/8" x 16 (UNC thread). 36" length.
	VP-793110	Threaded rod. 1/2" x 13 (UNC thread). 36" length.
	VP-793120	Threaded rod. 5/16" x 18 (UNC thread). 36" length.
	VP-793130	Threaded rod. 5/8" x 11 (UNC thread). 36" length.
ROLLERS		
	VP-843570	Roller, ElSCO #18405. Replacement roller for ElSCO 3" roller guides. Aluminum frame for bearing.
	VP-843575	Roller, New Hampshire Industries # FHT4410E5.
	VP-843581	PVC roller for hoistway doorlock device, Otis # VP-843580.

Subject	VP#	Description
ROLLERS		
	VP-912020	Wheel, ElSCO # EA18359, 6". Replacement wheel for ElSCO roller guide, model B, moderate speed.
ROPES		
	VP-843600	3/16" bronze wire rope, 8 x 19 construction.
	VP-843650	7/16" bronze wire rope, 8 x 19 construction. Tail rope for wedge clamp safety drums.
	VP-844350	3/8" iron rope, type 6LT.
	VP-844400	1/2" iron pipe, type 6LT.
	VP-844700	5/8" Hawser laid manila rope.
	VP-845000	5/8" premium grade manila rope.
SAFETY SUPPLIES		
	VP-754190	Fleet Safety Kit: Contains (1) each of VP-773000, VP-846195, VP-754175, VP-846490, VP-846491, VP-846482, VP-846401 and (3) VP-846190 in duffel bag VP-846451. Drop Ship Item.
	VP-754191	Canvas storage bag for VP-846257-1 rubber gloves and VP-846257-2 leather protectors.
	VP-754201	No logo safety bag w/ VP#s 773000, 846366, 846355, 846328, 846311, 846387, 754205, 810400, 800211, 704175, 846350, 865050, 810415, and MT-124026-1, MT-114390-1.
	VP-754202	Otis logo safety bag w/ VP #'s 773000, 846366, 846345, 846328, 846311, 846387, 754205, 810400, 800209, 704175, 846350, 865050, 810415, and MT-124026-1, MT-114390-1, handbook.
	VP-754203-1	Arc Flash PPE Kit Bag, yellow, w/ Otis logo.
	VP-754203-2	Arc Flash PPE Kit Bag, yellow, w/o Logo.
	VP-754204	GFCI right angle plug with integrated receptacle, single, manual reset. (Ground Fault Circuit Interrupter)
	VP-754205	GFCI, right angle plug, 18" foot cord length, single. (ground fault circuit interrupter). Manual resetting.
	VP-754210	GFCI inline cord, 6 feet cord length, single. (ground fault circuit interrupter). Manual resetting.
	VP-754215	GFCI right angle plug, 25 feet cord length, 3 receptacles. (ground fault circuit interrupter). Manual resetting.

Subject

VP#

Description

SAFETY SUPPLIES

VP-754220	GFCI line cord, 50 feet cord length, 3 receptacles. (ground fault circuit interrupter). Manual resetting.
VP-754250	Protective Skin Cream. Protects from most common skin irritants such as solvents. 2 oz. tube. Drop Ship item.
VP-795085	Arc Flash Barrier. 3' X 2' sheet. Meets ASTM F2320 Class 0, Type II, Style B. Yellow, 1,000 volt AC maximum Use, Ozone, Oil and Grease resistant, fire retardant, reinforced.
VP-795090	Arc Flash Barrier. 3' X 25' roll. Meets ASTM F2320 Class 0, Type II, Style B. Yellow, 1,000 volt AC maximum Use, Ozone, Oil and Grease resistant, fire retardant, reinforced.
VP-846190	Light Stick, 6", Red-Hi color, 30 minute. Drop Ship Item
VP-846195	Safety Vest, reflective. Class 2, two-tones safety vest lime/orange, with reflective stripes. Size Large/X-Large. Drop Ship Item.
VP-846250	Shade 5 plate. 2" X 4-1/2". Heat treated glass. For use with welding masks VP-846341, VP-846326. Drop Ship Item.
VP-846251	Shade 10 plate. 2" X 4-1/2". Heat treated glass. For use with welding masks VP-846341 and VP-846326. Drop Ship Item.
VP-846252	Shade 12 plate. 2" X 4-1/2". Heat treated glass. For use with welding masks VP-846341 and VP-846326. Drop Ship Item.
VP-846253	Shade 14 plate. 2" X 4-1/2". Heat treated glass. For use with welding masks VP-846341 and VP-846326. Drop Ship Item.
VP-846254	Clear cover plate. 2" X 4-1/2". CR 39 plastic plate. To be placed over shaded plate. For use with welding masks VP-846341 and VP-846326. Drop Ship Item.
VP-846255	Clear impact back plate. 2" X 4-1/2". Clear polycarbonate plate. To be placed under shaded plate. For use with welding masks VP-846341 and VP-846326. Drop Ship Item.
<i>NO LONGER AVAILABLE</i> VP-846256	USE P/N: VP-846530. Sleeves, flame retardant cotton protective sleeves. Protects from above elbow to wrist. 18" long, lightweight. Sold in pairs.

Subject	VP#	Description
SAFETY SUPPLIES		
	VP-846258-1-10	Kit, Arc Flash Electrical PPE, with Otis logo, size 10.
	VP-846258-1-11	Kit, Arc Flash Electrical PPE, with Otis logo, size 11.
	VP-846258-1-9	Kit, Arc Flash Electrical PPE, with Otis logo, size 9.
	VP-846258-2-10	Kit, Arc Flash Electrical PPE, w/o logo, size 10.
	VP-846258-2-11	Kit, Arc Flash Electrical PPE, w/o logo, size 11.
	VP-846258-2-9	Kit, Arc Flash Electrical PPE, w/o logo, size 9.
	VP-846259-1-10	Kit, Line Voltage PPE, with Otis logo, size 10.
	VP-846259-1-11	Kit, Line Voltage PPE, with Otis logo, size 11.
	VP-846259-1-9	Kit, Line Voltage PPE, with Otis logo, size 9.
	VP-846259-2-10	Kit, Line Voltage PPE, w/o logo, size 10.
	VP-846259-2-11	Kit, Line Voltage PPE, w/o logo, size 11.
	VP-846259-2-9	Kit, Line Voltage PPE, w/o logo, size 9.
	VP-846300	Back support, ATA, size: small
	VP-846301	Back support, ATA, size: medium
	VP-846302	Back support, ATA, size: large
	VP-846303	(Back support), breakaway suspenders size: adjustable universal fit
	VP-846304	Back Support ATA size: extra large
	VP-846305	Back support with suspenders, size: XX large.
	VP-846310	Safety vest, fluorescent orange.
	VP-846316	Goggle case. Heavy duty nylon with zipper and two belt loops. Drop Ship Item.
	VP-846317	Eyewear soft storage case. Ripstop nylon with draw-string and barrel-lock. Drop Ship Item.
	VP-846318	Eyeglass cord. Adjustable, break away cord for holding safety glasses. Drop Ship Item.
	VP-846319	Lens cleaner. Box of pre-moistened towelettes. Non-silicone based, anti-fog, anti-static, individually packed tissues to clean glass and plastic lenses. Drop Ship Item.
	VP-846320	Face shield attachment for use with hard hat. Attachment only. Order VP-846322 face shield separately. Drop Ship Item.

Subject	VP#	Description
SAFETY SUPPLIES		
	VP-846321	Face shield attachment with ratchet adjustment. Headgear only. Order VP-846322 face shield separately. Drop Ship Item.
	VP-846322	Face shield visor replacement. For use with VP-846320 and VP-846321. Drop Ship Item.
	VP-846323	Glasses, safety, polysafe plus clear. Can be worn over prescription glasses
	VP-846324	Uvex Highflyer Safety Glasses, non-metallic, brown frames. Molded in flat-folding side shields and browguards, polycarbonate lens. Drop Ship Item.
	VP-846325	UFO Apollo Safety Glasses, clear lens, non-metallic black frame, adjustable temple length, polycarbonate lens. Drop Ship Item.
	VP-846326	Welding goggles. Order plates separately. Drop Ship Item.
	VP-846327	Chemical Goggles, safety. Adjustable venting, soft PVC frame, anti-fog, anti-static, scratch and impact resistant with UV protection. Drop Ship Item.
	VP-846328	Impact Goggles, safety - Vue Guard. With direct venting, polycarbonate lens material. Drop Ship Item.
	VP-846329	Eyeware accessory case. Black, zippered heavy duty eyeware case. For the storing and maintaining of eyeware while on jobsites. Drop Ship Item.
	VP-846331	Astrospec 3000 safety glasses. Scratch resistant, anti-fog, clear lens. Black frame with adjustable temples. Drop Ship item.
	VP-846332	Astrospec 3001 OTG safety glasses. Fit over most prescription eyewear. Scratch resistant, anti-fog, clear lens. Black frame with adjustable temples. Drop ship item.
	VP-846333	Nassau F6700 safety glasses. Scratch resistant, anti-fog, clear lens. Blue frame with adjustable temples. Drop Ship item.
	VP-846334	Eclipse safety glasses. Scratch resistant, clear lens. Burgandy frame. Drop Ship item.

Subject	VP#	Description
SAFETY SUPPLIES		
	VP-846335	Replacement lens for VP-846331, Astrospec 3000 safety glasses. Scratch resistant, anti-fog, clear lens. Drop Ship item.
	VP-846336	Replacement lens for VP-846332, Astro OTG 3001 safety glasses. Scratch resistant, anti-fog, clear lens. Drop Ship item.
	VP-846337	Replacement lens for VP-846333, Nassau F6700 safety glasses. Scratch resistant, anti-fog, clear lens. Drop Ship item.
	VP-846338	Personal Protective Equipment Dispenser. Clear acrylic, 6-14"H X 12"W X 9"D. Wall or table mount. Can hold safety glasses, ear plugs, dust masks, etc. Drop Ship Item.
	VP-846339	Elvex RX-100 Bifocal Safety Glasses, 1.0 power , Clear Lens.
	VP-846339-1.0	Elvex RX-100 Bifocal Safety Glasses, 1.0 power , Clear Lens.
	VP-846339-1.5	Elvex RX-100 Bifocal Safety Glasses, 1.5 power , Clear Lens.
	VP-846339-1.75	Elvex RX-100 Bifocal Safety Glasses, 1.75 power , Clear Lens.
	VP-846339-2.0	Elvex RX-100 Bifocal Safety Glasses, 2.0 power , Clear Lens.
	VP-846339-2.5	Elvex RX-100 Bifocal Safety Glasses, 2.5 power , Clear Lens.
	VP-846340	Elvex RX-100 Bifocal Safety Glasses, 1.5 power , Clear Lens.
	VP-846341	Shield, welding. Fiberglass, full-curved, lift front. Holds 2" X 4-1/2" plates. Use with VP-846342 and VP-846343. Drop Ship Item.
	VP-846342	Ratchet headgear for VP-846341 welding shield. Drop Ship Item.
	VP-846343	Hard hat attachment for VP-846341 welding shield. Non-metallic universal cap adapter, complete with friction joints. Drop Ship Item.
	VP-846344	Hard hat rack. Wall mount unit, holds one hard hat. Drop Ship Item.

Subject	VP#	Description
SAFETY SUPPLIES		
	VP-846347	Hard hat liner. Flame resistant, two-piece Velcro closure hood liner, winter weight. No metal parts. Drop Ship Item.
	VP-846348	Hard hat belt suspension, 6-point replacement headgear. Used in VP-846345, VP-846346 and VP-846352 through VP-846357. Drop Ship Item.
	VP-846350	Chin strap, for hard hats. Plastic fasteners attach to suspension. Drop Ship Item.
	VP-846351	Hard hat suspension, sentry III ratchet, 4-point suspension replacement headgear. Used in VP-846352 through VP-846355. Drop Ship Item.
	VP-846352	Hard hat, white with Otis logo. Dielectric with ratchet suspension, slotted. Adjustable from 6-1/2" to 8". Drop Ship Item.
	VP-846353	Hard hat, yellow with Otis logo. Dielectric with ratchet suspension, slotted. Adjustable from 6-1/2" to 8". Drop Ship Item.
	VP-846354	Hard hat, white, no logo. Dielectric with ratchet suspension, slotted. Adjustable from 6-1/2" to 8". Drop Ship Item.
	VP-846355	Hard hat, yellow, no logo. Dielectric with ratchet suspension, slotted. Adjustable from 6-1/2" to 8". Drop Ship Item.
	VP-846358-1	Hard hat Stealthlight holder. Fits slotted hard hats. For use with VP-800209. Drop Ship Item.
	VP-846358-2	Streamlight rubber helmet/hardhat strap for VP- (insert # for Streamlight LED).
	VP-846359	Hard hat sweatband. Terri-cloth band fits to suspension. Washable, non-metallic. 10 per package. Drop Ship Item.
	VP-846360-1	Streamlight rubber helmet/hardhat strap for use with VP-800231-1 and VP-800231-2.
	VP-846362	Bump Cap, Black, Short Brim. Can be worn in place of hard hats in non-MOD work in hoistway, machine room, pit, or where overhead hazard exists. One size - adjustable.
	VP-846367	Lanyard, to fit in every fall protection uniform listed under base part numbers: VP-846200 through VP-846205 and VP-846370 through VP-846375. 3600 lb gate strength.

Subject	VP#	Description
SAFETY SUPPLIES		
<i>NO LONGER AVAILABLE</i>	VP-846369	Lanyard holster (pouch) 4" x 7.5", expanded polyester vinyl.
<i>NO LONGER AVAILABLE</i>	VP-846377-2XL	USE P/N: VP-846412-2XL (For Otis) or VP-846414-2XL (for NAES). FALL PROTECTION VEST WITH ADJUSTABLE LANYARD, 2XL.
<i>NO LONGER AVAILABLE</i>	VP-846377-LRG	USE P/N: VP-846412-LRG (For Otis) or VP-846414-LRG (for NAES). FALL PROTECTION VEST WITH ADJUSTABLE LANYARD, LARGE.
<i>NO LONGER AVAILABLE</i>	VP-846377-MED	USE P/N: VP-846412-MED (For Otis) or VP-846414-MED (for NAES). FALL PROTECTION VEST WITH ADJUSTABLE LANYARD, MEDIUM.
<i>NO LONGER AVAILABLE</i>	VP-846377-SML	USE P/N: VP-846412-SML (For Otis) or VP-846414-SML (for NAES). FALL PROTECTION VEST WITH ADJUSTABLE LANYARD, SMALL.
<i>NO LONGER AVAILABLE</i>	VP-846377-XL	USE P/N: VP-846412-XL (For Otis) or VP-846414-XL (for NAES). FALL PROTECTION VEST WITH ADJUSTABLE LANYARD, XLARGE.
	VP-846378	Lanyard, adjustable length w/ shock absorber, steel snap hooks on both ends. For use with fall protection harnesses with D-ring on back. 3600 lb gate strength.
	VP-846379	Lanyard, 100% Tie-Off. Three legs, each having a steel self-locking snap hook. Includes energy absorber in central leg below master link. Suitable for fall protection. 3600 lb gate strength.
	VP-846380	Personal Fall Protection Kit. Includes lanyard, VP-846378 and harness w/ D-ring, MT-124040-7.
	VP-846381	Microshield rescue breather includes 1-pair of latex gloves and antiseptic towelettes.
	VP-846382	Semi-insert hearing protector. Dielectric headband with ear pods. Noise reduction rating of 25 dB. Drop Ship Item.
	VP-846383	Semi-insert hearing protector replacements. Package of 5 pair. Use with VP-846382. Drop Ship Item.
	VP-846384	Earplugs with storage case. Dielectric. Without cord. Noise reduction rating of 21dB. Drop Ship Item.

Subject	VP#	Description
SAFETY SUPPLIES		
	VP-846385	Ear muffs for slotted hard hats. Dielectric. Noise reduction rating of 23 dB. Use with VP-846345, VP-846346 and VP-846352 through VP-846357. Drop Ship Item.
	VP-846386	Ear muffs, dielectric. Noise reduction rating of 22 dB. Drop Ship Item.
	VP-846387	Earplugs, reusable, with cord and storage case. Noise reduction rating of 21 dB. 1 pair. Drop Ship item.
	VP-846388	Earplugs, disposable. with cord. Polymer foam. Noise reduction rating of 29 dB. 200 pair per box. Drop Ship Item.
	VP-846389	Earplugs, disposable. Dielectric, polymer foam. Noise reduction rating of 29 dB. Box of 200 pair. Drop Ship Item.
	VP-846390	Carabiner type retrofit Lanyard, without shock absorber. Adjustable up to 5 ft. in length. Used for retrofit of standard harness/lanyard combinations supplied under VP-846366. See TIP 0.1.5-55.
	VP-846398	Bracket for attachment of rail-mounting retractable lifeline, with mounting hardware. For use only with VP-846399 retractable lifeline. SEE TIP 0.1.5-56. NOT for use with MT-124040.
	VP-846399	Lifeline, 30 ft. retractable. For use with VP-846398 mounting bracket. SEE TIP 0.1.5-56.
	VP-846401	Highway Warning Triangle, reflective orange, w/ wire bracing. Drop Ship Item.
	VP-846412-2XL	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ Otis Logo. Size 2XL.
	VP-846412-LRG	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ Otis Logo. Size Large.
	VP-846412-MED	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ Otis Logo. Size Medium.
	VP-846412-SML	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ Otis Logo. Size Small.
	VP-846412-XL	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ Otis Logo. Size Extra-Large.
	VP-846413	Lifeline, self-retracting. UHMWPE/Polyester blend webbing, 11ft. Positive self-locking latch for employee fall protection.

Subject	VP#	Description
SAFETY SUPPLIES		
	VP-846414-2XL	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ NAES Logo. Size 2XL
	VP-846414-LRG	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ NAES Logo. Size Large.
	VP-846414-MED	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ NAES Logo. Size Medium.
	VP-846414-SML	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ NAES Logo. Size Small.
	VP-846414-XL	Fall Protection Vest, Dark Green, with Adjustable Lanyard, w/ NAES Logo. Size Extra-Large.
	VP-846423	Funnel, safety, with flash arrestor. Used for storage drums.
	VP-846424	Container, fireproof, oily rag.
	VP-846425	Zip Lock bags, 100 in a box. Used for waste rag transfer. 13" x 15".
	VP-846426-2XL	Vest, Safety, Fall Protection, Hi-Vis, lightweight mesh, flourescent yellow. Size Double Extra-Large.
	VP-846426-LRG	Vest, Safety, Fall Protection, Hi-Vis, lightweight mesh, flourescent yellow. Size Large.
	VP-846426-MED	Vest, Safety, Fall Protection, Hi-Vis, lightweight mesh, flourescent yellow. Size Medium.
	VP-846426-SML	Vest, Safety, Fall Protection, Hi-Vis, lightweight mesh, flourescent yellow. Size Small.
	VP-846426-XL	Vest, Safety, Fall Protection, Hi-Vis, lightweight mesh, flourescent yellow. Size Extra-Large.
<i>NO LONGER AVAILABLE</i>	VP-846427-2XL	USE P/N: VP-846426-2XL. Safety Vest, Size Double Extra Large.
<i>NO LONGER AVAILABLE</i>	VP-846427-LRG	USE P/N: VP-846426-LRG. Safety Vest, Size Large.
<i>NO LONGER AVAILABLE</i>	VP-846427-MED	USE P/N: VP-846426-MED. Safety Vest, Size Medium.
<i>NO LONGER AVAILABLE</i>	VP-846427-SML	USE P/N: VP-846426-SML. Safety Vest, Size Small.
<i>NO LONGER AVAILABLE</i>	VP-846427-XL	USE P/N: VP-846426-XL. Safety Vest, Size Extra Large.
	VP-846428	Lanyard, extension, for fall protection. To ease attachment of retractable lifeline to harness D-ring.

Subject	VP#	Description
SAFETY SUPPLIES		
	VP-846429	Harness, Fall Protection. Lightweight full body fall protection with back D-ring, quick connect leg buckles and breathable padding on shoulders and back.
<i>NO LONGER AVAILABLE</i>	VP-846435	USE P/N: VP-846531. Kevlar protective sleeve with thumbhole. 18" long to protect forearm from heavy abrasion. Sold individually.
<i>NO LONGER AVAILABLE</i>	VP-846436	USE P/N: VP-846530. Light duty cut resistant sleeve without thumbhole. 10" long to protect forearm from heavy abrasion. Sold individually.
<i>NO LONGER AVAILABLE</i>	VP-846437	USE P/N: VP-846530. Light duty cut resistant sleeve without thumbhole. 16" long to protect forearm from heavy abrasion. Sold individually.
<i>NO LONGER AVAILABLE</i>	VP-846438	USE P/N: VP-846530. Medium duty cut resistant sleeve without thumbhole. Size 18 Wide. 18" long, ANSI Cut Level 2 protection. Sold individually.
<i>NO LONGER AVAILABLE</i>	VP-846439	USE P/N: VP-846530. Medium duty cut resistant sleeve without thumbhole. Size 18 Narrow. 18" long, ANSI Cut Level 2 protection. Sold individually.
	VP-846440	Knee pads, heavy duty, black, velcro type fastening, one size fits all.
	VP-846445	Red safety dot, for watch faces. Used as a reminder to "Think Safety". Box of approximately 500 dots.
	VP-846450	Duffle bag, for safety equipment, cordura green canvas w/Otis logo in gold on both ends of bag, 24 x 14.
	VP-846451	Duffle bag, for fleet safety kit, polyester red w/ "FLEET SAFETY KIT" silkscreened on side. 24"L x 12"H x 11" W. Drop Ship Item.
	VP-846457	Anti-skid warning tape. Grit surfaced black and yellow striped. 3" wide, 20 yard roll with adhesive backing.
	VP-846465	Edge guard - black, plastic edge trim with adhesive. Provides cut and puncture protection from sheet metal edges up to .125 inches thick. 250 foot roll. SEE T.I.P.41.1-98. Drop Ship Item.
	VP-846466	Edge guard - clear, plastic edge trim with adhesive. Provides cut and puncture protection from sheet metal edges up to .125 inches thick. 250 foot roll. SEE T.I.P.41.1-98. Drop Ship Item.

Subject	VP#	Description
SAFETY SUPPLIES		
	VP-846467	Edge guard - chrome, plastic edge trim with adhesive. Provides cut and puncture protection from sheet metal edges up to .125 inches thick. 250 foot roll. SEE T.I.P.41.1-98. Drop Ship Item.
	VP-846468	Insoles. Puncture resistant shoe insoles. Men's size 5-6, Women's size 7-8. Complies with CSA, ASTM F 2413, OSHA standards for puncture resistance. Flexible contoured design for comfort.
	VP-846469	Insoles. Puncture resistant shoe insoles. Men's size 7-8, Women's size 9-10. Complies with CSA, ASTM F 2413, OSHA standards for puncture resistance. Flexible contoured design for comfort.
	VP-846470	Insoles. Puncture resistant shoe insoles. Men's size 9-10, Women's size 11-12. Complies with CSA, ASTM F 2413, OSHA standards for puncture resistance. Flexible contoured design.
	VP-846471	Insoles. Puncture resistant shoe insoles. Men's size 11-12. Complies with CSA, ASTM F 2413, OSHA standards for puncture resistance. Flexible contoured design for comfort.
	VP-846472	Insoles. Puncture resistant shoe insoles. Men's size 13-15. Complies with CSA, ASTM F 2413, OSHA standards for puncture resistance. Flexible contoured design for comfort.
	VP-846473	Insoles. Puncture resistant shoe insoles. One Size Fits All. Complies with ASTM F 2413, OSHA standards for puncture resistance. Not CSA compliant. Flexible contoured design for comfort.
	VP-846480	Shoe Cover, Adjustable Traction Device for icy / snowy conditions. Size Large. Fits over Men's size 8 - 11 shoes.
	VP-846481	Shoe Cover, Adjustable Traction Device for icy / snowy conditions. Size Extra-Large. Fits over Men's size 11 - 13 shoes.
	VP-846482	Ice scraper, snow brush. 16". Drop Ship Item.
	VP-846500	Hardhat and face shield combo, 12 cal/cm2. Includes hardhat, face shield with chin cup and slotted cap bracket.
	VP-846501	Face Shield, 12 cal/cm2, with chin cup. For use with VP-846500.

Subject	VP#	Description
SAFETY SUPPLIES		
	VP-846502	Bracket, slotted hard cap for face shield. For use with VP-846500.
	VP-846510	Balaclava hood, white, 10 cal/cm2.
	VP-846530	Protective Sleeve, 18" long. ANSI Cut Level 3 protection, flame resistant. Without thumb hole. Sold individually.
	VP-846531	Protective Sleeve, 18" long. ANSI Cut Level 3 protection, flame resistant. With thumb hole. Sold individually.
SAFETY SUPPLIES, FIRE		
	VP-846417	Fire extinguisher, 20 lb. wall mount, 'ABC' type.
	VP-846418	Fire extinguisher, 2.75 lb. vehicle: 'BC' type.
	VP-846490	Fire extinguisher, 5 lb., 'ABC' type. Drop Ship Item.
	VP-846491	Fire extinguisher vehicle mounting bracket. For use with VP-846490. Drop Ship Item.
SAFETY SUPPLIES, LABELS		
	VP-846419	Labels, "Hazardous Waste", 25 in a pack (for specific chemical identification) 6" x 6" size.
	VP-846420	Labels, "NON-Hazardous Waste", 25 in a pack, 6" x 6" size.
	VP-846421	Labels, "Hazardous Waste"...Used for Zip Lock bags. 500 in a roll, 7/8" x 3"size.
	VP-846458	Label, GHS Secondary Container Label. Qty: 1 label. Used to identify chemical materials transferred into secondary containers. Self-adhesive, 3" X 4" vinyl. See TIP 0.1.5-18.
	VP-846459	Label, GHS Secondary Container Label. Qty: Roll of 250 labels. Used to identify chemical materials transferred into secondary containers. Self-adhesive, 3" X 4" vinyl. See TIP 0.1.5-18.
<i>NO LONGER AVAILABLE</i>	VP-846460	USE P/N: VP-846459. Label, Material Identification. Used to identify materials transferred to secondary containers. Self-adhesive, 1-1/2" X 3-7/8". Drop Ship Item.
	VP-846461	Label, Hazard Rating Index. Used to define hazard ratings and protective equipment needs. Self-adhesive, 4" X 5-7/8". Drop Ship Item.

Subject	VP#	Description
SAFETY SUPPLIES, LABELS		
	VP-846462	Label, "DANGER Contains asbestos fibers, avoid creating dust-cancer and lung disease hazard". Individual label. 3-1/2" x 5".
SAFETY SUPPLIES, SIGNS		
	VP-846406	10" x 14" rigid plastic sign with "waste storage area" printed on one side.
	VP-846407	7" x 10" door cabinet sign with "danger-flammable" printed on one side. Mfr. P/N D126P
	VP-846408	10" x 14" wall mount sign with "danger-flammable" printed on one side.
	VP-846409	8" x 10" sign with "authorized personnel only" printed on one side.
	VP-846410	9" x 12" "no smoking" sign: vinyl material.
	VP-846411	9" x 12" "no smoking" sign: rigid plastic material.
SAFETY SUPPLIES, SPILL		
	VP-846415	4-drum secondary containment holder.
	VP-846416	Single drum secondary containment holder.
	VP-846431	Spill response kit. For warehouse type application.
	VP-846432	Vehicle spill response kit, grab and go style.
	VP-846433	Refillable vehicle spill response kit. Includes gloves, a disposal bag, 10 absorbant pads, 2 barrier socks. Enough to contain 5 gallons. Can be refilled with VP-846432 and VP-740100.
SAFETY SUPPLIES, UNIFORMS		
	VP-714001	Tyvek protective coveralls, hooded. Size large. 6 coveralls per box.
	VP-714002	Tyvek protective coveralls, hooded. Size X-large. 6 coveralls per box.
	VP-714003	Tyvek protective coveralls, hooded. Size XX-large. 6 coveralls per box.
	VP-846200-29	Fall protection bib overall without lanyard. Size small to fit chest sizes 30-32. Trouser inseam 29". Drop Ship item.

Subject	VP#	Description
<i>SAFETY SUPPLIES, UNIFORMS</i>		
	VP-846200-32	Fall protection bib overall without lanyard. Size small to fit chest sizes 30-32. Trouser inseam 32". Drop Ship item.
	VP-846200-35	Fall protection bib overall without lanyard. Size small to fit chest sizes 30-32. Trouser inseam 35". Drop Ship Item.
	VP-846201-29	Fall protection bib overall without lanyard. Size medium to fit chest sizes 34-36. Trouser inseam 29". Drop Ship item.
	VP-846201-32	Fall protection bib overall without lanyard. Size medium to fit chest sizes 34-36. Trouser inseam 32". Drop Ship item.
	VP-846201-35	Fall protection bib overall without lanyard. Size medium to fit chest sizes 34-36. Trouser inseam 35". Drop Ship item.
	VP-846202-29	Fall protection bib overall without lanyard. Size large to fit chest sizes 38-40. Trouser inseam 29". Drop Ship item.
	VP-846202-32	Fall protection bib overall without lanyard. Size large to fit chest sizes 38-40. Trouser inseam 32". Drop Ship item.
	VP-846202-35	Fall protection bib overall without lanyard. Size large to fit chest sizes 38-40. Trouser inseam 35". Drop Ship item.
	VP-846203-29	Fall protection bib overall without lanyard. Size X-large to fit chest sizes 42-44. Trouser inseam 29". Drop Ship item.
	VP-846203-32	Fall protection bib overall without lanyard. Size X-large to fit chest sizes 42-44. Trouser inseam 32". Drop Ship item.
	VP-846203-35	Fall protection bib overall without lanyard. Size X-large to fit chest sizes 42-44. Trouser inseam 35". Drop Ship item.
	VP-846204-29	Fall protection bib overall without lanyard. Size XX-large to fit chest sizes 46-48. Trouser inseam 29". Drop Ship item.
	VP-846204-32	Fall protection bib overall without lanyard. Size XX-large to fit chest sizes 46-48. Trouser inseam 32". Drop Ship item.

Subject	VP#	Description
<i>SAFETY SUPPLIES, UNIFORMS</i>		
	VP-846204-35	Fall protection bib overall without lanyard. Size XX-large to fit chest sizes 46-48. Trouser inseam 35". Drop Ship item.
	VP-846205-29	Fall protection bib overall without lanyard. Size XXX-large to fit chest sizes 50-52. Trouser inseam 29". Drop Ship item.
	VP-846205-32	Fall protection bib overall without lanyard. Size XXX-large to fit chest sizes 50-52. Trouser inseam 32". Drop Ship item.
	VP-846205-35	Fall protection bib overall without lanyard. Size XXX-large to fit chest sizes 50-52. Trouser inseam 35". Drop Ship item.
	VP-846210-32	Flame resistant Indura, long sleeve coveralls uniform. Size small to fit chest sizes 34"-37". Trouser inseam 32".
	VP-846210-35	Flame resistant Indura, long sleeve coveralls uniform. Size small to fit chest sizes 34"-37". Trouser inseam 35".
	VP-846211-29	Flame resistant Indura, long sleeve coveralls uniform. Size medium to fit chest sizes 38"-40". Trouser inseam 29".
	VP-846211-32	Flame resistant Indura, long sleeve coveralls uniform. Size medium to fit chest sizes 38"-40". Trouser inseam 32".
	VP-846211-35	Flame resistant Indura, long sleeve coveralls uniform. Size medium to fit chest sizes 38"-40". Trouser inseam 35".
	VP-846212-29	Flame resistant Indura, long sleeve coveralls uniform. Size medium-large to fit chest sizes 41"-42". Trouser inseam 29".
	VP-846212-32	Flame resistant Indura, long sleeve coveralls uniform. Size medium-large to fit chest sizes 41"-42". Trouser inseam 32".
	VP-846212-35	Flame resistant Indura, long sleeve coveralls uniform. Size medium-large to fit chest sizes 41"-42". Trouser inseam 35".
	VP-846213-29	Flame resistant Indura, long sleeve coveralls uniform. Size large to fit chest sizes 43"-44". Trouser inseam 29".

Subject	VP#	Description
SAFETY SUPPLIES, UNIFORMS		
	VP-846213-32	Flame resistant Indura, long sleeve coveralls uniform. Size large to fit chest sizes 43"-44". Trouser inseam 32".
	VP-846213-35	Flame resistant Indura, long sleeve coveralls uniform. Size large to fit chest sizes 43"-44". Trouser inseam 35".
	VP-846214-29	Flame resistant Indura, long sleeve coveralls uniform. Size X-large to fit chest sizes 45"-48". Trouser inseam 29".
	VP-846214-32	Flame resistant Indura, long sleeve coveralls uniform. Size X-large to fit chest sizes 45"-48". Trouser inseam 32".
	VP-846214-35	Flame resistant Indura, long sleeve coveralls uniform. Size X-large to fit chest sizes 45"-48". Trouser inseam 35".
	VP-846215-32	Flame resistant Indura, long sleeve coveralls uniform. Size XX-large to fit chest sizes 49"-52". Trouser inseam 32".
	VP-846215-35	Flame resistant Indura, long sleeve coveralls uniform. Size XX-large to fit chest sizes 49"-52". Trouser inseam 35".
	VP-846216-32	Flame resistant Indura, long sleeve coveralls uniform. Size XXX-large to fit chest sizes 53"-56". Trouser inseam 32".
	VP-846216-35	Flame resistant Indura, long sleeve coveralls uniform. Size XXX-large to fit chest sizes 53"-56". Trouser inseam 35".
	VP-846370-29LS	Fall protection uniform without lanyard. Size small to fit chest sizes 34-37. Trouser inseam 29", long sleeve shirt
	VP-846370-29SS	Fall protection uniform without lanyard. Size small to fit chest sizes 34-37. Trouser inseam 29", short sleeve shirt
	VP-846370-32LS	Fall protection uniform without lanyard. Size small to fit chest sizes 34-37. Trouser inseam 32", long sleeve shirt
	VP-846370-32SS	Fall protection uniform without lanyard. Size small to fit chest sizes 34-37. Trouser inseam 32", short sleeve shirt

Subject	VP#	Description
SAFETY SUPPLIES, UNIFORMS		
	VP-846370-35LS	Fall protection uniform without lanyard. Size small to fit chest sizes 34-37. Trouser inseam 35", long sleeve shirt
	VP-846370-35SS	Fall protection uniform without lanyard. Size small to fit chest sizes 34-37. Trouser inseam 35", short sleeve shirt
	VP-846371-29LS	Fall protection uniform without lanyard. Size medium to fit chest sizes 38-41. Trouser inseam 29", long sleeve shirt.
	VP-846371-29SS	Fall protection uniform without lanyard. Size medium to fit chest sizes 38-41. Trouser inseam 29", short sleeve shirt.
	VP-846371-32LS	Fall protection uniform without lanyard. Size medium to fit chest sizes 38-41. Trouser inseam 32", long sleeve shirt.
	VP-846371-32SS	Fall protection uniform without lanyard. Size medium to fit chest sizes 38-41. Trouser inseam 32", short sleeve shirt.
	VP-846371-35LS	Fall protection uniform without lanyard. Size medium to fit chest sizes 38-41. Trouser inseam 35", long sleeve shirt.
	VP-846371-35SS	Fall protection uniform without lanyard. Size medium to fit chest sizes 38-41. Trouser inseam 35", short sleeve shirt.
	VP-846372-29LS	Fall protection uniform without lanyard. Size medium-large to fit chest sizes 42-43. Trouser inseam 29", long sleeve shirt.
	VP-846372-29SS	Fall protection uniform without lanyard. Size medium-large to fit chest sizes 42-43. Trouser inseam 29", short sleeve shirt.
	VP-846372-32LS	Fall protection uniform without lanyard. Size medium-large to fit chest sizes 42-43. Trouser inseam 32", long sleeve shirt.
	VP-846372-32SS	Fall protection uniform without lanyard. Size medium-large to fit chest sizes 42-43. Trouser inseam 32", short sleeve shirt.
	VP-846372-35LS	Fall protection uniform without lanyard. Size medium-large to fit chest sizes 42-43. Trouser inseam 35", long sleeve shirt.

Subject	VP#	Description
SAFETY SUPPLIES, UNIFORMS		
	VP-846372-35SS	Fall protection uniform without lanyard. Size medium-large to fit chest sizes 42-43. Trouser inseam 35", short sleeve shirt.
	VP-846373-29LS	Fall protection uniform without lanyard. Size large to fit chest sizes 44-45. Trouser inseam 29", long sleeve shirt.
	VP-846373-29SS	Fall protection uniform without lanyard. Size large to fit chest sizes 44-45. Trouser inseam 29", short sleeve shirt.
	VP-846373-32LS	Fall protection uniform without lanyard. Size large to fit chest sizes 44-45. Trouser inseam 32", long sleeve shirt.
	VP-846373-32SS	Fall protection uniform without lanyard. Size large to fit chest sizes 44-45. Trouser inseam 32", short sleeve shirt.
	VP-846373-35LS	Fall protection uniform without lanyard. Size large to fit chest sizes 44-45. Trouser inseam 35", long sleeve shirt.
	VP-846373-35SS	Fall protection uniform without lanyard. Size large to fit chest sizes 44-45. Trouser inseam 35", short sleeve shirt.
	VP-846374-29LS	Fall protection uniform without lanyard. Size X-large to fit chest sizes 46-49. Trouser inseam 29", long sleeve shirt.
	VP-846374-29SS	Fall protection uniform without lanyard. Size X-large to fit chest sizes 46-49. Trouser inseam 29", short sleeve shirt.
	VP-846374-32LS	Fall protection uniform without lanyard. Size X-large to fit chest sizes 46-49. Trouser inseam 32", long sleeve shirt.
	VP-846374-32SS	Fall protection uniform without lanyard. Size X-large to fit chest sizes 46-49. Trouser inseam 32", short sleeve shirt.
	VP-846374-35LS	Fall protection uniform without lanyard. Size X-large to fit chest sizes 46-49. Trouser inseam 35", long sleeve shirt.
	VP-846374-35SS	Fall protection uniform without lanyard. Size X-large to fit chest sizes 46-49. Trouser inseam 35", short sleeve shirt.

Subject	VP#	Description
SAFETY SUPPLIES, UNIFORMS		
	VP-846375-29LS	Fall protection uniform without lanyard. Size XX-large to fit chest sizes 50-53. Trouser inseam 29", long sleeve shirt.
	VP-846375-29SS	Fall protection uniform without lanyard. Size XX-large to fit chest sizes 50-53. Trouser inseam 29", short sleeve shirt.
	VP-846375-32LS	Fall protection uniform without lanyard. Size XX-large to fit chest sizes 50-53. Trouser inseam 32", long sleeve shirt.
	VP-846375-32SS	Fall protection uniform without lanyard. Size XX-large to fit chest sizes 50-53. Trouser inseam 32", short sleeve shirt.
	VP-846375-35LS	Fall protection uniform without lanyard. Size XX-large to fit chest sizes 50-53. Trouser inseam 35", long sleeve shirt.
	VP-846375-35SS	Fall protection uniform without lanyard. Size XX-large to fit chest sizes 50-53. Trouser inseam 35", short sleeve shirt.
	VP-846376-29LS	Fall protection uniform without lanyard. Size XXX-large to fit chest sizes 53-56. Trouser inseam 29", long sleeve shirt.
	VP-846376-29SS	Fall protection uniform without lanyard. Size XXX-large to fit chest sizes 53-56. Trouser inseam 29", short sleeve shirt.
	VP-846376-32LS	Fall protection uniform without lanyard. Size XXX-large to fit chest sizes 53-56. Trouser inseam 32", long sleeve shirt.
	VP-846376-32SS	Fall protection uniform without lanyard. Size XXX-large to fit chest sizes 53-56. Trouser inseam 32", short sleeve shirt.
	VP-846376-35LS	Fall protection uniform without lanyard. Size XXX-large to fit chest sizes 53-56. Trouser inseam 35", long sleeve shirt.
	VP-846376-35SS	Fall protection uniform without lanyard. Size XXX-large to fit chest sizes 53-56. Trouser inseam 35", short sleeve shirt.
SCREWS		
	VP-846825	10-32 x 3/4" pan head machine screw, steel. American Std. cadmium plate, yellow iridite, per Otis Spec 26DJ4. SCMA P10-32x3/4.

Subject	VP#	Description
SCREWS		
	VP-846830	Flat head countersunk Phillips screw, 5-40 x 3/8", electro plated.
	VP-846832	#6 x 1/2" flat head, countersunk, Phillips head, self tapping, black screw.
	VP-846835	Flat head countersunk Phillips screw, 6-32 x 3/8", electro plated.
	VP-846840	Round head self tapping screw, #6 x 1/2", electro plated.
	VP-846900	5-40 x 1/4" binding head machine screw, brass. American Std. cadmium plate, yellow iridite, per Otis Spec 26DJ4. SCMA BBR5-40x1/4.
	VP-849700	4-40 x 1/2" pan head screw, type F, cadmium plated.
	VP-849882	Low head socket cap screw, DIN 7984 M12 x 30.
	VP-849883	Low head socket cap screw, DIN 7984 M12 x 35.
	VP-849884	Stainless steel screw, DIN 7991 M4 x 10.
	VP-849885	Slotted pan head machine screw, DIN 84 M6 x 25.
	VP-849886	Box of 100 Pieces_Screw, flat head slotted, stainless steel, M4 x 10 DIN 963 (for escalator decking panels).
	VP-849887	Socket flat head brass screw (countersunk). M4 x 10 DIN # 7991. For escalator decking panels.
	VP-849889	Slotted flat head machine screw, DIN 963 M6 x 12.
	VP-849890	Phillips flat head machine screw, stainless steel; for UB escalator molding. DIN 965 M6 x 12.
	VP-851010	Socket head cap screw, DIN 912 M10 x 20.
	VP-851020	Socket head cap screw, DIN 912 M10 x 30.
	VP-852000	Flat head machine screw, DIN 963 M8 x 25.
	VP-855350	5-40 x 3/8" oval head Phillips machine screw, steel. SCMA OP5-40x3/8.
	VP-855355	6-32 x 3/8" flat head Phillips self-tapping screw, type F, black.
	VP-855357	6-32 x 3/8" pan head Phillips sems, ext. lockwasher machine screw. SEE parts leaflet C-3042.

Subject

VP#

Description

SCREWS

VP-855358	6-32 X 1/4" pan head screw. Pan Phillips sems, (w/external lockwasher) zinc plated. Used with 456DD1 roller to make 7593B4 door guide.
VP-855360	6-32 x 3/8" flat head sheet metal drive, screw, type B, black.
VP-855361	Screw Tek #3, sheet metal: hex washer head, #12 X 3/4" long, with a bar seal washer. Zinc plated steel. For sheet metal
VP-855365	Cap screw, hex head 4-40 x 1/2 inch.
VP-855500	10-24 x 1/2" flat head nylon machine screw.
VP-855550	Avsafe tamper resistant screw, # MCRM 1024-1000. SEE parts leaflet C-3037A.
VP-855860	8-32 x 1/2 SEMS (external lockwasher, Phillips)
VP-855866	8-32 x 1-1/2" tamper proof screw, stainless steel, snake eyes.
VP-855876	8-32 x 1-1/2" tamper proof screw, brass, snake eyes.
VP-860045	10-32 x 3-1/2" pan head machine screw. SCMA P10-32x3-1/2.
VP-860650	10-32 x 1" oval head Phillips machine screw, brass.
VP-860700	10-32 x 3/4" oval head Phillips recessed machine screw, stainless steel.
VP-860720	1/4" x 3/8" machine screw whiz lock type, flanged. SCMA LKFLG1/4 x 3/8WHIZ.
VP-862420	10 x 1/2" pan head steel Parker Kalon type Z self-tapping screw. SCPT PPKZ10x1/2.
VP-862430	TORX tamper-resistant screw. Pan, pin-in-head, self-drilling screw. Size T25, #10 X 3/4"
VP-863300	1/2 x 1" cone point set screw, hex socket.
VP-863310	1/2"-13x2" Square Head Cone Point Set Screw. Used with AAA336PV1 Beam Clamp for AAA22242C1 Rerope Service Tool.

SEALS

VP-840712	Seal ring, EECO #1252.
VP-840713	Seal ring, EECO #1263.

Subject	VP#	Description
SEALS		
	VP-840717	Seal ring, EECO #1285.
	VP-863200	#3760 oil seal. BAFG 60 x 110 x 13.
	VP-863205-G	Seal, DIN 3760A, 50 x 72 x 8.
	VP-863220	#3760 oil seal. DIN 3760B, 60 x 80 x 8.
	VP-864540	Seal for `O' operator, #240731. 1" x 1-1/4" x 1/8".
	VP-864835	3-1/4" seal, ESCO #3-817-002.
	VP-865088	Seal, Texacone #4182R4.
	VP-865089	Seal, Texacone #4182R5.
SES		
	VP-719525	SES box, phase 1, complete. SEE TIP 1.2.2.0-8.
	VP-719526	SES box, phase 2, complete. SEE TIP 1.2.2.0-8.
	VP-719535	SES box, California phase 1, complete. SEE TIP 1.2.2.0-8.
	VP-719536	SES box, California phase 2, complete. SEE TIP 1.2.2.0-8.
	VP-732410	SES relay module card cage, wired(w/o cards). SEE TIP 1.2.2.0-8.
	VP-732415	SES relay module card cage, unwired, (w/o cards). SEE TIP 1.2.2.0-8.
SHAFTS		
	VP-866650	SEE KITS.
	VP-866700	SEE KITS.
	VP-866750	SEE KITS.
SHIMS		
	VP-869600	4" shim, vulcanized fiber, 3-7/8" x 4-7/8" x 1/16" thick. Texacone #2F001-001.
	VP-869605	4-1/2" shim, vulcanized fiber, 4-3/8" x 5-3/8" x 1/16" thick. Texacone #2F002-001.
	VP-869610	5" shim, vulcanized fiber, 4-7/8" x 5-7/8" x 1/16" thick. Texacone #2F012-001.
	VP-869615	5-1/2" shim, vulcanized fiber, 5-7/16" x 6-7/16" x 1/16" thick. Texacone #2F003-001.

Subject	VP#	Description
SHIMS		
	VP-869625	6-1/2" shim, vulcanized fiber, 6-1/2" x 7-1/2" x 1/16" thick. Texacone #2F004-001.
	VP-869635	7-1/2" shim, vulcanized fiber, 7-1/2" x 8-1/2" x 1/16" thick. Texacone #2F005-001.
	VP-869645	8-1/2" shim, vulcanized fiber, 8-1/2" x 9-3/4" x 1/16" thick. Texacone #2F006-001.
	VP-869655	9-1/2" shim, vulcanized fiber, 9-1/2" x 10-3/4" x 1/16" thick. Texacone #2F007-001.
	VP-869665	10-1/2" shim, vulcanized fiber, 10-5/8" x 11-7/8" x 1/16" thick. Texacone #2F008-001.
	VP-869685	12-1/2" shim, vulcanized fiber, 12-5/8" x 13-7/8" x 1/16" thick. Texacone #2F009-001.
	VP-869690	14" shim, vulcanized fiber, 13-3/4" x 15-1/4" x 1/16" thick. Texacone #2F010-001.
	VP-869695	16" shim, vulcanized fiber, 15-3/4" x 17-1/4" x 1/16" thick. Texacone #2F011-001.
SHOES		
	VP-869750	Door guide shoe, Adams #0-678. Reference Otis dwg. 237GA.
SIGNS		
	VP-870200	Sign, blue with white letters: "THIS IS NOT A PASSENGER ELEVATOR, NO PERSONS OTHER THAN THE OPERATOR AND FREIGHT HANDLER ARE PERMITTED TO RIDE ON THIS ELEVATOR". 8-27/32" X 4", aluminum.
	VP-870220	Sign, stainless steel, with black letters: "THIS IS NOT A PASSENGER ELEVATOR".
SLEEVING		
	VP-871600	Sleeving Kit for Hydro Motor Lead Sleeving., Contains wire lead sleeves, ties, markers and instructions for 6 wire leads. For motors with 12 leads, two kits are needed. See TIP 6.3.1-12 or CI16-10-008.
	VP-871650	#2 unsaturated fiberglass sleeving. Ben-Har (ST).
SOCKETS		
	VP-872300	Lamp socket, B8200J.
	VP-872500	Socket, screw extender for candelabra screw base, F.W. Morse #472. Used in Otis MT-107002.

Subject	VP#	Description
SOCKETS		
	VP-872600	Socket, 13/16 inch, 8-point, double square for 1/2 inch drive. Used on motor and encoder install and adjustment procedures on E411MVF, LRVF and MOD GEM equipment. SEE T.I.P. 1.1.15.0-20
SOLDERS		
	VP-533533	Solder wick, Number 1. GC-Spirig 6S-Wick #22-406.
SPACERS		
	VP-874250	Spacer, Winsmith #2459. For intermediate shaft of Winsmith unit between worm & gear. SEE Circular Letter SS-24-77.
	VP-874270	Insulated spacer. A circuit tap consisting of a phenolic tube internally threaded 8/32; one end w/nut & stud. SEE TIPS 1.2.2.0-5 & 4.0-9.
SPLICERS		
	VP-749100	But splice, T & B Sta-Kon part # 2RB14X.
	VP-749110	In-line insulated splice connector. Wire size range: 14 AWG to 1/0 AWG. Eliminates taping of field connections on motors and generators. See T.I.P. 7.0-26
	VP-749111	In-line insulated splice connector. Wire size range: 10 AWG to 250 kcmil. Eliminates taping of field connections on motors and generators. See T.I.P. 7.0-26
	VP-749112	In-line insulated splice connector. Wire size range: 10 AWG to 350 kcmil. Eliminates taping of field connections on motors and generators. See T.I.P. 7.0-26
	VP-749113	In-line insulated splice connector. Wire size range: 6 AWG to 500 kcmil. Eliminates taping of field connections on motors and generators. See T.I.P. 7.0-26
	VP-916450	Wire splice, 22 AWG. Amp P/N: 34070.
SPRAYERS		
	VP-875025	Two-gallon garden type sprayer. Hudson Sprayer #6215.
	VP-875030	12 polyethylene 32 oz. spray bottles w/adjustable nozzle (sprayer is for use with Simple Green cleaner Otis P/N VP-420480).

Subject	VP#	Description
SPRINGS		
SPRINGS	VP-843582	Spring for hoistway door lock device, Otis # VP-843580.
	VP-875610	Heavy duty red spring for Hilliard brake. Hilliard # MHP-24, 5/8" x 2". SEE TIP 6.2.7-4.
	VP-876400	Spring, Peelle #03457.
	VP-876700	Spring, Rix #54A20RH.
STANDOFFS		
	VP-877550	8-32, (Externally threaded both ends) brass hex standoff. Used in 2700ABA1 and VP-874270.
	VP-877565	Nylon standoff, 1" x 1/4", 8-32 tapped thru.
	VP-877577	Hex standoff for 7770R operator door motor retrofit kit, VP-798605.
STAPLE REMOVER		
	VP-877600	Packaging staple remover.
STARTERS		
	VP-877605	Starter, FS4.
	VP-877650	Starter for flourescent lights, FS5.
	VP-877660	Starter for flourescent lights, FS20.
	VP-877700	Starter for flourescent lights, FS25.
	VP-877710	Starter for flourescent lights, FS30.
	VP-877720	Starter for flourescent lights, FS40.
	VP-877730	Starter for flourescent light fixture 460-78 in SPL 50-GO177AG Vendor: OSRAM (Germany) #ST 151
STATORS		
	VP-878050	Stator #17464.
STEP PIN LIFTER		
	VP-878095	SEE PINS.
STONES		
	VP-878200	Brush seating stone medium grade, 1-1/4" x 2-1/2" x 4-3/4".
	VP-880000	#1 flex stone, coarse, Rimac 80 grit.
	VP-880010	#2 flex stone, fine, Rimac 120 grit.

Subject	VP#	Description
STONES		
	VP-880050	Coarse lathe stone for cleaning commutators. 1" x 2" x 8", grade C.
	VP-880100	Fine lathe stone for cleaning commutators, 1" x 2" x 8", grade F.
STRAPS		
	VP-703200	SEE PULL STRAPS.
	VP-881500	SEE PULL STRAPS.
	VP-881600	SEE PULL STRAPS.
STRIKERS		
	VP-881700	Solid striker used on Otis 311B type hall lantern gong. SEE TIP-4.1.3-2.
SUPPRESSORS		
	VP-882500	Sleeve Ferrite clamp. Used on MRQ VFCU as base current oscillation inhibitors. SEE T.I.P. 1.1.6.1-53.
SWITCHES		
	VP-883050	Switch used in the VP-833051 assembly, E401 retrofit program.
	VP-883051	Service switch cable assembly used with VP-883051. 10 ft. long, 4-conductor shielded cable, 20 AWG.
	VP-883145	Switch, Micro Switch # BZE6-2RQ62.
	VP-883455	Toggle switch; used in Lambda detector assembly, Otis #1F-6971AF1. Leviton #1230.
	VP-902690	SEE VANES.
TAGS		
	VP-884600	Lockout safety tag. Rigid vinyl tag w/ 3/8" grommeted hole. Tag reads "DANGER-Locked to protect workman repairing machinery". Also avail. AAA102AFZ1, self-adhering tag.
TAPES		
	VP-890700	Pipe sealant tape, 1/2" wide. Used in "Piping Kit for Hydraulic Elevators", # VP-798460. SEE TIP 6.3.0-17.
	VP-890800	Electrical tape, 3/4" wide, 20-foot roll, black vinyl.
	VP-890850	Electrical tape, 3/4" wide, 66-foot roll, black vinyl.

Subject

VP#

Description

TAPES

VP-890855	Electrical tape, 3/4" wide, 66-foot roll, yellow vinyl. Drop Ship Item.
VP-890980	Scotch tape #472, 6" wide, black.
VP-891300	Friction tape, 3/4" wide, 60-foot roll. Per Federal Spec. HHT-101A.
VP-891600	Masking tape, 2" wide, 60-yard roll.
VP-891850	Pipe thread sealant tape, 1/2" wide, 43-foot roll. MIL Spec T-27730A. 3M Co. #48
VP-892500	Teflon tape, 1" wide, 36-yard roll.
VP-892520	Scotch brand filament tape, reinforced with glass yarn. 1" X 60 yard roll.
VP-892555	3M tape, 10" wide X 36 yards roll.

TAPS

VP-798300/SPIRAL TAP	10-32 spiral tap, GH3; at least 3/4" thread. Used in Light Ray Mounting Kit, VP-798300.
VP-874270	SEE SPACERS.
VP-885400	1/4-20 UNC plug tap. High speed steel, 4-flutes, 1" thread length, 3-5 threads chamfered, 2-1/2" overall length, H3 pitch diameter limit
VP-885500	5/16" x 18" standard tap. SEE Circular Letter SS-39A-75.
VP-885505	5/16" x 18" bottoming tap.
VP-885510	3-48 tap, 2 flute.
VP-889700	5-40 tap, 2 flute.
VP-889750	6-32 tap, 2 flute. Union #1534.
VP-889775	8-32 plug tap, 4 flute.
VP-890050	5/16-18 tap, 3 flute. Bennington #21077.
VP-890055	Plug style tap; 3/8"-16 thread; 3 flute; spiral; H3 pitch diameter limits; "GUN" brand for hand or machine tapping. Was P/N REP-TAP2.
VP-890250	1/2-13 tap, 3 flute.
VP-890255	Plug style tap; 5/8"-11 thread; 4 flute; spiral; H3 pitch diameter limits; GTD/GREENFIELD brand for hand tapping. Was P/N REP-TAP3.
VP-890265	3/4"-10 taper tap, 4 flute. Refer to T.I.P. 6.2.0-4

Subject	VP#	Description
TARGETS		
TARGETS	VP-892700	Target, FA-1638.
TERMINAL STRIPS		
	VP-798300/TERM STRIP	Terminal strip, Radio Shack #274-679. Used in Light Ray Mounting Kit, VP-798300.
TERMINALS		
	VP-749200	Locking spade terminal. T & B part # RA18-10FL. Sold in box of 100 pieces
	VP-893700	Ring terminal, Thomas & Betts # B14-8.
	VP-894001	Ring tongue terminal. Amp P/N: 32945
	VP-894028	Ring terminal, Thomas & Betts # B14-14.
	VP-894100	Female disconnecting terminal. 18 guage wire, 1/4" x 0.032" tab, vinyl insulated
TESTERS		
	VP-893150	Black band tester for motor generator test.
THERMISTORS		
	VP-896600	Thermistor, G.E. #1D101; for time delay on door open bells. SEE Technical Article IV-1-45.
THERMOSTATS		
	VP-896660	Thermostat for door operators, used in conjunction with VP-792553 heater. SEE Dwg. A7300AH, Airpax, Inc./No. American Phillips Controls #5100-003-173
TOOL BOXES		
	VP-898700	Wheeled utility bag for convenient transport of tools/parts. Extendable axles for increased stability. Removable tool holders, extendable handle, five secondary compartments, and removable small parts box mounted on back.
	VP-898701	Metal tool box for examiners. Kennedy style, cantilever tray professional tool box. Industrial Supplies Company, P/N: CS-16. See also, alternative polyethylene tool box MT-104001.
TRANSFORMERS		
	VP-899150	Transformer, Jefferson Electric #969-001-532.
TUBES		

Subject	VP#	Description
TUBES		
	VP-899805	Tube, Nixie # B6091.
TUBING		
	VP-845870	Wire wrap, Otis #514C1 in 4-foot lengths. Used in PWM Board Retrofit Kit, # 1F-8128BY. SEE TIP 22.9-18.
TY-RAPS		
	VP-897945	SEE CABLE TIES.
	VP-897950	SEE CABLE TIES.
	VP-898000	SEE CABLE TIES.
VALVES		
	VP-902611	Piston valve assembly, EECO #1670AR.
	VP-902616	Piston valve assembly, EECO #1682ARR.
VANES		
	VP-902675	Retractable type door vane used w/Otis 6970 & 7300 door operators. Crank vane, universal; to suit right and left hand applications.
	VP-902685	Vane coll. door R.
	VP-902690	Vane for Rotron switch. Arrow Electric #476310-VANE-1350.
WASHERS		
	VP-904200	Plastic washer, Amatom #2322-N.
	VP-904890	DIN 127 A8 steel lock washer.
	VP-904892	DIN 127 A12 steel lock washer.
	VP-904958	DIN 125 6 steel flat washer.
	VP-904960	DIN 125 8 steel flat washer.
	VP-904962	DIN 125 10 steel flat washer.
	VP-904964	DIN 125 12 steel flat washer.
	VP-904965	DIN 125 13 steel flat washer.
	VP-904978	DIN 125 17 steel flat washer.
	VP-904979	DIN 127 A6 steel lock washer.
	VP-904981	DIN 127 A10 steel lock washer.
	VP-904985	DIN 127 A16 steel lock washer.

Subject	VP#	Description
WASHERS		
	VP-904987	DIN 125 21 steel flat washer.
	VP-904988	DIN 433 13 steel flat washer.
	VP-904989	DIN 434 9 square tapered washer.
	VP-905040	DIN 9021 6 oversized flat steel washer.
	VP-905150	Leather washer, 1/8" thick, 1-3/16" I.D., 2" O.D.
	VP-905250	Leather washer, 1/8" thick, 1-3/4" I.D., 2-1/2" O.D.
	VP-906140	1/2" steel shakeproof lock washer. WSR SP 1/2-1124. Same as Otis #130C9.
	VP-906190	#6 x 1/8" steel shakeproof lock washer. WSR SP6-1106ZP.
	VP-906200	#8 x 5/32" steel shakeproof lock washer. WSR SP8-1208. Same as Otis #130A4.
	VP-906220	1" steel shakeproof lock washer. WSR SP1-1236. Same as Otis #130A16.
	VP-906800	Cadmium washer, NO10.
	VP-908710	5/16" lock washer. SEE Circular Letter SS-39A-75.
	VP-908800	3/8" standard "Kantlink" spring lock washer. Same as Otis #130F9.
	VP-908900	1/2" standard nylon washer. Used with Otis type 6993AL safety shoe.
	VP-908910	1/4" fender washer. SEE TIP 22.9-14.
	VP-909100	#10 standard lock washer. WSR LK10.
	VP-909980	5/16" standard flat washer. SEE Circular Letter SS-39A-75.
	VP-910950	5/8" Truscon washer. Nut holder for concrete inserts.
	VP-910960	Washer, reducing. From 1" to 3/4". Used on AT400 Generic Retrofit Kits, AAA24430V.
WEDGE GUARDS		
	VP-918810	SEE BRACKETS.
WHEELS		
	VP-912010	SEE ROLLERS.
	VP-912020	SEE ROLLERS.

Subject	VP#	Description
WIPERS		
WIPERS	VP-919990	Wiper cloth. Linx cleaning cloth by Prematex. Box of 1100 wipers in 100 count bags. High durability, absorbancy. Strong and softer than bulk cloth wipers.
	VP-920000	Wiper cloth, sweatshirt, Sold per 10 lb. box
	VP-920010	Wiper cloth, polo-knlt, 10 lb. box
WIRES		
	VP-749300	Red wire, 22AWG Kynar wire,10 mil insulation.
	VP-749301	Wire, 22 AWG , black, 300V, 80°, UL style 1061, CSA type SR-PVC. Sold by foot
	VP-845870	SEE TUBING.
	VP-876785	Music wire, .023 x 1/8 O.D., natural finish, close wound, left-hand wind, Lee Spring Co. # E-023.
	VP-912450	SEE KITS.
	VP-912900	Black soft steel wire, 21 gauge, 1/4-lb.roll.
	VP-913350	Music wire, 14 gauge, .032" thick, 5-lb. 1720 foot spool. Used on types 6339B and 6339C wire drives for #5 floor controller.
	VP-913450	Music wire, 21 gauge, .047" thick, 1-lb. 170 foot spool. Used on types 6339B, 6339D and 6339E wire drives for #5 floor controller.
	VP-913550	Music wire, 21 gauge, .047" thick, 5-lb. 850 foot spool. Used on types 6339B, 6339D and 6339E wire drives for #5 floor controller.
	VP-913650	Plumb wire, 16 gauge (.062" diameter) 12 lb spool.
	VP-914600	Black stranded wire, 14 gauge, type THHN/THWN.
	VP-915100	Black stranded wire, 16 gauge, type MTW.
	VP-915200	Red stranded wire, 18 gauge, type TFF.
	VP-916048	White wire, #18AWG, stranded, 600V, 105C, UL Style1015, CSA TEW 1000 foot reel
	VP-916049	Wire, Violet/Yellow, 1000 foot reel, #18 AWG 600V 105C UL style 1015

Subject	VP#	Description
WIRES		
	VP-916051	Grey wire, #18AWG, used in GAMMA D man., 600V 105C UL style 1015 Manhattan part # M214.
	VP-916052	Green & Yellow wire, #18AWG, used in GAMMA D, 600V 105C UL style 1015 Manhattan part # M214.
	VP-916053	Black wire, #8AWG, used in GAMMA D man.
	VP-916054	Black wire, #14AWG, for GAMMA D man. 600V 105C UL style 1015 Manhattan part # M216.
	VP-916055	Green & Yellow wire, #14AWG, used in GAMMA D, 600V 105C UL style 1015 Manhattan part # M216.
	VP-916056	Grey wire, #14AWG, used in GAMMA D man. 600V 105C UL style 1015 Manhattan part # M216.
	VP-916057	Blue wire, #18AWG, used in GAMMA D man.
	VP-916058	White wire, #18AWG, used in GAMMA D man.
	VP-916059	Black wire, #18AWG, used in GAMMA D man. For IDC.
	VP-916060	Black stranded wire, 18AWG, 600V, 105°C, CSA TEW, UL style 1015
	VP-916061	Green & Yellow wire, #8AWG, used in GAMMA D, 600V 105C UL style 1028 Manhattan part # M219.
	VP-916062	Grey wire, #18AWG, used in GAMMA D man. For IDC.
	VP-916063	Black wire, #18AWG, used in GAMMA D man. For DOOR RES.
	VP-916064	Wire, 14 AWG, red, 600V, 105°C. Vendor: Belden. Vendor P/N: 8916, color #2.
	VP-916065	Wire, 10 AWG, black, 600V, 105°C. Vendor: Belden. Vendor P/N: 9910, color #10.
	VP-916066	Wire, 10 AWG, red, 600V, 105°C. Vendor: Belden. Vendor P/N: 9910, color #2.
	VP-916067	Wire, 6 AWG, black, 600V, 150°C. Vendor: Belden. Vendor P/N: 37106.
	VP-916068	Wire, 4 AWG, black, 600V, 150°C. Vendor: Belden. Vendor P/N: 37104.

Subject	VP#	Description
WIRES		
	VP-916069	Wire, 1/0, black, 600V, 150°C. Vendor: Belden. Vendor P/N: 37190.
	VP-916070	Wire, BLUE, #22AWG. Vendor: Belden Wire. Vendor P/N: 8503
	VP-916075	Wire. Communication and control cable used for Gamma D controller. Power limited circuit cable type PLTC. 105 degree C. 300V, NEC article 725 4 pair, 18 AWG, 16/30. Vendor: CAROL #C0586
	VP-916080	Wire, GREEN, #18AWG. Spec #26.
	VP-916081	Wire, 2/0, black, 600V, 150°C. Vendor: Belden. Vendor P/N: 37100.
	VP-916082	Wire, 3/0, black, 600V, 150°C. Vendor: Belden. Vendor P/N: 37130.
	VP-916083	Wire, 2 pairs 22 AWG overall shield, 300V, 80°C. Vendor: Belden. Vendor P/N: 9302.
	VP-916084	Wire, 6 pairs 22 AWG overall shield, 300V, 80°C. Vendor: Belden. Vendor P/N: 9306.
	VP-916085	Wire, 9 pairs 22 AWG individual shield. 300V, 80°C. Vendor: Belden. Vendor P/N: 8764.
	VP-916086	Wire, 2 conductor 18 AWG cord SJO-2. 300V, 60°C. Vendor: Belden. Vendor P/N: 19227.
	VP-916100	Blue stranded wire, 18 gauge, type TFFN.
	VP-916150	Wire, Grey. UL style 2501, CSA AWM PVC 105°C. Two 18 AWG 600V 105°C conductors (1 red, 1 black) in a 600V 105°C grey jacket. (Not twisted or shielded). Alpha #5422.
	VP-916350	Red stranded wire, 18 gauge, type TFFN.
	VP-917375	Solid PVC style 1007 slate color wire, 22 gauge.
	VP-917400	Silicone wire, Spec 28, used for selector wiring and SCC switches.
WIRING DIAGRAMS		
	VP-721755	SEE BRACKETS.
	VP-798660	SEE KITS.
	VP-830255	SEE PANELS.

WORMS

Subject	VP#	Description
WORMS		
	VP-919600	Worm gear, Winsmith #2113, for intermediate shaft `O' operator gear box, 127-1/2:1 and 112-1/2:1. SEE Circular Letter SS-24-77.
	VP-919625	Worm, WR2160 RH.
	VP-919650	Worm gear, Winsmith #3972, for high speed shaft `O' operator gear box, 170:1. SEE Circular Letter SS-24-77.
	VP-919775	Steel worm, 7980-9.