

for the

# Westinghouse MPH-I & II Schindler Miconic 300A

**Available from OSC** 

800-600-6847

July 6, 2009

#### TABLE OF CONTENTS

Controller Parts	3
Detector, Pana40, Assembly and Parts	13
Door Closers, ECI	15
Door Keeper Clutch, ECI 892	17
Door Operator Parts	21
Fixtures-Car and Corridor Buttons (MT/MTA) Parts	31
Power Units	44

**NOTE**: Many of the parts listings within this catalog include a system type. Please note that the part may apply to other systems as well.

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
	AAA375BT27 AAA375BR8 AAA375BT29 AAA375BT18 AAA375BR8 AAA375BT29	Fuse (REL board) AGC 2.0 Amp, Fuse (REL board) MDX 1.5 Amp (use MDL), F2 Fuse (REL board) AGC 6.0 Amp, F3 Fuse, (RMH board) AGC 3.0 Amp Fuse, (RMH Board) MDL 1.5 Amp Fuse (RMH board) AGC 6.0 Amp	F1, F2, F3	
	AAA375BM2	Fuse "Pico" (on MHC Board) 0.125 Amp	F3 thru F18	125
	AAA375BM11	Fuse "Pico" (on MHC Board) 3.0 Amp	F1,F2, F19 thru 24	125

CONTROLLER PARTS				
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
KLDR &	AAA375BK12 AAA375BK16	Fuse, Control, 0.8 Amp Fuse, Control, 1.3 Amp	FNQ-R	
RON ME-DEL FUSE FNOON	AAA375BJ23 AAA375BK18 AAA375BJ12 AAA375BK14 <del>AAA375BJ18</del> AAA375BV5	Fuse, Control, 3.0 Amp Fuse, Control, 1.5 Amp Fuse, Control, 1 Amp (slow blow) Fuse, Control, 1.125 Amp (use FNQ-R) Fuse, Control, 2.0 Amp	FNQ	
	WEST998C247H11	PC Board, CIO, Car Station IO Board	CIO	Miconic 300A

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
	WEST998C148H25 (see also p/n SCHD225094)	PC Board, Floor Control Board	FCB	MPH I
	WEST998C148H15 (see also p/n SCHD225094)	PC Board, Floor Control	FCB	MPH Hydro
	WEST998C148H26 (see also p/n SCHD225094)	PC Board, Floor Control	FCB	MPH I

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
	SCHD225094	PC Board, Floor Control (latest version)	SFCB	МРН І
TOWART FRANCISCO SUM DISTRICT S	WEST998C212H11	PC Board, Floor Control Module	FCM	
Engage en	WEST998C188H11	PC Board, Hall Fixture Interface	IOX	MPH II

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
	WEST998C214H12 WEST998C214H25 WEST998C214H11	PC Board, High Voltage Module	HVM	МРН II
DEF ASSET AS	WEST998C198H12	PC Board, PI Driver	DPI	МРН2
TABLET AND THE PROPERTY OF THE	WEST998C169H11	PC Board, PI Readout	DPR	Epoch II/MPH

CONTROLLER PARTS				
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
	WEST998C146H22	PC Board, Relay	HRM	МРН I
	WEST998C177H11	PC Board	HR2	MPH I
	WEST998C187H12	PC Board, Micro Processor Hydro Control	МНС	MPH-II

CONTROLLER PARTS				
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
	WEST998C187H13	PC Board, Micro Processor Hydro Control	МНС	MPH-II
	WEST998C187H24,25	PC Board, Micro Processor Hydro Control	МНС	MPH II
	WEST998C187H26	PC Board, Micro Processor Hydro Control	МНС	MPH-II

ONTROLLER PARTS				
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
	WEST998C246H11	PC Board	MIO	300A
	WEST998C145H24	PC Board	МРН	МРН І
	WEST998C173H21	PC Board	NSP	МРН І

CONTROLLER PARTS				
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
	WEST998C272H12	PC Board, Relay	REL	300A
	WEST998C189H14	PC Board, Relay	RMH	МРН II
	AAA621AN5	Power Supply	PS1	5 V/ MPH II

ONTROLLER PARTS				
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	Symbol	Volts/ System
	COMMICB4PDTL24DC	Relay (ice cube type) 5 Amp		24 VDC Coil
THE RESERVE AND ADDRESS OF THE PARTY OF THE	COMMICB4PDTL120AC	Relay (ice cube type)		120 VAO Coil
Tours Transfer And	613BY19	Relay, Phase Monitor		400 -480

DETECTOR, PANA40, ASSEMBLY AND PARTS		
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
LINE Asiat server	PANA-40PLUS	Assembly, Safety Edge
	PANA015-199	Cable, P40 Plus, Blue Plugs (13 ft.)
	PANA015-201	Cable, P40, 8 Pin Connectors (13 ft.)
	PANAP40	Cable, Extension, , 8 Pin (13 ft)

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
DANAFORTY PLUI	PANA-40PLUSMTNG HARDWARE	Hardware, Mounting
COMMAND  WITH 1 Marror and 1 May 107 Time  PANA 40  MINISTRA WITH STATE  MINISTRA WITH STATE	PANA-40PLUSPWRSUP	Power Supply
	PANACOMBI	Supply, Power, Janus
	PANA-40PLUSRX	Receiver
	PANA-40TX	Transmitter
	PANA40PLUS-3D	Unit, 40Plus-3D

# DOOR CLOSERS, ECI NOTE: Photographs NOT to scale. Otis Part No. Part Description



ECIC898-6000

ECIC1000-2003 ECIC898-2702 ECIC898-2703 ECIC898-1703 Assembly, Sill Mounted Spring Door Closer (ECI 898) with:

Bearing, Unground, 1-1/8-in. O.D. Guard, Rod Rod, Threaded Spring

#### Door Closers, ECI Otis NOTE: Photographs NOT to scale. **Part Description** Part No. **Assembly, Retractable Vane with:** ECIC892-3020 Clutch Arm ECIC892-3017 **Nyliner Bushing** Shim package, (3) 1/8 in., (9) 1/16 in. (not shown) Retractable Vane Screw, Slotted Round Head, 10-32 x 3/8 and lock washers (not shown) Hinge Linkage, Two-Speed, 8-ft. Cab w/Hardware ECIC898-4000 (not shown) for ECI 898

#### Door Keeper Clutch, ECI 892

NOTE: Photographs NOT to scale.

Otis Part No.

**Part Description** 



ECIC892-5005

ECIC892-5006

ECIC892-5008

ECIC892-5010

ECIC892-5012

ECIC892-5014

ECIC892-6012

#### **Clutch Assemblies for ECI 895**

Assembly w/5-in. Linkage Arm Assembly w/6-in. Linkage Arm Assembly w/10-in. Linkage Arm Assembly w/12-in. Linkage Arm Assembly w/14-in. Linkage Arm

#### **Clutch Assemblies for ECI 1000**

Assembly w/12-in. Linkage Arm

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
Photograph Not Available	ECIC892-3007	<b>Kit, Nylon Cam Roller with:</b> Nylon Cam Roller (not shown) Retaining Ring, 5/16 in. (not shown) Washer, Plain 21/64 in. (not shown) Cam Roller Pin (not shown)
io market	ECIC892-3021	Assembly, Cable with:  Cable Clamp Bolt, Hex, 1/4-20 x 1/2 in. Cable Clip Screw, Tapping, 8-16 x 1/2 in. w/Flat Washer Screw, 10-32 x 5/8 in. Nut w/Lock Washer Spring Cable
	ECIC892-3027 	Assembly, Door Restrictor Keeper Bracke with:  Bolt, Hex, 1/4-20 x 3/4 w/Flat and Lock Washers Keeper Bracket
	ECIC892-3026 	Assembly, Door Restrictor Keeper with: Keeper Screw, Counter-Sunk Skt. Head, 10-32 x 5/ nut w/Lock Washer

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	ECIC894-3008	Assembly, Gate Switch Actuator for single-slid door
	ECIC894-3009	Assembly, Gate Switch Actuator for center- opening doors
	ECIC892-3023	Assembly, Hook with:  Shoulder Screw, 3/8 x 5/8 in.  Nut 5/16-18  Bearing, Plastic  Cable Screw, Socket Head Cap 1/4-28 x 7/8 in.  Nut, Jam, 1/4-28  Washer, Plain 21/63 x 19/32  Hook

### Door Keeper Clutch, ECI 892 Otis NOTE: Photographs NOT to scale. **Part Description** Part No. ECIC892-3024 **Assembly, Hook Bracket with:** Bolt, Hex, 1/4-20x 3/4 in. w/Flat and Lock Washers (not shown) **Hook Bracket** ECIC898-5000 Assembly, Sill Mount Two-Speed Linkage (ECI 898) with: ECIC1000-2003 Bearing, Unground, 1-1/8-in. O.D.

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	ECIC890-3013	Assembly, Beak
	ECIC895-3048	Assembly, V-Belt Pulley Wheel (shown) for QKS 14 Operator

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	ECIC895-3012	Assembly, Chain Sprocket
	WEST5203D66H16, ECIC895-3014	Assembly, Chain Tension Rolle
	ECIC895-3008	Assembly, Drive Shaft

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	ECIC890-3006	Assembly, Gate Contact
	ECIC890-3000, ECIC890-3001	Assembly, Interlock with Short Lin 15 1/2", Interlock Assembly With Long Lin 27 1/2"
	ECIC896-3022	Assembly, Pick Up Roller Base (fo 890 interlock, left-hand)

OR OPERATOR PARTS		
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	ECIC1000-3016	Assembly, Roller Stop
• ECI	ECIC890-3010	Beak
	COMM4L550	Belt, V (4L550) QKS 14 Doo Operator "V" Belt, 55 inches

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	WEST576B681H01	Gib, Door Bracket, Offset 1/16-ir
	WEST693B336H01	Gib, Door Bracket, Offset 1/4-in.
0	WEST691B971H01	Gib, Door Bracket, No Offset, w/Nylon Runner (not shown)
	Alt P/N: SEESWDO-59C	Gib, Door Bracket, No Offset, w/o Nylon Runner

Door Operator Parts		
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
32	WEST693B335H01, WEST146A746H01	Gib, Nylon Door Liner, 4-in. L
	ECIC890-3004	Housing, Contact (for 890 interlocl
	WEST998C147H15	PC Board, HY Door Operator (DCB)

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	WEST999C001H36 (see also p/n SCHD223825)	PC Board, for QKS-14/15 Door Operator (TDC)
STORING TO	ECIC895-4013	Motor, Door Operator, 1/6 HP 1/2-inch Shaft (for QKS 14)
	ECIC895-3007	Pulley, V-Belt

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	ECIC896-1003	Roller, Gate Switch Actuator
	456DH4	Roller, Car Door
35	WEST7433C56H01	Roller, Hatch Door (Integral Typ Hanger)

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	ECIC896-3019	Roller, Pick Up (for 890 interlock
Photograph Not Available	WESTX5BGS1H10	Screws, Door Gib
ADAMA831	<del>WEST215B951H01</del> ADAMA831	Spirator 5 in. (Job Specific)

# NOTE: Photographs NOT to scale. NOTE: Photographs NOT to scale. WEST5203D66H23 ECIC1000-2039 Switch, Micro

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	SCHD7275C52H07	Assembly, Keyswitch, Fire Servic Phase 1 with Two Keys,
	SCHD7656C51H02	Assembly, Button w/PC Board, Two-Switch, Type MT
32 1 15 2	SCHD8544C17G01	Assembly, Button, Type MTA Complete, Two-Switch

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	SCHD8544C19G01	Assembly, Jewel, Fire Hat, Type MTA
The same of the sa	SCHD8544C18G01	Assembly, Key Switch, Fire Serve Phase II, 3-position switch (Fire Service On, Hold, Off) with three keys (AS100 Key), Type MTA
FIRE ON SERVICE OFF BYPASS	SCHD8544C18G02	Assembly, Key Switch, Phase I (AS100 Key), Type MTA

# FIXTURES-CAR AND CORRIDOR BUTTONS (MT/MTA) PARTS Otis NOTE: Photographs NOT to scale. **Part Description** Part No. Sealed Rechargeable SCHD8538C81H03 Battery, 12 AH SCHD8539C17H02 Battery, 4.5 AH (for MPH2) SCHD998C278H11 Button, PC Board, BT-1, 1-Switch

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	SCHD8540C59H01	Cover, Lens, Emergency Light, 3 in.h Wide by 5.5-in. Long
	WEST7424C98G11	Door Frame, Telephone Cabinet
FIRE ON SERVICE OFF BYPASS	SCHD7254C77H01	Faceplate, Keyswitch, Phase I Switch, Type MTA

TURES-CAR AND CORRIDOR BUTTONS (MT/MTA) PARTS		
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	SCHD8544C17G04	Frame, Button w/Button, Type MTA
	SCHD6956C47H01	Handle, Phone Pull
	SCHD8544C15H01	Housing, Button, Type MTA,, 1 Switch

FIXTURES-CAR AND CORRIDOR BUTTONS (MT	FIXTURES-CAR AND CORRIDOR BUTTONS (MT/MTA) PARTS		
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description	
H2 00	SCHDH200	Key	
HBD1	SCHDH-301	Key, Car Station (for 321)	
	WESTOCO1	Key, Switch, Car Station (Surface Mount Switch)	

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
Photograph Not Available	WEST5061A46H05	Keyswitch, Car Station (Job Specific) Key p/n OCO1
	WESTX46AS4H70	Lamp, 28 V, Bayonet Base, 10 pe pack (used in hall lantern)
A 492L1 502 10 Pieces	WESTX46ABS/H04	Lamp, Screw Base, Pep Cab, 10 pack

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
Miniature Light Bulbs  10 PECELS 306 AARSU.3	WESTX46ABS/H05	Lamp, Wedge Base, 6.3 V, 300A (used in cab)
	SCHD5061A49H01	Lens
	WEST6924C32H01	Lens, 3-inch Round, Hall Lantei

## FIXTURES-CAR AND CORRIDOR BUTTONS (MT/MTA) PARTS Otis NOTE: Photographs NOT to scale. **Part Description** Part No. PC Board, Button, Type MTA, SCHD998C304H11 Two-Switch PC Board, Chime, Hall Lantern WEST692B927H01 Plate, Cover, #4 Stainless Steel WEST7257C76H01 Finish, No Stud, Surface Mount

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
<b>FO-0</b>	SCHD8540C58H02	Retainer, Push Button, w/Screw, Type MTA
MSIR SIZHZS	WESTX5BCS2H23	Screw, Tamper-Proof, #10, 1-1/- inch Long, 10 per Pack
	SCHD5061A04H02	Switch, Beam (Car Station)

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
HIGH	SCHD7429C48H16	Switch, "Fan" Lo-High
Photograph Not Available	SCHD7257C63H10	Switch, "Stop Run"
Photograph Not Available	SCHD7429C48H11	Switch, "Fan" Lo-Med

NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
SERVICE I HE	SCHD7429C48H08, SCHD7257C63H08	Switch, Rocker, "Service HE" (Rec Lens)
ON IN SERVICE OFF	SCHD7429C48H02, SCHD7257C63H02	Switch, Rocker, In Service Switch
LIGHT	SCHD7429C48H01, SCHD7257C63H01	Switch, Rocker, Light

URES-CAR AND CORRIDOR BUTTONS (MT/MTA) PARTS		
NOTE: Photographs NOT to scale.	Otis Part No.	Part Description
	SCHD7429C48H14 SCHD7257C63H14	Switch, Rocker, Marked: "UP" Arrow, Red Illumination
DISPECTION	<del>WEST7257C63H06</del> SCHD7257C63H06	Switch, Rocker, Marked: Inspection
	SCHD7429C48H15 SCHD7257C63H15	Switch, Rocker, Marked:: "DOWN Arrow, Red Illumination


#### POWER UNITS

NOTE: Photographs NOT to scale.

#### Otis Part No.

#### **Part Description**

#### MPH-I



©1996, 1999, 2002, 2006, 2008 The Texacone Company. May not be reproduced without permission.

Plunger Size (in.)	Solid Packing Set Part Number	Replacement Seals
3.5	TEXA6EA025-01	TEXA8RF025-01
3.75	TEXA6EA025-02	TEXA8RF025-02
4.0	TEXA6EA025-03	TEXA8RF025-03
4.5	TEXA6EA025-04	TEXA8RF025-04
5.5	TEXA6EA025-05	TEXA8RF025-05
6.0	TEXA6EA025-06	TEXA8RF025-06
6.5	TEXA6EA025-07	TEXA8RF025-07
7.0	TEXA6EA025-08	TEXA8RF025-08
8.0	TEXA6EA025-09	TEXA8RF025-09

**NOTE:** This packing head can be easily confused with the version that was manufactured after to 1989 and used on the MPH2. The packing head assembly used on the MPH 1 is longer than the one used on the MPH 2.


#### **POWER UNITS**

NOTE: Photographs NOT to scale.

#### Otis Part No.

#### **Part Description**

#### **MPH II**



©1996, 1999, 2002, 2006, 2008 The Texacone Company. May not be reproduced without permission.

Plunger Size (in.)	Solid Packing Set Number	Replacement Seal Number
3.5	TEXA9EA113-01	TEXA9E048
3.75	TEXA9EA113-02	TEXA9E050
4.0	TEXA9EA113-03	TEXA9E049
4.5	TEXA9EA113-04	TEXA9E021
5.0	TEXA9EA113-05	TEXA9E023
5.5	TEXA9EA113-06	TEXA9E015
6.0	TEXA9EA113-07	TEXA9E005
6.5	TEXA9EA113-08	TEXA9E013
7.0	TEXA9EA113-09	TEXA9E131
8.0	TEXA9EA113-10	TEXA9E135

#### NOTES:

- 1. The above numbers apply to jacks manufactured by D.L. Martin after 1989. The seals have a 1/4-in. cross section.
- 2. Most units have four Allen Head bolts holding the retaining ring in place. Some later units may only have two bolts holding the retaining ring in place.
- 3. This packing head can be easily confused with the version manufactured prior to 1989 and used on the MPH-I. The packing head assembly used on the MPH-II is shorter than that used on the MPH 1.

# POWER UNITS Otis NOTE: Photographs NOT to scale. **Part Description** Part No. See pp. 37–38 **Packing Set** Thermostat, Oil Temperature (for MPH-II WEST865A278H01 hydro)